

Represented by



ILLING[™]
P A C K A G I N G

Product Specification Sheet


Illing Part#

3635P

53/400 WHT CRC PLAS CAP F217 WITH PINHOLES


Part #: 3635P

Size:	53/400
Color:	White
Material:	PPH
Style:	Plastic Cap
Additional Info:	Lined Cap with Pinholes
Case Pack:	1,100 each
Pallet Pack:	33,000 each





900 Bradley Hill Road, Blauvelt, New York 10913 (845) 353-3300 FAX: (845) 353-3376

TECHNICAL DATA SHEET
F-217


Description: Three-ply co-extruded material; Foamed Low Density Polyethylene Core (2.) Between Two Solid Layers Of Low Density Polyethylene (1.).

SPECIFICATIONS

Thickness			Available Web Width		
Minimum In (mm)	Maximum In (mm)	Deviation In (mm)	Minimum In (mm)	Maximum In (mm)	Deviation In (mm)
0.020 (0.51)	0.060 (1.52)	+/-0.005 (0.127)	1.0 (25.4)	25.0 (635.0)	+/- 1/16 (1.6)
0.065 (1.65)	0.090 (2.29)	+/-0.007 (0.178)	1.0 (25.4)	9.00 (228.6)	+/- 1/16 (1.6)
0.095 (2.41)	0.125 (3.18)	+/-0.010 (0.254)	1.0 (25.4)	9.00 (228.6)	+/- 1/16 (1.6)

Density	Deviation
25 lbs/ft ³	+/-2 lbs/ft ³

Code of Federal Regulations Compliance: Complies to the following CFR's

21CFR 177.1520	Olefin polymers.
21CFR 177.1210	Closures with sealing gaskets for food containers.
21CFR 178.2010	Antioxidants and/or stabilizers for polymers.
21CFR 175.300	Resinous and polymeric coatings.

Original Date: 08/05/97
 Revision Date: 06/13/01
 Revision Number: 1

FDA Status: The component materials of F-217 are listed under DMF 2434.

The aforementioned technical information and any recommendation are based on Tri-Seal's Laboratory Findings and are believed to be true and accurate, but we strongly recommend that our customers perform appropriate tests if they feel necessary to ensure the compatibility and stability of any glue or product with ours. Tri-Seal, a Tekni-Plex Co. guarantees to replace any quantity proved to be defective. We will not be held liable for any injury, loss or damage, whether direct, incidental or consequential, due to the use of or liability to use the product due to a breach of warranty or any agreement between Tri-Seal and the purchaser. Unless contained in this data sheet or agreed to in writing by the officers of the seller and user no other warranty will be honored.