

Represented by



ILLING[™]
P A C K A G I N G

Product Specification Sheet




Illing Part#

3650BLNP

38-400 BLACK LIFT N PEEL HI FOR PP E.007 BL LNP FOAM

Part #: 3650BLNP

Size:	38-400
Color:	Black
Material:	PP
Style:	Plastic Cap
Additional Info:	Lift N Peel Cap Foam Liner For PP
Case Pack:	2,900 each
Pallet Pack:	101,500 each



SECTION A-A

THREAD DETAIL INFORMATION
6 THREADS PER INCH, 0.167 PITCH

REFERENCE	TOLERANCE	DIMENSION	UNITS
E	±0.010 [0.25]	1.394 [35.41]	in [mm]
T	±0.010 [0.25]	1.487 [37.77]	in [mm]
H	±0.010 [0.25]	0.391 [9.93]	in [mm]
OAH	±0.010 [0.25]	0.440 [11.18]	in [mm]
OD	±0.010 [0.25]	1.595 [40.51]	in [mm]
PART WEIGHT	± 0.30	2.80	g

MOLD-RITE, WEATHERCHEM AND STULL TECHNOLOGIES
RESERVES THE RIGHT TO REVISE ANY OR ALL
SPECIFICATIONS AND REQUIREMENTS.

DRAWING TYPE: CUSTOMER

REPLACES DRAWINGS:
C-5008

DIMENSIONS ENCLOSED IN ()
INDICATE REFERENCE
DIMENSIONS AND NO TOLERANCE
LIMITS ARE ESTABLISHED

TOLERANCES UNLESS OTHERWISE SPECIFIED			
DIMENSION (inches)	TOLERANCE	DIMENSION (mm)	TOLERANCE
0-0.787	±0.006	0-20	±0.152
0.788-1.181	±0.008	21-30	±0.203
1.182-2.756	±0.012	31-70	±0.305
2.757-3.937	±0.016	71-100	±0.406
3.938-5.098	±0.020	101-150	±0.508
5.097-7.874	±0.024	151-200	±0.610
7.875-8.43	±0.032	201-250	±0.813

ANGULAR TOLERANCE $\pm 2^\circ$

THIS DRAWING IS PROTECTED BY COPYRIGHT AND CONTAINS INFORMATION PROPRIETARY TO MOLD-RITE, WEATHERCHEM AND STULL TECHNOLOGIES. ANY REPRODUCTION, DISCLOSURE, OR USE OF ITS CONTENTS OR ANY PART THEREOF IS EXPRESSLY PROHIBITED EXCEPT AS MOLD-RITE, WEATHERCHEM AND STULL TECHNOLOGIES OTHERWISE MAY AGREE IN WRITING.



DISTRIBUT

DRAWING NAME

38-400 CT CLOSURE
RMX (Ribbed - Matte)

DRAWING NUMBER

MATERIAL	POLYPROPYLENE
----------	---------------


MODEL NUMBER:	PM 10498 38-400 CT
---------------	--------------------


SCALE

SHEET SIZE
8 1/2" x 11"

	SHEET
	1-11

REV NP







Freshness and Protection for Today's Packaging


Lift 'n' PeelTM

Technical Data Sheet

Lift 'n' PeelTM U5 LP-E

Revisions: U5 LP-E-07252013

MRP Description - (LPE)LIFTNPEEL E.007 BL LNP FOAM

Product	Lift 'n' Peel™ U5 LP-E		
Scope	One piece top-tabbed induction seal with foam backing that features an easily opened clean peel design for use on PE and PP.		
Composition	Material	Standard	Metric
	PET Film	0.001"	0.025mm
	PET Tab	0.0005"	0.013mm
	Polyolefin Foam	0.0045"	0.114mm
	Foil	0.001"	0.025mm
	PET Layer	0.0005"	0.013mm
	Heat Seal	0.0015"	0.038mm
			
Composition does not include adhesive or resin bonding layers (if any).			
FDA Status: 21 CFR 177.1210		Recommended Storage and Handling: Refer to website	
Drug Master File (DMF): 11485		EU / EP Reg.:	
GTR Oxygen: Essentially zero		MVTR: Essentially zero	Manufacturing Location: North America
Print Location (if any): PET Tab			

Selig materials are compliant with current USFDA Food allergen Guidelines.

Selig materials are compliant with California Proposition 65 labeling requirements.

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

www.seligsealing.com

Corporate Headquarters
 Selig Sealing Products, Inc.
 342 E Wabash St
 Forrest, IL 61741, USA
 Phone: +1 (815) 785-2100
 Fax: +1 (815) 657-7584

North American Sales
 Selig Sealing Products, Inc.
 184 Shuman Blvd., Suite 310
 Naperville, IL 60563, USA
 Phone: +1 (630) 922-3158
 Fax: +1 (630) 922-8469

European Sales and Manufacturing
 Selig UK, LTD 635-637 Ajax Avenue
 Slough Trading Estate
 Slough Berkshire SL14BH UK
 Phone: +44 (0) 1753 773 000
 Fax: +44 (0) 1753 773 111

Canadian Manufacturing
 Selig Canada, ULC
 145 Edward Street
 Aurora, Ontario Canada, L4G 1W3
 Phone: +1 (905) 727-0114
 Fax: +1 (905) 727-8544

Swiss Manufacturing
 Selig Switzerland LTD
 Bahnhofstrasse 11
 CH-8172 Niederglatt
 Phone: +41 (0) 44 851 50 50
 Fax: +41 (0) 44 851 50 51

