

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3650HSS

38-400 WHT HEAT SEAL FOR PE FS PE#1

Part #: 3650HSS

Size:	38-400
Color:	WHITE
Material:	PP
Style:	SMOOTH, FINE RIBBED CAP
Additional Info:	HEAT SEAL
Case Pack:	3,750/EACH
Pallet Pack:	56,250/EACH

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3650HSS

SMOOTH TOP & RIBBED SIDES

38-400-73 S



Specifications:

DIAMETER 38 mm

THREAD PROFILE 400

NECK FINISH 38-400

CLOSURE TOP Smooth

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	3,750	15	56,250	23 ⁽¹⁾	338 ⁽¹⁾	125 ⁽¹⁾
Bulk	3,750	15	56,250	25 ⁽²⁾	380 ⁽²⁾	125 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Food, Personal Care & Cosmetics,
Pharmaceuticals, Nutraceuticals, Dairy
Products, and Medical Products.

OPTIONS

Available in white, standard, and custom colors.
Can be lined with a wide variety of liner systems.
Liners can be cut with tri-tab easy-open feature.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Popular for vitamins and nutraceuticals
- Stocked in white (colors available)



PHOENIXTM

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
1899 High Grove Lane Naperville, IL 60540

Represented by



ILLINGTM
P A C K A G I N G


Product Specification Sheet

Illing Part#

3650HSS

SMOOTH TOP & RIBBED SIDES

38-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	02.20.08	Released	DN
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI	.167 / 6	TURNS 1-3/16
.X	±0.1	DRAWN DMN	DATE 02.20.08
.XX	±0.02	SCALE	5 : 2
.XXX	±0.010	REV	0
38 - 400 - 73 S			0




PHOENIXTM

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
1899 High Grove Lane Naperville, IL 60540

SMOOTH TOP & RIBBED SIDES

38-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED)				BF	05.21.18	Released	DN
1. ALL DIMENSIONS ARE IN INCHES.				REV	DATE	DESCRIPTION	BY
2. SEE CHART FOR DIMENSIONAL TOLERANCE.							
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.				TOLERANCE	PITCH/TPI	1.167 / 6	TURN 1-1/4
				.X	±0.1	DRAWN	BEZ
				.XX	±0.02	DATE	08.31.93
				.XXX	±0.010	SCALE	10 : 1
				38 - 400 - FINISH			0

