



38-400 WHITE PP CAP PS22 384006213S (PRESSURE SENSITIVE)

Part #: 3652

Size:	38-400 NECK
Color:	WHITE
Material:	PP
Style:	FINE RIBBED CAP
Additional Info:	PRESSURE SENSITIVE LINER
Case Pack:	3,750 / EACH
Pallet Pack:	56,250 / EACH



SHALLOW SKIRTED CLOSURES

38-400-6213 S



Specifications:

DIAMETER 38 mm

THREAD PROFILE 400

NECK FINISH 38-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	3,750	15	56,250	29 ⁽¹⁾	440 ⁽¹⁾	100 ⁽¹⁾
Bulk	3,750	15	56,250	32 ⁽²⁾	485 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

CLOSURE BENEFITS

- A great general-purpose closure
- A proven closure for the Food Oil and Agricultural Chemical markets
- Fine-ribbed sides are easier to grip
- Our most popular closure style
- Popular for cosmetics

MARKETS

Agricultural, Automotive, Industrial, and Medical Products, Dressings & Sauces, Food, Food Oil & Service, Personal Care & Cosmetics, Pharmaceuticals, Beverages, Household Chemicals, Nutraceuticals, and Dairy Products

OPTIONS

Available in white, standard, and custom colors.
 Liners can be cut with tri-tab easy-open feature.
 Can be embossed or debossed with custom message.
 Offset printing is available in up to four colors.
 Optional 25-30% food-contact PCR PP material available.



PHOENIX


PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504



SHALLOW SKIRTED CLOSURES

38-400-6213 S



NOTES: (UNLESS OTHERWISE SPECIFIED)
1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

8	04.20.15	Re-Defined Reference Dimensions			DN
REV	DATE	DESCRIPTION			BY
TOLERANCE	PITCH/TPI	.167 / 6	TURNS	1-3/16	MAT'L PP
.X	±0.1	DRAWN	DMN	DATE	09.06.06
.XX	±0.02	SCALE	5 : 2	REV	
.XXX	±0.010	038 - 400 - 6213 S			8


PHOENIXTM


PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504



SHALLOW SKIRTED CLOSURES

38-400-6213 S



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	BF	05.21.18	Released						DN
	REV	DATE	DESCRIPTION						BY
	TOLERANCE		PITCH/TPI		.167 / 6	turns	1-1/4	MATL	Per Chart
	.X	±0.1	DRAWN	BEZ	DATE	08.31.93	SCALE	10 : 1	REV
	.XX	±0.02	38 - 400 - FINISH						0
.XXX	±0.010								
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.									

