


**38-400 WHITE CRC PP PLS CAP-F-217
(FOAM)**


Part #: 3654

Size:	38-400
Color:	WHITE
Material:	POLYPROPYLENE
Style:	CHILD RESISTAN CLOSURE TEXT
Additional Info:	F-217 FOAM LINER
Case Pack:	1,400 / EACH
Pallet Pack:	49,000 / EACH



TRI-SEAL™ **PRODUCT DATA SHEET**


- This data sheet describes F-217® WC/HD products
- This product is a three-ply co-extruded liner consisting of a foamed White Low Density Polyethylene (LDPE) core sandwiched between two solid layers of Low Density Polyethylene which contains High Density Polyethylene (HDPE) for improved stiffness.


Typical Product Attributes
Construction

Structure	Solid PE / Foamed LDPE / Solid PE	Solid PE / Foamed LDPE / Solid PE
Color	White or as Specified	White or as Specified
Clarity	Opaque	Opaque
Density		
for 20 ~ 30 mil (0,51 ~ 0,76 mm)	0,48 ± 0,03 g / cm ³	30 ± 2 lbs / ft ³
for 35 ~ 125 mil (0,89 ~ 3,18 mm)	0,40 ± 0,03 g / cm ³	25 ± 2 lbs / ft ³
Thickness Tolerance		
for 20 ~ 60 mil (0,51 ~ 1,52 mm)	± 0,127 mm	± 5 mil
for 65 ~ 90 mil (1,65 ~ 2,29 mm)	± 0,178 mm	± 7 mil
for 95 ~ 125 mil (2,41 ~ 3,18 mm)	± 0,254 mm	± 10 mil
Available Width		
for 20 ~ 60 mil (0,51 ~ 1,52 mm)	22,2 ~ 1016,0 mm	7/8 ~ 40 inch
for 65 ~ 125 mil (1,65 ~ 3,18 mm)	25,4 ~ 228,6 mm	1 ~ 9 inch
Width tolerance	± 1,6 mm	± 1/16 inch

Regulatory Compliance

FDA Compliance	21 CFR177.1520 (Olefin Polymers) 21 CFR177.1210 (Closures with Sealing Gaskets for Food Containers) 21 CFR175.300 (Resinous and Polymeric Coatings)
Drug Master File (DMF)	2434
Other Compliances	USFDA Food Allergen Guidelines; California Proposition 65 Labeling Requirements; Limitations of Heavy Metals in Packaging per CONEG & EU 94/62/EC, Article 11

Original Date: 08/05/1997
 Revised Date: 12/13/2011
 Revision Number: 5
 Revised by: SR

DISCLAIMER: This information is believed to be accurate at the time of printing and is subject to change without notice. Providing this information does not convey any licenses under any patent rights or other intellectual property rights of TRI-SEAL or others. **TRI-SEAL MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM RELIANCE ON IT.** TRI-SEAL's only warranties for this product are those written warranties as may be agreed to by TRI-SEAL and its customers. **TRI-SEAL SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE.**

Tri-Seal
 900 Bradley Hill Road
 Blauvelt, NY 10913
 Tel: (845) 353-3300 – Fax: (845) 353-3376
<http://www.tri-seal.com>