

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

36541HS

38-400 WHITE PP FG CHILD RESISTANT CAP FS1-19/.035" PULP HS FOR HDPE


Part #: 36541HS

Size:	38-400
Color:	White
Material:	PP
Style:	FG CRC
Additional Info:	FS1-19/.035"
Case Pack:	1,400 each
Pallet Pack:	50,400 each



2


1




KNURLS
(.008 DEEP)

NOTES:


1. .040 LINER SHOWN
2. DIAMETERS TO BE TAKEN AS AVERAGE
3. THREAD PROFILE: MODIFIED BUTTRESS
4. REFERENCE QIM-500-A105 FOR NECK FINISH REQUIREMENTS
5. RECOMMENDED 48 HOUR-REMOVAL TORQUE: 8-12 IN. LBS
6. MAT'L: POLYPRO



REV.M - 12/07/2020 - KSK
#RCT200260



REFERENCE DIMENSIONS ARE NOT INSPECTED AND NO TOLERANCE APPLIED



INSPECTION DIMENSIONS ARE VERIFIED WITH TOLERANCE

THIS DRAWING IS NOT A CONTROLLED DOCUMENT IF PRINTED OR COPIED FROM THE APPROVED LOCATION

CONFIDENTIAL

THIS UNPUBLISHED WORK IS THE PROPERTY OF BERRY GLOBAL, INC AND IS PROTECTED BY TRADE SECRET, COPYRIGHT AND OTHER INTELLECTUAL PROPERTY LAWS AND MAY ALSO BE SUBJECT TO A SPECIFIC OR GENERAL CONFIDENTIALITY AGREEMENT. IT IS NOT TO BE VIEWED BY UNAUTHORIZED PERSONS OR DUPLICATED IN ANY MEDIUM FOR PURPOSES OTHER THAN THOSE FOR WHICH IT IS SPECIFICALLY FURNISHED.

Berry

101 OAKLEY STREET
EVANSVILLE,
INDIANA 47706
TEL. (812) 424-2904

SIZE AND STYLE:

CR38400FXUS

DRAWING TYPE:

CUSTOMER

DESCRIPTION:

38mm CR4 CHILD-RESISTANT CLOSURE TEXT

DRAWING NO:

K7025

PROJECT NO:

CREATED BY:

R.BUSH

CREATION DATE:

5/11/88

DRAWING REVISION:

M

SHEET

1 of 1

SCALE:

1.500

SHEET SIZE

A

2

1

Represented by



Product Specification Sheet

Illing Part#


36541HS



FoilSeal™ Technical Data Sheet

.035" Pulp FS 1-19

Revision: FS119-09112014

Product	.035" Pulp FS 1-19		
Scope	Two piece pulp backed heat induction foil innerseal which will provide a tamper-evident bond to PE containers with added barrier layer for sealing aggressive products.		
Composition	Material	Standard	Metric
	Backing	.035"	.889 mm
	Wax	-	-
	Foil	.001"	.0254mm
	Barrier	.001"	.0254mm
	Heat Seal	.0015"	.0381mm
			
			Adhesive or resin bonding layers not shown.
FDA Status: 21 CFR 177.1210		Recommended Storage and Handling: Refer to Website	
Drug Master File (DMF): #4544		EU / EP Reg.:	
GTR Oxygen: Essentially Zero		MVTR: Essentially Zero	
Print Location (if any): Foil Layer and/or Heat Seal Layer			

Selig materials are compliant with current USFDA Food allergen Guidelines.

Selig materials are compliant with California Proposition 65 labeling requirements.

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

www.seligsealing.com

USA Manufacturing
342 E. Wabash Ave.
Forrest, IL 61741, USA
Phone: +1 (815) 785-2100
Fax: +1 (815) 657-7584

North American Sales
150 N. Martingale Rd., Suite 860
Schaumburg, IL 60173, USA

European Sales and UK Manufacturing
635-637 Ajax Ave., Slough Trading Estate
Slough, Berkshire SL1 4BH, UK
Phone: +44 (0) 1753 773 000
Fax: +44 (0) 1753 773 111

Canada Manufacturing
100 Industrial Road
Bradford, Ontario Canada, 3LZ 3G7
Phone: +1 (905) 727- 0114
Fax: +1 (905) 727-8544