




38/400 WHITE METAL CAP CT POLY/PULP LINER

Part #: 3656

Size:	38-400 NECK
Color:	WHITE
Material:	METAL
Style:	CAP
Additional Info:	POLY/PULP LINER
Case Pack:	3,800 / EACH
Pallet Pack:	





PRODUCT DATA SHEET

TS-I HD/35

- TS-I HD/35 is a primary liner with a construction of pulp board, white paper and white pigmented High-Density Polyethylene (HDPE).
- Provides leak resistance, reseal and oxygen and moisture barrier.
- Available with wax coating to reduce removal torque.

Typical Product Attributes

Construction

Pulp Board White Paper White HDPE		SI (µm)	US (Mils)
		889,0 63,5 25,4	35.0 2.5 1.0
Thickness Tolerance		± 10%	± 10%
Minimum Width		25,4 mm	1.0 in
Width Tolerance		± 1,6 mm	± 0.0625 in

Properties

Oxygen Transmission (O ₂ TR)	@ 23°C, 50% RH	2325-3100 cc/m ² /24h	150-200 cc/100 in ² /24h
Water Vapor Transmission (WVTR)	@ 38°C, 90% RH	6,2 - 14,0 g/m ² /24h	0.4-0.9 g/100 in ² /24h

Regulatory Compliance

FDA Compliance	21 CFR 177.1520 Olefin polymers. 21 CFR 177.1210 Closures with sealing gaskets for food containers. 21 CFR 176.180 Components of paper and paperboard in contact with dry foods. 21 CFR 176.170 Components of paper and paperboard in contact with aqueous and fatty foods.
Drug Master File (DMF)	14762
Other Compliances	USFDA Food Allergen Guidelines California Proposition 65 Labeling Requirements Limitations of Heavy Metals in Packaging per CONEG & EU 94/62/EC, Article 11
Safety Data Sheet (SDS) Statement	Safety Data Sheets (SDS) are not required for articles as defined in 29 CFR 1910.1200, the OSHA Hazard Communication Standard (HazCom). This product is an article as defined by HazCom and is not considered to be, or to contain, a hazardous chemical based on evaluations made by our company.

Please note that construction does not reflect adhesive or resin bonding layers, if present.

VERSION	4	DATE	2020-01-12
---------	---	------	------------

DISCLAIMER: This information is believed to be accurate at the time of printing and is subject to change without notice. Providing this information does not convey any licenses under any patent rights or intellectual property rights of Tri-Seal or others. TRI-SEAL MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM RELIANCE ON IT. Tri-Seal's only warranties for this product are those written warranties as may be agreed to by Tri-Seal and its customers. TRI-SEAL SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE.