

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3658WBV



38-430 WHITE PP CAP BUTTRESS CIRUMVENT LINER HEAT SEAL FOAM ISPE-U10

Part #: 3658WBV


Size:	38-430 NECK
Color:	WHITE
Material:	PP
Style:	BUTTERESS CAP
Additional Info:	DUAL SOURCED LINER
Case Pack:	900 / EACH
Pallet Pack:	25,200 / EACH




www.illingpackaging.com




SECTION B-B



SECTION A-A



6 THREADS PER INCH
.167 LEAD 3-1/8 TURNS



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF RELIABLE CAPS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF RELIABLE CAPS LLC IS PROHIBITED.			DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ±.015 THREE PLACE DECIMAL ±.008 MATERIAL: polypropylene FINISH:	DRAWN	NAME	DATE	Reliable Caps LLC Cap 38-430 Cap 38-430
				CHECKED	PRS	1/25/10	
				ENG APPR.			
				MFG APPR.			
				Q.A.			
	NEXT ASSY	USED ON		COMMENTS:			SIZE DWG. NO. REV.
	APPLICATION		DO NOT SCALE DRAWING				Cap 38-430
5			4				SCALE: 1:1 WEIGHT: SHEET 2 OF 1

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3658WBV



Protect, Seal and DeliverTM

Selig Grand Rapids LLC

5569 33rd Street, SE

Grand Rapids, MI 49512 USA

Phone 616.949.9090

Fax 616.949.5154

www.seliggroup.com

Vented Liner Data Sheet

Vented Liner Type	Circumvent TM Y4
Vented Liner Description	YCIR4 GRV

Liner Material	Grooved LDPE Foam
Thickness (in)	0.040 (Nominal)

Membrane Material	YC4 Oleophobic ePTFE
Support Layer	PP scrim
Effective Vent Diameter (in)	0.125 (+/- 0.01)
Reference Pore Size (µm)	0.7

Effective Date: 08/15/2022

Revision: A

Specifications subject to change without notice.

The information contained on this document is confidential and is the property of Selig Group. Unauthorized reproduction or distribution is prohibited.

The specifications provided are to be used as general guidelines. It is the ultimate responsibility of the customer to validate each product and its performance based on the final intended use of the material.

CircumventTM, AirFoilTM, ScentVentTM and VentShieldTM are trademarks of Selig Group.

REV 02/22

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3658WBV



Protect, Seal and DeliverTM

Selig Grand Rapids

5569 33rd Street, SE

Grand Rapids, MI 49512 USA

Phone 616.949.9090

Fax 616.949.5154

www.seliggroup.com

Vented Liner Data Sheet

Vented Liner Type	AirFoil TM YN4
Vented Liner Description	YAN4 ISPE U10

Liner Material	Selig ISPE U10 PE
Thickness (in)	0.013 (Nominal)

Membrane Material	YN4 Oleophobic ePTFE
Support Layer	PP/PE non-woven scrim
Effective Vent Diameter (in)	0.125 (+/- 0.01)
Reference Pore Size (µm)	0.7

Effective Date: 08/15/2022

Revision: A

Specifications subject to change without notice.

The information contained on this document is confidential and is the property of Selig Group. Unauthorized reproduction or distribution is prohibited.

The specifications provided are to be used as general guidelines. It is the ultimate responsibility of the customer to validate each product and its performance based on the final intended use of the material.

CircumventTM, AirFoilTM, ScentVentTM and VentShieldTM are trademarks of Selig Group.

REV 02/22