

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3659RFTTRI

33-400 RED PMS 200 TRAD FT .250" ORI S70FS3-19 HS FOIL TRI-TAB(FLT SL)

Part #: 3659RFTTRI

Size:	38-400
Color:	RED
Material:	POLYPROPYLENE
Style:	POUR SPOUT
Additional Info:	.250 ORI /70 FS3-19 HS FOIL TRI-TAB
Case Pack:	1800 / EACH
Pallet Pack:	64,800 / EACH



LabelILLINGTM


Shrink Labeling




www.illingpackaging.com



THE BOTTLE NECK DIMENSIONS SHOWN ARE BASED UPON CURRENT KNOWLEDGE. IT IS THE RESPONSIBILITY OF THE RECEIVER OF THE INFORMATION CONTAINED IN THIS DRAWING TO TEST FOR FIT AND FUNCTION OF THE TOTAL PACKAGE. DIMENSIONS SHOWN ARE INTENDED FOR POLYETHYLENE BOTTLES ONLY. IF ANOTHER BOTTLE MATERIAL IS USED, SOME DIMENSIONS AND TOLERANCES MAY REQUIRE ADJUSTMENT.




NOMINAL ORIFICE SIZES AVAILABLE



NOTES:


1. THE "T", "T'" & "E" DIAMETERS ARE THE AVERAGE OF 2 MEASUREMENTS TAKEN APPROXIMATELY 90°'0' APART.
2. THE "T" AND "E" DIAMETER ARE TAKEN AS CLOSE TO THE INSIDE DECK AS POSSIBLE.



REV.	REVISION DESCRIPTION	PROD. ENG.	REV. DATE
G	REMOVED Ø 1.039 - Ø 1.059 [Ø 26,40 - Ø 26,89] UPDATED TITLE BLOCK TO CURRENT STANDARDS	J. WAGNER	13-MAR-2015
Aptar Possession of this drawing is an acknowledgement that it and its contents are the exclusive property of Aptar. This drawing may not be reproduced in any form whatsoever nor given to any third party without written permission from Aptar.		TITLE: TRADITIONAL POUR SPOUT, 33-400 THREAD, FLAT SEAL AND RIBBED WITH GLOSS FINISH DWG. BY: B. NEMEC DATE: 06-DEC-99 CONFIRM CURRENT REVISION PRIOR TO USE	
CUSTOMER SPECIFICATION DRAWING		SHEET 1 OF 2	
		DWG. NO: CS-2297-1648-G	



THE BOTTLE NECK DIMENSIONS SHOWN ARE BASED UPON CURRENT KNOWLEDGE. IT IS THE RESPONSIBILITY OF THE RECEIVER OF THE INFORMATION CONTAINED IN THIS DRAWING TO TEST FOR FIT AND FUNCTION OF THE TOTAL PACKAGE. DIMENSIONS SHOWN ARE INTENDED FOR POLYETHYLENE BOTTLES ONLY. IF ANOTHER BOTTLE MATERIAL IS USED, SOME DIMENSIONS AND TOLERANCES MAY REQUIRE ADJUSTMENT.



RECOMMENDED NECK FINISH
LAND MUST BE SMOOTH AND FREE
OF NICKS OR RAGGED EDGES
6 T.P.I.
"M" STYLE THREAD
(BEAD OPTIONAL)

REV.	REVISION DESCRIPTION	PROD. ENG.	REV. DATE
G	SEE SHEET 1 FOR REVISION DESCRIPTION	J. WAGNER	13-MAR-2015
Aptar Possession of this drawing is an acknowledgement that it and its contents are the exclusive property of Aptar. This drawing may not be reproduced in any form whatsoever nor given to any third party without written permission from Aptar.		TITLE: TRADITIONAL POUR SPOUT, 33-400 THREAD, FLAT SEAL AND RIBBED WITH GLOSS FINISH	
		DWG. BY: B. NEMEC	DATE: 06-DEC-99
		CONFIRM CURRENT REVISION PRIOR TO USE	SHEET 2 OF 2
CUSTOMER SPECIFICATION DRAWING		DWG. NO: CS-2297-1648-G	