



28-400 WHT PP CAP MATTE TOP FINE RIBBED SIDE

Part #: 3663F

Size:	28-400
Color:	White
Material:	PP
Style:	Plastic Ribbed Cap
Additional Info:	HT IND FOIL FOR PE
Case Pack:	6,250/ctn
Pallet Pack:	93,750/PLT


SHALLOW SKIRTED CLOSURES

28-400-62 S



Specifications:

DIAMETER 28 mm

THREAD PROFILE 400

NECK FINISH 28-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	6,250	15	93,750	33 ⁽¹⁾	491 ⁽¹⁾	100 ⁽¹⁾
Bulk	6,250	15	93,750	36 ⁽²⁾	535 ⁽²⁾	92.5 ⁽²⁾
CARTON DIMENSIONS: 24 x 8 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Automotive and Medical Products, Household Chemicals, Cosmetics, Food, Personal Care, and Pharmaceuticals.

OPTIONS

Available in white, standard colors and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners.

CLOSURE BENEFITS


- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Popular for cosmetics
- Our most popular closure style





SHALLOW SKIRTED CLOSURES

28-400-62 S




NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.				2	10.11.10	Added Seal Ring Ledge Transition	DN
				REV	DATE	DESCRIPTION	BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.				TOLERANCE	PITCH/TPI	.167 / 6 TURNS	1-1/8
				.X	±0.1	DRAWN	BEZ
				.XX	±0.02	DATE	10.25.04
				.XXX	±0.010	SCALE	3 : 1
						28 - 400 - 62 S	2





SHALLOW SKIRTED CLOSURES

28-400-62 S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	1.078	0.984	± 0.010
PET	1.080	0.986	± 0.008
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	0	11.15.04	Released				BZ
	REV	DATE	DESCRIPTION				BY
	TOLERANCE	PITCH/TPI	1.167 / 6	TURNS	1-1/8	MAT'L	PER CHART
	.X ±0.1	DRAWN	BEZ	DATE	11.15.04	SCALE	8 : 1
	.XX ±0.02	28 - 400 - FINISH				REV	0
.XXX ±0.010							

