

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3664B

28-400 BLK PLASTIC CAP WITH F-217 LINER

Part #: 3664B

Size:	28-400
Color:	BLACK
Material:	PP
Style:	FINE RIBBED CAP
Additional Info:	F-217 LINER
Case Pack:	6,250/EACH
Pallet Pack:	93,750/EACH

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3664B

SHALLOW SKIRTED CLOSURES

28-400-62 S



Specifications:

DIAMETER 28 mm

THREAD PROFILE 400

NECK FINISH 28-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	6,250	15	93,750	33 ⁽¹⁾	491 ⁽¹⁾	100 ⁽¹⁾
Bulk	6,250	15	93,750	36 ⁽²⁾	535 ⁽²⁾	92.5 ⁽²⁾
CARTON DIMENSIONS: 24 x 8 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Automotive and Medical Products, Household Chemicals, Cosmetics, Food, Personal Care, and Pharmaceuticals.

OPTIONS

Available in white, standard colors and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Popular for cosmetics
- Our most popular closure style



PHOENIXTM


PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
1899 High Grove Lane Naperville, IL 60540



SHALLOW SKIRTED CLOSURES

28-400-62 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.


THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

2	10.11.10	Added Seal Ring Ledge Transition	DN
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI	.167 / 6	TURNS 1-1/8
.X	±0.1	DRAWN BEZ	DATE 10.25.04
.XX	±0.02	SCALE	3 : 1
.XXX	±0.010		
		28 - 400 - 62 S	2



SHALLOW SKIRTED CLOSURES

28-400-62 S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	1.078	0.984	± 0.010
PET	1.080	0.986	± 0.008
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.		0	11.15.04	Released	BZ
		REV	DATE	DESCRIPTION	BY
		TOLERANCE	PITCH/TPI	1.167 / 6	TURNS 1-1/8
		.X	±0.1	DRAWN	BEZ
		.XX	±0.02	DATE	11.15.04
		.XXX	±0.010	SCALE	8 : 1
		28 - 400 - FINISH			REV 0

