



28-400 WHITE PP SCREW CAP MATTE TOP FINE RIBBED SIDES & SURESEAL LINER

Part #: 3666

Size:	28-400 NECK
Color:	WHITE
Material:	PP
Style:	CAP MATTE TOP FINE RIBBED SIDES
Additional Info:	SURESEAL LINER
Case Pack:	6,250 / EACH
Pallet Pack:	93,750 / EACH



SHALLOW SKIRTED CLOSURES

28-400-62 S



Specifications:

DIAMETER 28 mm

THREAD PROFILE 400

NECK FINISH 28-400

CLOSURE TOP Stipple

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	6,250	15	93,750	33 ⁽¹⁾	491 ⁽¹⁾	100 ⁽¹⁾
Bulk	6,250	15	93,750	36 ⁽²⁾	535 ⁽²⁾	92.5 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Automotive and Medical Products, Household Chemicals, Cosmetics, Food, Personal Care, and Pharmaceuticals

OPTIONS

Available in white, standard colors and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Popular for cosmetics
- Our most popular closure style


PHOENIXTM


PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504



SHALLOW SKIRTED CLOSURES

28-400-62 S




NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.				2	10.11.10	Added Seal Ring Ledge Transition	DN
				REV	DATE	DESCRIPTION	BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.				TOLERANCE	PITCH/TPI	1.67 / 6	TURNS 1-1/8
				.X	±0.1	DRAWN BEZ	DATE 10.25.04
				.XX	±0.02		SCALE 3 : 1
				.XXX	±0.010		REV 2
				28 - 400 - 62 S			





SHALLOW SKIRTED CLOSURES

28-400-62 S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	1.078	0.984	± 0.010
PET	1.080	0.986	± 0.008
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.		0	11.15.04	Released	BZ
		REV	DATE	DESCRIPTION	BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.		TOLERANCE	PITCH/TPI	1.67 / 6	TURNS 1-1/8
		.X ±0.1	DRAWN	BEZ	DATE 11.15.04
		.XX ±0.02			SCALE 8 : 1
		.XXX ±0.010			REV 0

