

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3687BLUHS

24/410 BLUE(PBA75545)RIB SNAP TOP .250" HEAT SEAL FOIL FOR PE/U5

Part #: 3687BLUHS

Size:	24-410
Color:	BLUE
Material:	POLYPROPYLENE
Style:	SNAP TOP
Additional Info:	.250 ORI / HEAT SEAL FOIL FOR PE
Case Pack:	2500 / EACH
Pallet Pack:	90,000/ EACH



LabelILLINGTM

Shrink Labeling




www.illingpackaging.com



THE BOTTLE NECK DIMENSIONS SHOWN ARE BASED UPON CURRENT KNOWLEDGE. IT IS THE RESPONSIBILITY OF THE RECEIVER OF THE INFORMATION CONTAINED IN THIS DRAWING TO TEST FOR FIT AND FUNCTION OF THE TOTAL PACKAGE. DIMENSIONS SHOWN ARE INTENDED FOR POLYETHYLENE BOTTLES ONLY. IF ANOTHER BOTTLE MATERIAL IS USED, SOME DIMENSIONS AND TOLERANCES MAY REQUIRE ADJUSTMENT.


NOTES:

1. THE "T'" AND "E" DIMENSIONS ARE THE AVERAGE OF TWO MEASUREMENTS TAKEN APPROXIMATELY 90° APART.
2. THE "T" DIAMETER IS TAKEN AT THE BASE OF THE CLOSURE BELOW THE THREAD.
3. THE "E" DIAMETER IS TAKEN AS CLOSE TO THE INSIDE OF THE DECK AS POSSIBLE.
4. THE EFFECTIVE "H" DIMENSION CAN BE ESTIMATED BY SUBTRACTING 0,71 [.028] FROM THE SPECIFIED "H" DIMENSION. THIS REFLECTS THE ESTIMATED COMPRESSION OF THE SEALING MECHANISM AT NOMINAL APPLICATION TORQUE.



NOMINAL ORIFICE SIZE AVAILABLE

○	3,18 [.125]
○	4,75 [.187]
○	6,35 [.250]




SECTION A-A

REV.	REVISION DESCRIPTION	PROD. ENG.	REV. DATE
B	"E" 21,77-22,25 WAS 21,77-22,13	K. SMITH	06-DEC-22
Aptar CONFIDENTIAL Possession of this drawing is an acknowledgement that it and its contents are the exclusive property of Aptar. This drawing may not be reproduced in any form whatsoever nor given to any third party without written permission from Aptar.		ULTRA Snap Top, 24-410 Thread, Crab Claw Seal and Ribbed with Frost Finish	
DWG. BY: K. SMITH		DATE: 19-JUL-18	
CONFIRM CURRENT REVISION PRIOR TO USE		SHEET 1 OF 2	
CUSTOMER SPECIFICATION DRAWING		DWG. NO: CS27102568-B	



THE BOTTLE NECK DIMENSIONS SHOWN ARE BASED UPON CURRENT KNOWLEDGE. IT IS THE RESPONSIBILITY OF THE RECEIVER OF THE INFORMATION CONTAINED IN THIS DRAWING TO TEST FOR FIT AND FUNCTION OF THE TOTAL PACKAGE. DIMENSIONS SHOWN ARE INTENDED FOR POLYETHYLENE BOTTLES ONLY. IF ANOTHER BOTTLE MATERIAL IS USED, SOME DIMENSIONS AND TOLERANCES MAY REQUIRE ADJUSTMENT.



RECOMMENDED NECK FINISH
LAND MUST BE SMOOTH AND FREE
OF GOUGES AND RAGGED EDGES
8 T.P.I. "M" STYLE THREAD
USE OF BEAD IS OPTIONAL

REV.	REVISION DESCRIPTION	PROD. ENG.	REV. DATE
B	SEE SHEET 1 FOR REVISION DESCRIPTION	K. SMITH	06-DEC-22
Aptar CONFIDENTIAL Possession of this drawing is an acknowledgement that it and its contents are the exclusive property of Aptar. This drawing may not be reproduced in any form whatsoever nor given to any third party without written permission from Aptar.		ULTRA Snap Top, 24-410 Thread, Crab Claw Seal and Ribbed with Frost Finish	
DWG. BY: K. SMITH		DATE: 19-JUL-18	
CONFIRM CURRENT REVISION PRIOR TO USE		SHEET 2 OF 2	
CUSTOMER SPECIFICATION DRAWING		DWG. NO: CS27102568-B	