

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

3689W


89-400 WHITE PP FINE RIB, MATTE TOP CAP .20 PULP FS W/UNIVERSAL LINER

Part #: 3689W

Size:	89-400
Color:	WHITE
Material:	PP
Style:	FINE RIBBED WITH MATTE TOP
Additional Info:	.020 PULP FS 5-8 UNIVERSAL LINER
Case Pack:	350 / EACH
Pallet Pack:	12,250 / EACH




www.illingpackaging.com




FoilSealTM
Technical Data Sheet
.020" Pulp FS 5-8

Revision: FS58-05062020

Product	.020" Pulp FS 5-8																				
Scope	Two piece pulp backed heat induction foil inner seal which will provide a tamper-evident bond to PE, PS, PET, PVC, PP and treated glass containers. It is recommended for use with dry and semi-liquid products not containing essential oils. FS 5-8 is an alternative to FS 5-4.																				
Composition	<table><thead><tr><th>Material</th><th>Standard</th><th>Metric</th></tr></thead><tbody><tr><td>Pulp</td><td>.020"</td><td>.508 mm</td></tr><tr><td>Wax</td><td>-</td><td>-</td></tr><tr><td>Paper</td><td>.002"</td><td>.0508 mm</td></tr><tr><td>Foil</td><td>.0003"</td><td>.0076 mm</td></tr><tr><td>Heat Seal</td><td>.0015"</td><td>.0381 mm</td></tr></tbody></table>	Material	Standard	Metric	Pulp	.020"	.508 mm	Wax	-	-	Paper	.002"	.0508 mm	Foil	.0003"	.0076 mm	Heat Seal	.0015"	.0381 mm	 Adhesive or resin bonding layers not shown	
Material	Standard	Metric																			
Pulp	.020"	.508 mm																			
Wax	-	-																			
Paper	.002"	.0508 mm																			
Foil	.0003"	.0076 mm																			
Heat Seal	.0015"	.0381 mm																			
FDA Status: 21 CFR 177.1210	Recommended Storage and Handling: Refer to Website.																				
Drug Master File (DMF): #4544	EU / EP Reg.: Compliant with Reg. EC/10/2011, Reg. EC/1935/2004 and Reg. EC/2023/2006, as amended, for use with dry, non-fatty, and non-alcoholic food products only. If used incorrectly, the liner may have an effect on the organoleptic properties of the product under EC/1935/2004 Article 3 and EC/2023/2006 Article 3a																				
GTR Oxygen: Essentially Zero	MVTR: Essentially Zero																				
Sealing to glass containers: Selig can not guarantee the performance or seal integrity of this materials when applied to any glass (treated or untreated) container. We suggest you contact your glass supplier for recommendations on glass treatments that may or may not improve performance or seal integrity.																					
Print Location (if any): Heat Seal Layer and/or Backing																					

Selig materials are compliant with current USFDA Food allergen Guidelines.

Selig materials are compliant with California Proposition 65 labeling requirements.

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

Recommended for use with dry food products. Is not suitable for use with fatty or alcoholic food types per ECC Reg. № 10/2011. Determining specific organoleptic compatibility per Article 3a of ECC Reg. № 2023/2006 is the responsibility of the food packager.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

www.seligsealing.com

 USA Manufacturing
 342 E Wabash Ave.
 Forrest, IL 61741, USA
 Phone: +1 (815) 785-2100
 Fax: +1 (815) 657-7584

 North American Sales
 184 Shuman Blvd.,
 Suite 310
 Naperville, IL 60563, USA
 Phone: +1 (630) 922-3158
 Fax: +1 (630) 922-8469

 European Sales and UK Manufacturing
 635-637 Ajax Avenue
 Slough Trading Estate
 Slough Berkshire SL1 4BH UK
 Phone: +44 (0) 1753 773 000
 Fax: +44 (0) 1753 773 111

 Canada Manufacturing
 145 Edward Street
 Aurora, Ontario Canada, L4G 1W3
 Phone: +1 (905) 727-0114
 Fax: +1 (905) 727-8544

 Switzerland Manufacturing
 Bahnhofstrasse 13
 8172 Niederglatt
 Phone: +41 (0) 44 851 50 50
 Fax: +41 (0) 44 851 50 51