

Represented by



ILLINGTM
P A C K A G I N G

Product Specification Sheet

Illing Part#

36951BHSPET


28-410 BLACK PP RIB FLIPTOP CAP .25 ORI .008 HEATSEAL for PET/PVC FS319

Part #: 36951BHSPET

Size:	28-410
Color:	BLACK
Material:	PP
Style:	RIBBED FLIPTOP CAP
Additional Info:	FS-319 FOIL SEAL
Case Pack:	2,600 EACH
Pallet Pack:	65,000 EACH



www.illingpackaging.com



Represented by



Product Specification Sheet

Illing Part#

36951BHSPET




Freshness and Protection
for Today's Packaging

FoilSeal™ Data Sheet

.008" C1S FS3-19

Revision: FS319-01182007

Product	.008" C1S FS3-19														
Scope	One piece board backed heat induction foil innerseal that will provide an aggressive bond with clean peel removal from PET and PVC containers. (Not recommended for use on CPET. Easy access / "puncture foil" when wax bonded to pulp.)														
Composition	<table><thead><tr><th>Material</th><th>Standard</th><th>Metric</th></tr></thead><tbody><tr><td>Backing</td><td>.008"</td><td>.2032mm</td></tr><tr><td>Foil</td><td>.001"</td><td>.0254mm</td></tr><tr><td>Heat Seal</td><td>.0005"</td><td>.0127mm</td></tr></tbody></table>	Material	Standard	Metric	Backing	.008"	.2032mm	Foil	.001"	.0254mm	Heat Seal	.0005"	.0127mm		
	Material	Standard	Metric												
Backing	.008"	.2032mm													
Foil	.001"	.0254mm													
Heat Seal	.0005"	.0127mm													
Composition does not include adhesive, resin or wax bonding layers (if any).															
FDA Status:	21 CFR 177.1210	Recommended Storage and Handling:													
Drug Master File (DFM):	#4544	Canadian DMF:	EU / EP Reg.:												
GTR Oxygen:	Essentially Zero	MVTR:	Essentially Zero												
Print Locatoin (if any):	Heat Seal Layer and/or Backing														

Selig materials are compliant with current USFDA Food allergen Guidelines.

Selig materials are compliant with California Proposition 65 labeling requirements.

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

Manufacturing & Customer Service:

342 E. Wabash St.
Forrest, IL 61741, USA
Phone: +1 (815) 657-8233
Fax: +1 (815) 657-7584

North American Sales:

2132 Deep Water Lane
Naperville, IL 60564, USA
Phone: +1 (630) 922-3158
Fax: +1 (630) 922-8469
www.seligsealing.com

Selig Europe:

Warrington Road
High Legh
Nr Knutsford
Cheshire WA16 0RT
Telephone: +44 (0)1925 752600
Fax: +44 (0)1925 757527

