

Represented by



ILLING[™]
P A C K A G I N G

Product Specification Sheet

Illing Part#

3P3155NRND

5 GAL NAT HDPE TH PAIL 70MM 8TPI NON-TE UN(Y1.9/150) W/CAP INT-HDL

Part #: 3P3155NRND


Size:	5 Gallon
Color:	Natural
Material:	HDPE
Style:	TH Plastic Pail
Additional Info:	Non-Tamper Evident, Integrated Handle
Case Pack:	72 each
Pallet Pack:	72 each



ILLING™
P A C K A G I N G

Illing Part#

3P3155NRND





Specification Sheets

Priority Plastics, Inc.

7920-209-060

Item Number

7920-209-060

Item Description

20L-RT-NAT-UN-NR-63MM-C-NV-8CT-CLNRM-HT

Finish /

NATURAL

Item Type

Finished Item

Created:

02.28.2017

Specification

Plastics-Workcenter

- 1 Weight: 1350-1750 Grams
Visual Looks
- 2 UN# 3H1/Y1.9/150/**
USA/M5105
Material: 100% Virgin LR7320-01 with .5% UVI

QA

- 1 Wall Thickness: .044" Min.
- 2 Neck Dimensions: 'T' 2.520" - 2.585"
'E' 2.320" - 2.420"
'C' 1.860" - 1.970"
'S' .200" - .250"
Planarity .012" Max.
Neck Height: .740" - .805"
- 3 Capacity: 22.1 - 22.7 Liters
- 4 Unit Height: 16.150" - 16.450"
Width: 10.50" - 10.75"
Length: 10.50" - 10.75"
- 5 UN Test: At the initial start up of a run one container is to be put through the standard UN tests. A. 24 hour freezer drop test, B. Leakproofness test, C. 1 hour vibration test, D. Hydrostatic test.
No single container is expected to pass more than one of these tests.
- 6 Particle Counts:
Blow Air: 10 particles max. @ .5 micron
Clean Room Air: 100,000 particles max @ .5 micron
Liquid particle count: 50 particles/ml max. @ .3 micron--**One container per week during production is sent to Meza AZ. to have liquid particle count done.
- 7 Leak Test Torque: 240 – 270 in. lbs.
Stripping Torque: 300 in. lbs.
- 8 The cap for this container is an 8724-205-060 which is made out of HDPE HLMI LP5100 with an F439 Liner.
- 9 Packed 8 in a carton, stacked on a 48" X 40" Grade A Reconditioned Heat Treated Pallet , 2 on a layer, 4 high.