

Represented by



Product Specification Sheet

Illing Part#

4016BLKLL

16 GALLON BLACK STEEL OH UNLINED DRUM W/LEVER LOCK

Part #: 4016BLKLL

Size:	16-Gallon
Color:	Black
Material:	Steel
Style:	Open Head
Additional Info:	UN(1A2/Y75), Lever Lock
Case Pack:	27 each
Pallet Pack:	27 each



www.illingpackaging.com



Steel Drum

Production Plant	238-Alsip Steel - RIPS
Greif Item Code	ONB 160 060060070 C20 0 BK 0 P
Unique Item Id	DRST01804NA20004-238
Customer Reference	
Commercial Weight	11.5 lbs +/- 1/2 lb
Overall Height	26 1/2" +/- 1/2"

Printing date 2024-08-20

Category	Product Attribute	Description
Drum Type	Drum Type	ON - Necked-In Bottom
	Diameter	14 In
	Drum capacity	16 Gl
	Liner	None
Material	Steel Thickness - Top	0.60 mm
	Steel Thickness - Body	0.60 mm
	Steel Thickness - Bottom	0.70 mm
	Material - Top	RAW
	Material - Body	RAW
	Material - Bottom	RAW
Internal Coating	Internal Coating	Plain
	Lacquer - Top	None
	Lacquer - Body	None
	Lacquer - Bottom	None
External Paint	Top	WHITE PYPYRUS RAL9018
	Upper body line	BLACK JET RAL9005
	Middle body line	BLACK JET RAL9005
	Lower body line	BLACK JET RAL9005
	Bottom	BLACK JET RAL9005
Screening	Top	No screening
	Upper body line	No screening
	Middle body line	No screening
	Lower body line	No screening
	Bottom	No screening
Closures	1st flange	None
	2nd flange	None
	1st plug	None
	2nd plug	None
	3rd flange	None

Represented by



Product Specification Sheet

Illing Part#

4016BLKLL

	3rd plug	None
	Tab-Seal n°1	None
	Tab-Seal n°2	None
	Tab-Seal n°3	None
	Closing ring + Gasket	LOK BAND (RIM) 0.048 GALVANISED STEEL 1/4" HOLE - HORIZONTAL + GSK COMP WHT PUFF PLASTISOL
	Safety Pin	None
UN Rating	Solid	None
	Liquid	1A2/Y75/S/YR
Palletization	Stacking	1 Pallet of 27 drums
	Pallet type	PL 48 X 48 VLC G-WOOD-NA-GENERAL
	Wrapping	None
	Strapping	Strapped
	Packaging Cover	TRAY 44-3/8 X 44-3/8 X 6
Additional Shipping and Packaging Options	Various Available	1 Airbag Dunnage, TRAY 44-3/8 X 44, None
Other	Agitator	None
	Plastic bag inside the drum	None
Additional Options and Services	None	
Additional Comments		



Disclaimer: This document is prepared electronically and is valid without Greif representative's signature. This specification does not relieve the customer of their ultimate responsibility for the determination of the appropriate container. It is the customer's responsibility to select the appropriate packaging based upon all information at their disposal including the specific application, regulatory compliance, product compatibility and shipping requirements. WE HEREBY DISCLAIM AND EXCLUDE ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

www.greif.com