



Dimmer Compatibility Guide

PLEASE NOTE: Compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Product Family Name: Specialty: G9
Item Number: 770577
Ordering Code: LED3G9/30K/120

Lamps per Dimmer

	Manufacturer	Product	Model Number	Overall Rating	Recommended Minimum	Maximum Tested*	Notes
Electronic Low Voltage	Leviton	Vizia	VPE04	Good	1	6	Minor flickering at LE 1-6, dims down to 1%
		IllumaTech	IPE04	Bad	1	6	Bad flickering at LE with 1-6, dims down to 35%
		Decora	6615-P	Bad	1	6	Dims down to 30% with 1-6
	Lutron	Skylark Countour	CTELV-303P	Best	1	6	Dims down to 1% with 1-6
		Diva	DVELV-300P	Best	1	6	Dims down to 1% with 1-6
		Maestro	MAELV-600	Good	1	6	Minor flickering at LE with 1-6, dims down to 1% with 1-6
		Skylark	SELVB-300P	Best	1	6	Dims down to 1% with 1-6
		VIERTI	VTEL-600M-W	Best	1	6	Dims down to 1% with 1-6
Legrand	Scene Director	SCELV	Bad	1	6	Minor flickering at LE with 1-6, dims down to 30%	
Universal	Legrand	Adorne SoftTap	ADTP703TU	Best	1	6	Dims down to 10% with 1-6
		Miro Decorator	DRD4-W	Bad	1	6	Flashing at LE with 1-6, dims down to 5% with 1-6
		Harmony	H703PTUTC	Good	1	6	Minor flickering at LE with 1-6, dims down to 15% with 1-6
		Adorne Whisper	ADWR700MMTUW2	Good	1	6	Minor flickering below 5%, dims down to 1% with 1-6
		Adorne Touch	ADTH700MMTUM2	Good	1	6	Minor flickering below 5%, dims down to 1% with 1-6
	Cooper	Decorator	DAL06P-C2-K-L	Bad	1	6	Dims down to 45%
		Skye	SAL06P-W-K-L	Bad	1	6	Bad flickering with 1-6, dims down to 45%

*Maximum Tested (Lamps per Dimmer) - Additional lamps may work with your dimmer system. For maximum capacity please consult dimmer manufacturer.

*May experience "pop-on", lights cannot be turned on immediately to their minimum level. The slider needs to be raised above the minimum light level for the lights to first turn on if they were initially off. Then, the slider can be lowered to get to a lower light level; the dimmer cannot be turned on to just the minimum level.

Overall Rating	
Not Compatible	One or more of the following observed: Major flickering at various points, significant audible noise, no dimming range, does not turn off.
Bad	One or more of the following observed: Some flickering observed at various points, audible noise may be present, dimming not smooth.
Good	One or more of the following observed: Minor flickering at some point may exist. Dead travel may exist, which means there may be periods of time when the slider (or other form of control button) is moved without affecting the light level. These periods of dead travel are minor and most of the time not visible. Minor audible noise.
Best	Most of the following observed: No flickering, minimal audible noise (typically less than 25 dBA), wide dimming range - can dim down to 20% or less of light output.
High End (H.E.) Dead Travel	
Low End (L.E.) Dead Travel	Determines how much, if any, dead travel exists at the top and bottom of the dimmer's range. Dead travel is when the slider can be moved without affecting the light level.

Contact Information:
 Bulbrite Industries Inc.
 145 West Commercial Avenue
 Moonachie, New Jersey 07074
 PHONE: 1-800-528-5555
 FAX: 1-800-441-7708
 Email: ProductSupport@bulbrite.com
 ©2017 Bulbrite Industries Inc.
 All Rights Reserved.