

**SORAA BRILLIANT HL GU10 120V 7.5W - DIMMER COMPATIBILITY LIST - North America**

Dimmer Manufacturer	Dimmer family	Dimmer Model	Dimming phase	Number of lamps per dimmer tested	Dim (%)	Comments
Cooper	SKYE	SLC03P	Forward	3	NC	
Creston		DIN-1DIMU4	Reverse	6	5%	
Legrand	Radiant	RH703PTU	Reverse	3	8%	
Leviton	Decora	DSL06-1LZ	Forward	3	6%	
Leviton	Illumatech 150	R50-IPL06-10M	Forward	3	4%	
Leviton	Decora Sureslide	R12-06672-1LW	Reverse	3	12%	
Leviton	SureSlide	nr. 6674	Forward	3	5%	
Lutron	Caseta	PD-3PCL	Forward	3	4%	
Lutron	Caseta	PD-5NE	Reverse	6	8%	
Lutron	Caseta	PD-6WCL	Forward	3	4%	
Lutron	Caseta	PD-10NXD	Leading	3	4%	
Lutron	Diva	DVCL-153P	Forward	6	5%	
Lutron	Diva	DVELV-300P	Reverse	6	5%	
Lutron	Diva	DVLV-600P	Forward	6	NC	
Lutron	Grafik Eye QS	QSGRJ-3P	Forward	6	4%	
Lutron	Interface	PHPM with Grafik Eye QS	Reverse	6	0%	
Lutron	Maestro	MA-600-WH	Forward	3	NC	
Lutron	Maestro	MACL-153M	Forward	6	10%	
Lutron	Maestro	MAELV-600	Reverse	3	2%	
Lutron	Maestro	MALV-600-WH	Forward	3	NC	

# SORAA BRILLIANT HL GU10 120V 7.5W - DIMMER COMPATIBILITY LIST - North America

Dimmer Manufacturer	Dimmer family	Dimmer Model	Dimming phase	Number of lamps per dimmer tested	Dim (%)	Comments
Lutron	Maestro Wireless	MRF2-6ND-120	Forward	3	2%	
Lutron	Maestro Wireless	MRF2-6ELV-120	Reverse	3	2%	
Lutron	Maestro Wireless	MRF2S-6CL	Forward	3	5%	
Lutron	Nova T	NTELV-600	Reverse	3	7%	
Lutron	Radio Ra2	RRD-10D	Forward	3	20%	
Lutron	Radio Ra2	RRD-6NA	Reverse	6	2%	
Lutron	Remote Power Modules / Homeworks	HW / LP-RPM-4A-120	Reverse	6	6%	
Lutron	Remote Power Modules / Homeworks	HW / LP-RPM-4U-120	Forward	3	0%	
Lutron	Skylark	SLV-600P	Forward	6	NC	
Lutron	Skylark	SELV-300P	Reverse	6	6%	
Lutron	Skylark Contour	CTCL-153P	Forward	3	8%	
Lutron	Toggler	TGCL-153PH-WH	Forward	3	4%	
Marlin	Stellar RMS 4	Stellar RMS 4	Reverse	6	4%	

**Notes:**

Compatibility tests are conducted by Soraal (unless stated otherwise) only as guidance for the user

All tests are conducted under bench conditions; results may differ from test results depending on conditions at the application site

Results may vary due to variability in component choices and manufacturing processes by the dimmer manufacturer

Regards compatibility tests conducted by dimmer manufacturer, please contact Soraal or the manufacturer for more details and/or reports.

(\*) Test results with this dimmer added to the compatibility list as of this Revision

--%	Dims to < 20% (of the measured light output)
--%	Dims to 20-30% (of the measured light output)
NC	Not compatible (or dims to >30%)
Blank cell	Not tested