


INTEGRATED  
**LED** *Lighting*



# Ceiling Flush Mounts

Modern, slim design ideal for residential spaces

**BULBRITE**<sup>®</sup>  
turn life on



## Edge-Lit Technology

LEDs along the outer edge of the fixture guiding light evenly across the panel for beautifully balanced illumination.

- ✓ Eliminates harsh hot spots
- ✓ Creates a seamless uniform glow from edge to edge

\*Edge-lit technology applies to 5", 7", and 9" models only.

## Quick & Easy Installation

### Compatible Junction Boxes

Fits 4" round/octagon, 3-1/2" round (old or new construction), and shallow pancake-style junction boxes

### Interchangeable Bracket

5", 7" & 9" feature an interchangeable mounting bracket that allows for faster push and twist installation with the existing junction box.



## Wet Rated Design

### Built for any room

Engineered with durable nylon trim, gaskets and stainless-steel clips that resist corrosion and humidity. Perfect for bathrooms, covered porches, and other areas where these fixtures might be exposed to water.



# Ultra low profile design that fits effortlessly into any space

A modern alternative to semi flush and socketed flush mount fixtures for a clean look



## Kitchens

Bright, even task lighting for cooking and prep areas



## Bedrooms

Warm, ambient glow for restful spaces




## Living Rooms

Statement lighting that blends with any style



## Bathrooms

Wet-rated for moisture resistance



## Offices

Flicker-free, high CRI light for focused productivity



## Laundry Rooms

Durable, moisture-resistant lighting for utility spaces

## The right size for your next project

### 5" Ideal for

Closets, hallways, small bathrooms


### 7" Ideal for

Bedroom, offices, kitchens

### 9" & 15" Ideal for

Living rooms, large bedrooms, kitchens






# 5 CCT TEMPERATURE CONTROL

Easily switch between five color temperatures right on the back of the fixture: 2700K warm white, 3000K soft white, 3500K neutral white, 4000K cool white, 5000K soft daylight

Available only for models 773603, 773607, 773611, and 773624.



Item #	Watts	Ordering Code	Volts	Finish	Color Temp.	CRI	Delivered Lumens	Avg Rated Life	Diameter (in.)	Height/Thickness (in.)
<a href="#">773603</a>	10.3	LED10FLUSH/5/5CCT/927-950/J/WH/D	120	White	5 CCT - 27/30/35/40/50K	90	850	50000	5	0.73
<a href="#">773600</a>	10.3	LED10FLUSH/5/930/J/WH/D	120	White	3000K	90	850	50000	5	0.73
<a href="#">773601</a>	10.3	LED10FLUSH/5/930/J/BL/D	120	Black	3000K	90	850	50000	5	0.73
<a href="#">773602</a>	10.3	LED10FLUSH/5/930/J/NK/D	120	Nickel	3000K	90	850	50000	5	0.73
<a href="#">773607</a>	14	LED14FLUSH/7/5CCT/927-950/J/WH/D	120	White	5 CCT - 27/30/35/40/50K	90	1150	50000	7	0.73
<a href="#">773604</a>	14	LED14FLUSH/7/930/J/WH/D	120	White	3000K	90	1150	50000	7	0.73
<a href="#">773605</a>	14	LED14FLUSH/7/930/J/BL/D	120	Black	3000K	90	1150	50000	7	0.73
<a href="#">773606</a>	14	LED14FLUSH/7/930/J/NK/D	120	Nickel	3000K	90	1150	50000	7	0.73
<a href="#">773611</a>	17	LED17FLUSH/9/5CCT/927-950/J/WH/D	120	White	5 CCT - 27/30/35/40/50K	90	1400	50000	9	0.73
<a href="#">773608</a>	17	LED17FLUSH/9/930/J/WH/D	120	White	3000K	90	1400	50000	9	0.73
<a href="#">773609</a>	17	LED17FLUSH/9/930/J/BL/D	120	Black	3000K	90	1400	50000	9	0.73
<a href="#">773610</a>	17	LED17FLUSH/9/930/J/NK/D	120	Nickel	3000K	90	1400	50000	9	0.73
<a href="#">773624</a>	25	LED25FLUSH/15/5CCT/927-950/J/WH/D	120	White	5 CCT - 27/30/35/40/50K	90	2000	50000	15	0.86
<a href="#">773620</a>	25	LED25FLUSH/15/930/J/WH/D	120	White	3000K	90	2000	50000	15	0.86
<a href="#">773621</a>	25	LED25FLUSH/15/930/J/BL/D	120	Black	3000K	90	2000	50000	15	0.86



Contact your local Bulbrite Sales Rep or [sales@bulbrite.com](mailto:sales@bulbrite.com)

