

AIRQUEST®

PRODUCT CATALOG



 STYLECREST.

MANUFACTURED HOUSING SPLIT SYSTEM CONDENSERS



- **Reliability You Can Count On** from Carrier that has been the historical leader in HVAC products, which undergo some of the most detailed and stringent quality processes during assembly, including 100% run-testing.
- **Stay Cool Without Worry** when you use a Airstquest® split system which carries a 5-year limited warranty on all functional parts, with an option to extend that coverage to 10-years parts-only if registered within 90-days of installation.

R-454B Outdoor Split System North-AC Condensers

Item #	Model	Nominal Tons 1	Product Dimensions	Package Weight	Min. Pad Size	Suction Line Connection	Liquid Line Connection	MCA	MOP	Sound
			Packaging Dimensions							
R5A4S18AKANA	R5A4S18AKANA	1.5	23-1/8"D x 23-1/8"W x 24-7/8"H 24-1/8"D x 24-1/8"W x 29-7/8"H	109 lbs	24" x 24"	3/4"	3/8"	10.4	15 A	75 dB
R5A4S24AKANA	R5A4S24AKANA	2	25-3/4"D x 25-3/4"W x 25-5/16"H 26-3/4"D x 26-3/4"W x 33-3/4"H	121 lbs	26" x 26"	3/4"	3/8"	15.1	25 A	74 dB
R5A4S30AKANA	R5A4S30AKANA	2.5	31-3/16"D x 31-3/16"W x 31-11/16"H 32-3/16"D x 32-3/16"W x 33-1/4"H	160 lbs	32" x 32"	3/4"	3/8"	15.6	25 A	73 dB
R5A4S36AKANA	R5A4S36AKANA	3	31-3/16"D x 31-3/16"W x 24-7/8"H 32-3/16"D x 32-3/16"W x 29-7/8"H	144 lbs	32" x 32"	7/8"	3/8"	16.4	25 A	75 dB
R5A4S42AKANA	R5A4S42AKANA	3.5	31-3/16"D x 31-3/16"W x 41-7/8"H 32-3/16"D x 32-3/16"W x 40-1/16"H	202 lbs	32" x 32"	7/8"	3/8"	23.5	40 A	73 dB
R5A4S48AKANA	R5A4S48AKANA	4	31-3/16"D x 31-3/16"W x 28-1/4"H 32-3/16"D x 32-3/16"W x 29-7/8"H	188 lbs	32" x 32"	7/8"	3/8"	24.5	40 A	76 dB
R5A4S60AKANA	R5A4S60AKANA	5	31-3/16"D x 31-3/16"W x 35-1/16"H 32-3/16"D x 32-3/16"W x 33-1/4"H	204 lbs	32" x 32"	7/8"	3/8"	33.5	50 A	76 dB

1) These are nominal values. Consult the AHRI Certified Products Directory for actual performance and required airflow. An exact electric furnace model is REQUIRED to validate the a Split System AHRI Rating. Furnaces and coil boxes are supplied by Clayton Homes Manufacturing and are not stocked by Style Crest.

R-454B Outdoor Split System South-AC Condensers

Item #	Model	Nominal Tons ¹	Product Dimensions	Package Weight	Min. Pad Size	Suction Line Connection	Liquid Line Connection	MCA	MOP	Sound
			Packaging Dimensions							
101100021	R5A5S18AKAWA	1.5	25-3/4"D x 25-3/4"W x 28-11/16"H 25-3/4"D x 25-3/4"W x 29-7/8"H	125 lbs	24" x 24"	3/4"	3/8"	11.4	20 A	75 dB
101100022	R5A5S24AKAWA	2	25-3/4"D x 25-3/4"W x 35-1/2"H 25-3/4"D x 25-3/4"W x 36-11/16"H	136 lbs	26" x 26"	3/4"	3/8"	14.2	20 A	73 dB
101100023	R5A5S30AKAWA	2.5	31-3/16"D x 31-3/16"W x 35-1/16"H 32-3/16"D x 32-3/16"W x 36-11/16"H	161 lbs	32" x 32"	3/4"	3/8"	15.2	25 A	73 dB
101100024	R5A5S36AKAWA	3	31-3/16"D x 31-3/16"W x 38-7/16"H 32-3/16"D x 32-3/16"W x 40-9/16"H	168 lbs	32" x 32"	7/8"	3/8"	16.7	25 A	75 dB
101100025	R5A5S42AKAWA	3.5	31-3/16"D x 31-3/16"W x 31-11/16"H 32-3/16"D x 32-3/16"W x 33-1/4"H	198 lbs	32" x 32"	7/8"	3/8"	32.8	50 A	76 dB
101100026	R5A5S48AKAWA	4	31-3/16"D x 31-3/16"W x 31-11/16"H 32-3/16"D x 32-3/16"W x 33-1/4"H	198 lbs	32" x 32"	7/8"	3/8"	32.8	50 A	76 dB
101100027	R5A5S60AKAWA	5	31-3/16"D x 31-3/16"W x 38-7/16"H 32-3/16"D x 32-3/16"W x 40-9/16"H	214 lbs	32" x 32"	7/8"	3/8"	32.8	50 A	75 dB

1) These are nominal values. Consult the AHRI Certified Products Directory for actual performance and required airflow. An exact electric furnace model is REQUIRED to validate the a Split System AHRI Rating. Furnaces and coil boxes are supplied by Clayton Homes Manufacturing and are not stocked by Style Crest.

R-454B Outdoor Split System Heat Pump Condensers

Item #	Model	Nominal Tons ¹	Product Dimensions	Package Weight	Min. Pad Size	Suction Line Connection	Liquid Line Connection	MCA	MOP	Sound
			Packaging Dimensions							
101100014	R5H5S18AKAAA	1.5	31-3/16"D x 31-3/16"W x 31-11/16"H 32-3/16"D x 32-3/16"W x 33-1/4"H	167 lbs	32" x 32"	3/4"	3/8"	13.4	20 A	72 db
101100015	R5H5S24AKAAA	2	31-3/16"D x 31-3/16"W x 35-11/16"H 32-3/16"D x 32-3/16"W x 36-11/16"H	195 lbs	32" x 32"	3/4"	3/8"	14.5	25 A	71 db
101100016	R5H5S30AKAAA	2.5	31-3/16"D x 31-3/16"W x 38-7/16"H 32-3/16"D x 32-3/16"W x 40-1/16"H	188 lbs	32" x 32"	3/4"	3/8"	18.2	30 A	70 db
101100017	R5H5S36AKAAA	3	31-3/16"D x 31-3/16"W x 31-11/16"H 32-3/16"D x 32-3/16"W x 33-1/4"H	192 lbs	32" x 32"	7/8"	3/8"	20.3	30 A	76 db
101100018	R5H5S42AKAAA	3.5	31-3/16"D x 31-3/16"W x 31-11/16"H 32-3/16"D x 32-3/16"W x 33-1/4"H	223 lbs	32" x 32"	7/8"	3/8"	24.7	40 A	76 db
101100019	R5H5S48AKAAA	4	31-3/16"D x 31-3/16"W x 38-7/16"H 32-3/16"D x 32-3/16"W x 40-1/16"H	252 lbs	32" x 32"	7/8"	3/8"	32.8	50 A	76 db
101100020	R5H5S60AKAAA	5	35"D x 35"W x 35-1/2"H 36"D x 36"W x 37-3/16"H	254 lbs	35" x 35"	7/8"	3/8"	33.2	50 A	74 db

1) These are nominal values. Consult the AHRI Certified Products Directory for actual performance and required airflow. An exact electric furnace model is REQUIRED to validate the a Split System AHRI Rating. Furnaces and coil boxes are supplied by Clayton Homes Manufacturing and are not stocked by Style Crest.

R-454B Indoor Split System Coils for Electric Furnaces



Part No.	Used With	Product Dimensions	Package Weight	Primary Drain Connection	Secondary Drain Connection	Suction Line Connection	Liquid Line Connection
		Packaging Dimensions					
101100006	1.5-3T, Air Conditioner/Heat Pump R-454B Indoor Coil	20-3/4"D x 15"W x 16-1/4"H 25-5/8"D x 17-1/8"W x 20-1/4"H	28 lbs	3/4"-FPT	3/4"-FPT	7/8"	3/8"
101100007	3.5-4T, Air Conditioner/Heat Pump R-454B Indoor Coil	20-5/8"D x 19"W x 24H 25-3/4"D x 20-1/2"W x 25-3/4"H	38.5 lbs	3/4"-FPT	3/4"-FPT	7/8"	3/8"
101100008	.5-5T, Air Conditioner/Heat Pump R-454B Indoor Coil	20-1/2"D x 22-1/2"W x 29-1/2"H 26-1/4"D x 25-3/8"W x 32"H	48.5 lbs	3/4"-FPT	3/4"-FPT	7/8"	3/8"

An exact electric furnace model is **REQUIRED** to validate the a Split System AHRI Rating.
Furnaces and coil boxes are supplied by Clayton Homes Manufacturing and are not stocked by Style Crest.

R-454B Indoor Split System Coils for Gas Furnaces



Part No.	Used With	Product Dimensions	Package Weight	Primary Drain Connection	Secondary Drain Connection	Suction Line Connection	Liquid Line Connection
		Packaging Dimensions					
101100009	1.5-2T, Air Conditioner/Heat Pump R-454B Indoor Coil, B17"W	20-1/16"D x 16-5/16"W x 17-1/4"H 23-3/4"D x 18-7/16"W x 18-1/8"H	31 lbs	3/4"-NPT	3/4"-NPT	5/8"	3/8"
101100011	2-3T, Air Conditioner/Heat Pump R-454B Indoor Coil, B17"W,	20-1/16"D x 16-5/16"W x 23-9/16"H 23-3/4"D x 18-7/16"W x 22-1/4"H	38.5 lbs	3/4"-NPT	3/4"-NPT	3/4"	3/8"
101100012	3.5-4T, Air Conditioner/Heat Pump R-454B Indoor Coil, C21"W	20-1/16"D x 19-13/16"W x 25-5/16"H 23-3/4"D x 21-15/16"W x 26-3/16"H	51 lbs	3/4"-NPT	3/4"-NPT	7/8"	3/8"
101100013	4-5Ton Air Conditioner/Heat Pump R-454B Indoor Coil, C21"W	20-1/16"D x 19-13/16"W x 31-1/2"H 23-3/4"D x 21-15/16"W x 32-3/8"H	63.5 lbs	3/4"-NPT	3/4"-NPT	7/8"	3/8"

Furnaces and coil boxes are supplied by Clayton Homes Manufacturing and are not stocked by Style Crest.

Accessories - Sweat Fit Line Sets



Part No.	Description	Used With	Suction Line Ø	Liquid Line Ø	Suction Line Insulation Thickness
13S7525	25 ft, Copper, 3/4" Ø Suction Line, 3/8" Ø Liquid Line, 1/2" Closed-cell Foam Insulated Suction Line.	USED WITH: R5A4S, R5A5S, R5H5S	3/4"	3/8"	1/2"
13S7530	30 ft, Copper, 3/4" Ø Suction Line, 3/8" Ø Liquid Line, 1/2" Closed-cell Foam Insulated Suction Line.	USED WITH: R5A4S, R5A5S, R5H5S	3/4"	3/8"	1/2"
13S7550	50 ft, Copper, 3/4" Ø Suction Line, 3/8" Ø Liquid Line, 1/2" Closed-cell Foam Insulated Suction Line.	USED WITH: R5A4S, R5A5S, R5H5S	3/4"	3/8"	1/2"
13S7825	25 ft, Copper, 7/8" Ø Suction Line, 3/8" Ø Liquid Line, 1/2" Closed-cell Foam Insulated Suction Line.	USED WITH: R5A4S, R5A5S, R5H5S	7/8"	3/8"	1/2"
13S7830	30 ft, Copper, 7/8" Ø Suction Line, 3/8" Ø Liquid Line, 1/2" Closed-cell Foam Insulated Suction Line.	USED WITH: R5A4S, R5A5S, R5H5S	7/8"	3/8"	1/2"
13S7850	50 ft, Copper, 7/8" Ø Suction Line, 3/8" Ø Liquid Line, 1/2" Closed-cell Foam Insulated Suction Line.	USED WITH: R5A4S, R5A5S, R5H5S	7/8"	3/8"	1/2"

NOTE: Must seal ends of insulated line(s) upon installation.

R-454B SELF-CONTAINED PACKAGED UNITS



- **Convenient Service Access** makes installation and maintenance quicker and easier, with a design that can be serviced from both the side and front.
- **Reliability You Can Count On** from Carrier that has been the historical leader in HVAC products, which undergo some of the most detailed and stringent quality processes during assembly, including 100% run-testing.
- **Stay Cool Without Worry** when you use a Airstquest® package unit which carries a 5-year limited warranty on all functional parts, with an option to extend that coverage to 10-years parts-only if registered within 90-days of installation.

Packaged Air Conditioners

Item #	Model	Nominal Tons ¹	Product Dimensions		Package Weight	Min. Pad Size	SEER2	EER2	Refrigerant Charge	Rated Cooling Output	MCA	MOP	Sound
			Packaging Dimensions										
PAM424000K000	PAM424000K000B	2	32"D x 51"W x 30-1/8"H	38"D x 57"W x 37"H	294 lbs	51" x 32"	13.4	10.6	48 Oz	23.6 MBH	14.0	20 A	70 dB
PAM430000K000	PAM430000K000B	2.5	32"D x 51"W x 30-1/8"H	38"D x 57"W x 37"H	299 lbs	51" x 32"	13.4	10.6	56 Oz	28 MBH	20.4	30 A	70 dB
PAM436000K000	PAM436000K000B	3	32"D x 51"W x 30-1/8"H	38"D x 57"W x 37"H	318 lbs	51" x 32"	13.4	10.6	71 Oz	34.4 MBH	22.3	35 A	76 dB
PAM442000K000	PAM442000K000B	3.5	32"D x 51"W x 34-1/8"H	38"D x 57"W x 41"H	342 lbs	51" x 32"	13.4	10.6	73.6 Oz	41.5 MBH	25.2	40 A	77 dB
PAM448000K000	PAM448000K000B	4	32"D x 51"W x 42-1/8"H	38"D x 57"W x 49"H	394 lbs	51" x 32"	13.4	10.6	80 Oz	47.5 MBH	30.9	50 A	78 dB
PAM460000K000	PAM460000K000B	5	32"D x 51"W x 42-1/8"H	38"D x 57"W x 49"H	409 lbs	51" x 32"	13.4	10.6	112 Oz	54 MBH	37.9	60 A	80 dB

1) These are nominal values. Consult the AHRI Certified Products Directory for actual performance and required airflow.

Packaged Heat Pumps

Item #	Model	Nominal Tons ¹	Product Dimensions		Package Weight	Min. Pad Size	SEER2	EER2	HSPF2	Refrigerant Charge	Rated Cooling Output	Rated Heating Output	MCA	MOP	Sound
			Packaging Dimensions												
PHM424000K000	PHM424000K000B	2	32"D x 51"W x 30-1/8"H	38"D x 57"W x 37"H	303 lbs	51" x 32"	13.4	10.6	6.7	92.8 Oz	24 MBH	24 MBH	16.0	25 A	70 dB
PHM430000K000	PHM430000K000B	2.5	32"D x 51"W x 34-1/8"H	38"D x 57"W x 41"H	333 lbs	51" x 32"	13.4	10.6	6.7	108 Oz	28.6 MBH	28.6 MBH	20.4	30 A	72 dB
PHM436000K000	PHM436000K000B	3	32"D x 51"W x 34-1/8"H	38"D x 57"W x 41"H	335 lbs	51" x 32"	13.4	10.6	6.7	76 Oz	35 MBH	32.2 MBH	23.4	35 A	76 dB
PHM442000K000	PHM442000K000B	3.5	32"D x 51"W x 42-1/8"H	38"D x 57"W x 49"H	389 lbs	51" x 32"	13.4	10.6	6.7	104 Oz	40 MBH	40 MBH	25.7	40 A	76 dB
PHM448000K000	PHM448000K000B	4	32"D x 51"W x 42-1/8"H	38"D x 57"W x 49"H	408 lbs	51" x 32"	13.4	10.6	6.7	132 Oz	45.5 MBH	45 MBH	36.4	60 A	78 dB
PHM460000K000	PHM460000K000B	5	32"D x 51"W x 42-1/8"H	38"D x 57"W x 49"H	475 lbs	51" x 32"	13.4	10.6	6.7	168 Oz	54 MBH	56 MBH	39.9	60 A	79 dB

1) These are nominal values. Consult the AHRI Certified Products Directory for actual performance and required airflow.

The Leader in Home Comfort - From the Experts in Manufactured Homes

In 1902 Willis Carrier invented the first modern air conditioner. Today, Carrier continues that spirit of innovation with over 9,000 active and pending patents. Airquest by Carrier is an HVAC offering specified by Skyline Champion homes.



APPLICATION FLEXIBILITY

Modular and HUD Compliance for use in both conventional HUD (code) manufactured homes, and modular homes that must comply with municipal and state residential building codes.



HARDWORKING DEPENDABILITY

Field-tested and durable with a dense coil guard, galvanized steel cabinet, and tough wire grille that combines protection with easier airflow.



FROM THE MANUFACTURED HOME EXPERTS

When your Airquest unit comes from Style Crest, it's coming from the experts in mobile home comfort solutions, with installation service, warranty support, and deep understanding of the unique requirements of manufactured homes.

R-454B SPLIT SYSTEMS FOR FEVB ELECTRIC FURNACES



- **FEVB**

Multi-ported
Electric
Furnace (Up/
Downflow)

- **FEVB Refrigerant Flexibility** allows for AHRI ratings with R-410A or R-454B split systems.
- **Skyline Champion Homes' Exclusive HVAC Line** used in their manufactured homes since 2019 and require unique, indoor coils in 3-residential footprints; not traditional 20"W x 24"D MH furnaces and coils.
- **Modular and HUD Compliance** for use in both conventional HUD (code) manufactured homes, and modular homes that must comply with municipal and state residential building codes.
- **Reliability You Can Count On** from Carrier that has been the historical leader in HVAC products, which undergo some of the most detailed and stringent quality processes during assembly, including 100% run-testing.
- **Stay Cool Without Worry** when you use a Airquest® split system which carries a 5-year limited warranty on all functional parts, with an option to extend that parts-only coverage to 10-years if registered within 90-days of installation.

- **NAVA5**

1.5-5T Indoor Coils



(Furnace, coil,
condenser, and
accessories sold
separately.)

- **R5**

1.5-5T Condensers



Furnace Model # ¹	System Type	Tons ²	Coil Model	Coil Item #	Condenser Model	Condenser Item #	AHRI Cert #	Rated Cooling
FEVB0024* (17 1/2"W)	AC-North	1.5	NAVA53601CK	101100006	R5A4S18AKANA	R5A4S18AKANA	217052537	17.7 MBH
	AC-South	1.5	NAVA53601CK	101100006	R5A5S18AKAWA	101100021	217052597	18 MBH
	HP-All	1.5	NAVA53601CK	101100006	R5H5S18AKAAA	101100014	217051452	17.4 MBH
	AC-North	2	NAVA53601CK	101100006	R5A4S24AKANA	R5A4S24AKANA	217052566	23.6 MBH
	AC-South	2	NAVA53601CK	101100006	R5A5S24AKAWA	101100022	217052636	23.4 MBH
	HP-All	2	NAVA53601CK	101100006	R5H5S24AKAAA	101100015	217051492	22.6 MBH
FEVB0036* (17 1/2"W)	AC-North	2	NAVA53601CK	101100006	R5A4S24AKANA	R5A4S24AKANA	N/A	24.4 MBH
	AC-South	2	NAVA53601CK	101100006	R5A5S24AKAWA	101100022	N/A	24.4 MBH
	HP-All	2	NAVA53601CK	101100006	R5H5S24AKAAA	101100015	N/A	23.6 MBH
	AC-North	2.5	NAVA53601CK	101100006	R5A4S30AKANA	R5A4S30AKANA	N/A	29.4 MBH
	AC-South	2.5	NAVA53601CK	101100006	R5A5S30AKAWA	101100023	N/A	29.2 MBH
	HP-All	2.5	NAVA53601CK	101100006	R5H5S30AKAAA	101100016	N/A	28.2 MBH
	AC-North	3	NAVA53601CK	101100006	R5A4S36AKANA	R5A4S36AKANA	N/A	34 MBH
	AC-South	3	NAVA53601CK	101100006	R5A5S36AKAWA	101100024	N/A	33.2 MBH
HP-All	3	NAVA53601CK	101100006	R5H5S36AKAAA	101100017	N/A	35 MBH	
FEVB0048* (21"W)	AC-North	3	NAVA54801CK	101100007	R5A4S36AKANA	R5A4S36AKANA	217052673	36.4 MBH
	AC-South	3	NAVA54801CK	101100007	R5A5S36AKAWA	101100024	217052762	35.4 MBH
	HP-All	3	NAVA54801CK	101100007	R5H5S36AKAAA	101100017	217051644	36.4 MBH
	AC-North	3.5	NAVA54801CK	101100007	R5A4S42AKANA	R5A4S42AKANA	217052702	42.5 MBH
	AC-South	3.5	NAVA54801CK	101100007	R5A5S42AKAWA	101100025	217052801	42 MBH
	HP-All	3.5	NAVA54801CK	101100007	R5H5S42AKAAA	101100018	217051692	42 MBH
	AC-North	4	NAVA54801CK	101100007	R5A4S48AKANA	R5A4S48AKANA	217052731	46.5 MBH
	AC-South	4	NAVA54801CK	101100007	R5A5S48AKAWA	101100026	217052840	47.5 MBH
	HP-All	4	NAVA54801CK	101100007	R5H5S48AKAAA	101100019	217051772	47 MBH
FEVB0060* (24 1/2"W)	AC-North	3.5	NAVA56001CK	101100008	R5A4S42AKANA	R5A4S42AKANA	217052877	43.5 MBH
	AC-South	3.5	NAVA56001CK	101100008	R5A5S42AKAWA	101100025	217052966	43.5 MBH
	HP-All	3.5	NAVA56001CK	101100008	R5H5S42AKAAA	101100018	217051724	43 MBH
	AC-North	4	NAVA56001CK	101100008	R5A4S48AKANA	R5A4S48AKANA	217052906	48 MBH
	AC-South	4	NAVA56001CK	101100008	R5A5S48AKAWA	101100026	217053005	49 MBH
	HP-All	4	NAVA56001CK	101100008	R5H5S48AKAAA	101100019	217051804	48 MBH
	AC-North	5	NAVA56001CK	101100008	R5A4S60AKANA	R5A4S60AKANA	217052935	58.5 MBH
	AC-South	5	NAVA56001CK	101100008	R5A5S60AKAWA	101100027	217053044	58.5 MBH
	HP-All	5	NAVA56001CK	101100008	R5H5S60AKAAA	101100020	217051852	57.5 MBH

1) The applicable furnace model is REQUIRED to validate the provided Split System AHRI Rating (Cert. #).
 2) These are nominal values, refer to the AHRI Certified Products Directory for detailed performance information.

R-454B SPLIT SYSTEMS FOR GAS FURNACES



• **N9***
Gas Furnace (Down/Upflow)

• **EAA5X**
1.5-5T Indoor Coils



• **R5**
1.5-5T Condensers

(Furnace, coil box, condenser, coil, and accessories sold separately.)



- **N9* Gas Furnace Refrigerant Flexibility** allows for AHRI ratings with R-410A or R-454B split systems.
- **Skyline Champion Homes' Exclusive HVAC Line** used in their manufactured homes since 2019 and require unique, indoor coils in 2-residential footprints; not traditional 20"W x 24"D MH furnaces and coils.
- **Modular and HUD Compliance** for use in both conventional HUD (code) manufactured homes, and modular homes that must comply with municipal and state residential codes.
- **Reliability You Can Count On from Carrier** that has been the historical leader in HVAC products, which undergo some of the most detailed and stringent quality processes during assembly, including 100% run-testing.
- **Stay Cool Without Worry** when you use a Airquest® split system which carries a 5-year limited warranty on all functional parts, with an option to extend that parts-only coverage to 10-years if registered within 90-days of installation.

Furnace Model	Type	Tons ²	Coil Model	Coil Item#	Outdoor Model	Outdoor Item#	AHRI Cert #	Cooling
N96MSM0401712A (17 1/2" Wide) ¹	AC-North	1.5	EAA5X24M17A	101100009	R5A4S18AKANA	R5A4S18AKANA	216068295	17.4 MBH
	AC-South	1.5	EAA5X24M17A	101100009	R5A5S18AKAWA	101100021	215871281	17.9 MBH
	AC-North	2	EAA5X24M17A	101100009	R5A4S24AKANA	R5A4S24AKANA	216103738	22.4 MBH
	AC-North	2	EAA5X37M17A	101100011	R5A4S24AKANA	R5A4S24AKANA	216110176	23.4 MBH
	AC-South	2	EAA5X24M17A	101100009	R5A5S24AKAWA	101100022	215871283	22.4 MBH
	AC-South	2	EAA5X37M17A	101100011	R5A5S24AKAWA	101100022	215871285	23.4 MBH
	AC-North	2.5	EAA5X37M17A	101100011	R5A4S30AKANA	R5A4S30AKANA	216150663	28.4 MBH
	AC-South	2.5	EAA5X37M17A	101100011	R5A5S30AKAWA	101100023	215871287	28.6 MBH
	AC-North	3	EAA5X48M21A ³	101100012	R5A4S36AKANA	R5A4S36AKANA	216205514 ³	33.6 MBH
	AC-South	3	EAA5X48M21A ³	101100012	R5A5S36AKAWA	101100024	215871290 ³	33.2 MBH

Furnace Model	Type	Tons ²	Coil Model	Coil Item#	Outdoor Model	Outdoor Item#	AHRI Cert #	Cooling
N96MSM0601716A (17 1/2" Wide) ¹	AC-North	1.5	EAA5X24M17A	101100009	R5A4S18AKANA	R5A4S18AKANA	216068351	17.5 MBH
	AC-South	1.5	EAA5X24M17A	101100009	R5A5S18AKAWA	101100021	215871282	17.9 MBH
	HP-All	1.5	EAA5X24M17A	101100009	R5H5S18AKAAA	101100014	216021313	17.3 MBH
	AC-North	2	EAA5X24M17A	101100009	R5A4S24AKANA	R5A4S24AKANA	216103794	22.8 MBH
	AC-North	2	EAA5X37M17A	101100011	R5A4S24AKANA	R5A4S24AKANA	216110232	24 MBH
	AC-South	2	EAA5X24M17A	101100009	R5A5S24AKAWA	101100022	215871284	22.8 MBH
	AC-South	2	EAA5X37M17A	101100011	R5A5S24AKAWA	101100022	215871286	24 MBH
	HP-All	2	EAA5X24M17A	101100009	R5H5S24AKAAA	101100015	216021314	22.4 MBH
	HP-All	2	EAA5X37M17A	101100011	R5H5S24AKAAA	101100015	216021320	23.4 MBH
	AC-North	2.5	EAA5X37M17A	101100011	R5A4S30AKANA	R5A4S30AKANA	216150719	28.8 MBH
	AC-South	2.5	EAA5X37M17A	101100011	R5A5S30AKAWA	101100023	215871288	28.8 MBH
	AC-North	3	EAA5X37M17A	101100011	R5A4S36AKANA	R5A4S36AKANA	216197477	34.4 MBH
	AC-North	3	EAA5X48M21A ³	101100012	R5A4S36AKANA	R5A4S36AKANA	216205544 ³	33.8 MBH
	AC-South	3	EAA5X37M17A	101100011	R5A5S36AKAWA	101100024	215871289	33.8 MBH
	AC-South	3	EAA5X48M21A ³	101100012	R5A5S36AKAWA	101100024	215871291 ³	33.4 MBH
	HP-All	3	EAA5X37M17A	101100011	R5H5S36AKAAA	101100017	216021319	35.2 MBH
	AC-North	3.5	EAA5X48M21A ³	101100012	R5A4S42AKANA	R5A4S42AKANA	216254422 ³	40 MBH
	AC-North	3.5	EAA5X61M21A ³	101100013	R5A4S42AKANA	R5A4S42AKANA	216257926 ³	41 MBH
	AC-South	3.5	EAA5X48M21A ³	101100012	R5A5S42AKAWA	101100025	215871293 ³	40 MBH
	AC-South	3.5	EAA5X61M21A ³	101100013	R5A5S42AKAWA	101100025	215871297 ³	41 MBH
	AC-North	4	EAA5X48M21A ³	101100012	R5A4S48AKANA	R5A4S48AKANA	216300980 ³	44.5 MBH
	AC-North	4	EAA5X61M21A ³	101100013	R5A4S48AKANA	R5A4S48AKANA	216304360 ³	46 MBH
	AC-South	4	EAA5X48M21A ³	101100012	R5A5S48AKAWA	101100026	215871295 ³	46 MBH
	AC-South	4	EAA5X61M21A ³	101100013	R5A5S48AKAWA	101100026	215871299 ³	47.5 MBH
N96MSM0802120A (21" Wide) ¹	AC-North	3	EAA5X48M21A	101100012	R5A4S36AKANA	R5A4S36AKANA	216205605	34.2 MBH
	AC-South	3	EAA5X48M21A	101100012	R5A5S36AKAWA	101100024	215871292	33.6 MBH
	HP-All	3	EAA5X48M21A	101100012	R5H5S36AKAAA	101100017	216021325 ³	34 MBH
	AC-North	3.5	EAA5X48M21A	101100012	R5A4S42AKANA	R5A4S42AKANA	216254483	40 MBH
	AC-North	3.5	EAA5X61M21A	101100013	R5A4S42AKANA	R5A4S42AKANA	216257987	41 MBH
	AC-South	3.5	EAA5X48M21A	101100012	R5A5S42AKAWA	101100025	215871294	40 MBH
	AC-South	3.5	EAA5X61M21A	101100013	R5A5S42AKAWA	101100025	215871298	41 MBH
	AC-North	4	EAA5X48M21A	101100012	R5A4S48AKANA	R5A4S48AKANA	216301041	45 MBH
	AC-North	4	EAA5X61M21A	101100013	R5A4S48AKANA	R5A4S48AKANA	216304421	46.5 MBH
	AC-South	4	EAA5X48M21A	101100012	R5A5S48AKAWA	101100026	215871296	46.5 MBH
	AC-South	4	EAA5X61M21A	101100013	R5A5S48AKAWA	101100026	215871300	48 MBH
	AC-North	5	EAA5X61M21A	101100013	R5A4S60AKANA	R5A4S60AKANA	216333632	58 MBH
	AC-South	5	EAA5X61M21A	101100013	R5A5S60AKAWA	101100027	215871301	59 MBH
	<i>Any Furnace Model with a Time Delay Relay (N9DSE / N95ESM, w/ Coil Box)</i>	AC-North	1.5	EAA5X24M17A	101100009	R5A4S18AKANA	R5A4S18AKANA	216068961
AC-North		2	EAA5X24M17A	101100009	R5A4S24AKANA	R5A4S24AKANA	216104404	22.4 MBH
AC-North		2	EAA5X37M17A	101100011	R5A4S24AKANA	R5A4S24AKANA	216110842	23.2 MBH
AC-North		2.5	EAA5X37M17A	101100011	R5A4S30AKANA	R5A4S30AKANA	216151329	28.6 MBH
AC-North		3	EAA5X37M17A	101100011	R5A4S36AKANA	R5A4S36AKANA	216198087	34.2 MBH
AC-North		3	EAA5X48M21A	101100012	R5A4S36AKANA	R5A4S36AKANA	216206509	33.8 MBH
AC-North		3.5	EAA5X48M21A	101100012	R5A4S42AKANA	R5A4S42AKANA	216255292	40 MBH
AC-North		3.5	EAA5X61M21A	101100013	R5A4S42AKANA	R5A4S42AKANA	216258796	41 MBH
AC-North		4	EAA5X48M21A	101100012	R5A4S48AKANA	R5A4S48AKANA	216301778	45 MBH
AC-North		4	EAA5X61M21A	101100013	R5A4S48AKANA	R5A4S48AKANA	216305158	46.5 MBH
AC-North		5	EAA5X61M21A	101100013	R5A4S60AKANA	R5A4S60AKANA	216334083	57.5 MBH
AC-South		1.5	EAA5X24M17A	101100009	R5A5S18AKAWA	101100021	214870768	17.2 MBH
AC-South		2	EAA5X24M17A	101100009	R5A5S24AKAWA	101100022	214871244	22.4 MBH
AC-South		2	EAA5X37M17A	101100011	R5A5S24AKAWA	101100022	214877697	23.4 MBH
AC-South		2.5	EAA5X37M17A	101100011	R5A5S30AKAWA	101100023	214871977	28.8 MBH
AC-South		3	EAA5X37M17A	101100011	R5A5S36AKAWA	101100024	214872753	33.6 MBH
AC-South		3	EAA5X48M21A	101100012	R5A5S36AKAWA	101100024	214872905	33.2 MBH
AC-South		3.5	EAA5X48M21A	101100012	R5A5S42AKAWA	101100025	214873732	40 MBH
AC-South		3.5	EAA5X61M21A	101100013	R5A5S42AKAWA	101100025	214873810	41 MBH
AC-South		4	EAA5X61M21A	101100013	R5A5S48AKAWA	101100026	214874629	47.5 MBH
AC-South	5	EAA5X61M21A	101100013	R5A5S60AKAWA	101100027	214875258	58.5 MBH	

1) The furnace model is REQUIRED to validate the Split System AHRI Rating (Cert. #). Furnaces & coil boxes are pre-installed by the factory.
 2) These are nominal values, refer to the AHRI Certified Products Directory for detailed performance information.
 3) Match requires additional field-work to adapt the 21"W coil box to the 17 1/2"W furnace.

These additional Style Crest HVAC Accessories are intended to complement Airquest® equipment and complete a full system installation. Please contact your Style Crest Sales Representative for further application assistance.

Packaged Unit Electric Heater Kits



Item #
WZH0502X 5kW, Resistance, Electric Heater Kit without Breakers for Carrier Packaged Units. Each. USED WITH: PAM424, PAM430, PAM436, PAM442, PAM460, PAM448, PHM442, PHM460, PHM448, PHM436
WZH0702X 7kW, Resistance, Electric Heater Kit without Breakers for Carrier Packaged Units. Each. USED WITH: PAM424, PAM430, PAM436, PAM442, PAM460, PAM448, PHM442, PHM460
WZH1002X 10kW, Resistance, Electric Heater Kit without Breakers for Carrier Packaged Units. Each. USED WITH: PAM424, PAM430, PAM436, PAM442, PAM460, PAM448, PHM460, PHM448, PHM436, PHM430, PHM424
WZH1502SX 15kW, Resistance, Electric Heater Kit with Breakers for Carrier Packaged Units. Each. USED WITH: PAM436, PAM442, PAM460, PAM448, PHM442, PHM436, PHM430, PHM424

Wire Harness



Item #
351896-701 Retrofit Kit, FEVA, Wire Harness & Labels, R-454B. Each. USED WITH: FEVA, NAVA5, EAA5X

Flex Duct



Item #
1101025 10" x 25', R4.2, Flex Duct. Each.
1101225 12" x 25', R4.2, Flex Duct. Each.
1101425 14" x 25', R4.2, Flex Duct. Each.
1181225 12" x 25', R8, Flex Duct. Each.
1181425 14" x 25', R8, Flex Duct. Each.

Return Air Boxes



Item #
111220BRN Grille-Only for Return Air Box w/ 115012 or 115014. Each. USED WITH: Flex Duct, PAM4, PHM4
115012 12" Ø Return Air Box with Grille and Filter. Each. USED WITH: Flex Duct, PAM4, PHM4
115014 14" Ø Return Air Box with Grille and Filter. Each. USED WITH: Flex Duct, PAM4, PHM4

Duct Connectors



Item #
901987A 11-1/4" x 13-1/2" x 7/8"H Duct Connector. Each.
901988A 11-1/4" x 13-1/2" x 2"H Duct Connector. Each.
901989A 11-1/4" x 13-1/2" x 4-1/4"H Duct Connector. Each.
901990A 11-1/4" x 13-1/2" x 6-1/4"H Duct Connector. Each.
901991A 11-1/4" x 13-1/2" x 8-1/4"H Duct Connector. Each.
901992A 11-1/4" x 13-1/2" x 10-1/4"H Duct Connector. Each.
901993A 11-1/4" x 13-1/2" x 12-1/4"H Duct Connector. Each.

Duct Transition



Item #
1112108 12"Ø to 10"Ø Round Duct Transition Reducer/Increaser. Each. USED WITH: Flex Duct, PAM4, PHM4
1114128 14"Ø to 12"Ø Round Duct Transition Reducer/Increaser. Each. USED WITH: Flex Duct, PAM4, PHM4

Metal Wyes



Item #
11121010 12"Ø x 2-10"Ø Metal Wye Adapters. Each. USED WITH: Flex Duct, PAM4, PHM4 (Double Wide)
11121212 12"Ø x 2-12"Ø Metal Wye Adapters. Each. USED WITH: Flex Duct, PAM4, PHM4 (Double Wide)
111412 14"Ø x 2-12"Ø Metal Wye Adapters. Each. USED WITH: Flex Duct, PAM4, PHM4 (Double Wide)
11141414 14"Ø x 2-14"Ø Metal Wye Adapters. Each. USED WITH: Flex Duct, PAM4, PHM4 (Double Wide)

Foil Tape



Item #
602509 2"W x 150'L, Aluminum Foil Tape with Liner. Each (24/Carton).

Galvanized Pipe Hanger Strap



Item #
116507 3/4" x 100', 28-Gauge, Galvanized Steel, Pipe Hanger Strap. Each (10/Box).

Cloth Duct Tape



Item #
602603 2"W x 180'L, Silver, Cloth, Duct, Tape. Each (24/Carton).
602857B 2"W x 180'L, UL181B-FX, Black, Cloth, 557, Duct Tape. Each (24/Carton).
602609 2"W x 180'L, Black, Cloth, Duct Tape. Each (24/Carton).

Plastic Pipe Hanger Strap



Item #
1113038 3/4" x 100', Plastic Pipe Hanger Strap, 0.05" Thick. Each (20/Box).

Woven Strap



Item #
6014932 Woven Polypropylene Fabric Strap, 1-3/4" x 300'. Each. USED WITH: Flex Duct, PAM4, PHM4

Coated Fabric Tape



Item #
602825 28"W x 25'L, FLEX-MEND, Polyethylene Film, Tape Roll with Solid-coated Adhesive and Paper Backer, for Any Size Patch. Each (20/Carton).
60600 6"W x 180'L, FLEX-MEND, Polyethylene Film, Tape Roll with Solid-coated Adhesive and Paper Backer. Intended to Repair Long Slits Around AC or Water Lines. Each (12/Carton).

Stove Bolt



Item #
651434 Pipe Strap (Stove) Bolt with Hex Nut, 3/4"L x 1/4". Box (100/Box).

Plastic Drawbands



Item #
110225 36", White, Plastic, Drawbands. Each.
110248 48", White, Plastic, Drawbands. Each.

Conduit Assemblies



Item #
598071 1/2" x 4', #10 Wire-Whip Conduit Kit HVAC equipment power connections. Each.
598073 1/2" x 6', #10 Wire-Whip Conduit Kit HVAC equipment power connections. Each.
598077 3/4" x 6', #8 Wire-Whip Conduit Kit HVAC equipment power connections. Each.
598079 3/4" x 6', #6 Wire-Whip Conduit Kit HVAC equipment power connections. Each.

Condensate Drain Trap



Item #
5015411 3/4" Slip x 3/4" Slip, White, PVC, Condensate Drain, P-Trap. Each.

Electrical Box Connectors



Item #
598042 1/2" Straight Electrical Box Connector. Each.
598043 3/4" Straight Electrical Box Connector. Each.



598045 1/2", Electrical Box, 90°, Elbow Connector. Each.
598046 3/4", Electrical Box, 90°, Elbow Connector. Each.

Electrical Disconnect Box



Item #
598064 Electrical Disconnect Box, Non-fused, 60 Amp. Each.

Equipment Pads



Item #
1124242D 24" x 24" x 2", UV Plastic, Equipment Pad. Each.
1124243D 24" x 24" x 3", UV Plastic, Equipment Pad. Each.
1133333D 33" x 33" x 3", UV Plastic, Equipment Pad. Each.
1136363D 36" x 36" x 3", UV Plastic, Equipment Pad. Each.
1136483D 36" x 48" x 3", UV Plastic, Equipment Pad. Each.
1145583D 45" x 58" x 3", 33lb, UV Plastic, Equipment Pad. Each.
H3652-4 36" x 52" x 4", 140lb, Concrete, Hurricane-150MPH, Equipment Pad. Each.
H3865-4 38" x 65" x 4", 170lb, Concrete, Hurricane-150MPH, Equipment Pad. Each.

Equipment Riser



Item #
110006 6" Pad-mount Heat Pump Riser. (4+ required per unit) Each. USED WITH: R5H5S, PHM4

Flashing



Item #
60850 8" x 50', Aluminum, Flashing. Each.
601050 10" x 50', Aluminum, Flashing. Each (6/Box).
6010501 10" x 50' Galvanized Steel Flashing. Each. Each (6/Box).

Metal Registers

	Item #
	11CL410B 4" x 10", Brown, Metal, Register. Each.
	11CL410W 4" x 10", White, Metal, Register. Each.
	11CL412B 4" x 12", Brown, Metal, Register. Each.
	11CL412W 4" x 12", White, Metal, Register. Each.
	11CL48B 4" x 8", Brown, Metal, Register. Each.
	11CL48W 4" x 8", White, Metal, Register. Each.

Plastic Registers

	Item #
	1178401 4" x 10", White, Plastic, Register. Each.
	1178407 4" x 10", Brown, Plastic, Register. Each.
	1178481 4" x 8", White, Plastic, Register. Each.
	1178487 4" x 8", Brown, Plastic, Register. Each.

Register Collars

	Item #
	114106 10"W x 4"L x 6"D Register Supply Collar. Each.
	11486 8"W x 4"L x 6"D Register Supply Collar. Each.


Thermostats

	Item #
	111001 Cool-Only Thermostat. (No Changeover). Each.
	111002 Heat-Only Thermostat. (No Changeover). Each.
	111003 1Ht-1Cl, MCO-Manual Changeover, Heat and Cool, 5-Wire, Thermostat. Each.
	111004 2Ht-1Cl, MCO, Digital, Programmable, Heat Pump, Thermostat. Each.
	111005 2Ht-1Cl, MCO, Digital, Non-Programmable, Heat Pump, Thermostat. Each.
	111006 1Ht-1Cl, MCO, Digital, Programmable, Thermostat. Each.
	111007 1Ht-1Cl, MCO, Digital, Non-Programmable, Thermostat. Each.
	111010 2Ht-1Cl, MCO/ACO, Digital, Programmable, Dual Fuel Capable, LCD Touchscreen, Thermostat. Each.



is

Nationwide



ALBUQUERQUE, NM · ATLANTA, GA · CHESTERFIELD, MI · DENVER, CO · FENTON, MO · FLINT, MI
 FOND DU LAC, WI · FORT MYERS, FL · FREMONT, OH · FT. WORTH, TX · GOSHEN, IN · GRAND RAPIDS, MI
 HAMMOND, LA · HOUSTON, TX · INDIANAPOLIS, IN · JACKSONVILLE, FL · LAKE CITY, FL · LAKELAND, FL · LANSING, MI
 LAS CRUCES, NM · LAS VEGAS, NV · LENEXA, KS · ODESSA, TX · OKLAHOMA CITY, OK
 PANAMA CITY, FL · PHOENIX, AZ · ROMULUS, MI · SACRAMENTO, CA · SAN ANTONIO, TX · TALLADEGA, AL
 TAYLOR, MI · TULSA, OK · TYLER, TX · WACO, TX · WICHITA, KS · WINSTON-SALEM, NC



www.stylecrestinc.com | 800.945.4440

