



Customize

without Compromise

Quality and Security

Our vast selection of strong and weather-ready doors prioritize strength, efficiency, and elegance, offering a solution in any setting.

Doors





Create Your Dream Look



Combination Doors

- Wide-range of options to create the look you want for the exterior of your home.
- Cores are fiberglass and can be painted or stained.
- Thick, poly-urethane injected core.
- Heavy-duty jamb system.
- All window styles are double paned, insulated glass, except the Sunburst.
- Thermal break at the threshold.
- Packing clips to ensure the door stays square during installation.

**except the Sunburst.*



6-Panel Fiberglass Combo Door with 6 Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|------------|----------------|-------|-------------------|--------------------|-----------|--------|
| 6993476LC^ | 34" x 76" | White | Left-Hand | Full View White | 4" | 6 Lite |
| 6993476RC^ | 34" x 76" | White | Right-Hand | Full View White | 4" | 6 Lite |

6-Panel Fiberglass Combo Door with 9 Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|------------|----------------|-------|-------------------|--------------------|-----------|--------|
| 6993276LN^ | 32" x 76" | White | Left-Hand | Conventional White | 4" | 9-Lite |
| 6993276RN^ | 32" x 76" | White | Right-Hand | Conventional White | 4" | 9-Lite |
| 6993476LN | 34" x 76" | White | Left-Hand | Conventional White | 4" | 9-Lite |
| 6993476RN | 34" x 76" | White | Right-Hand | Conventional White | 4" | 9-Lite |
| 6993480LN | 34" x 80" | White | Left-Hand | Conventional White | 4" | 9-Lite |
| 6993480RN | 34" x 80" | White | Right-Hand | Conventional White | 4" | 9-Lite |



6-Panel Fiberglass Combo Door with Decorative Star Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|------------|----------------|-------|-------------------|--------------------|-----------|-----------------|
| 6993476LTS | 34" x 76" | White | Left-Hand | Conventional White | 4" | Decorative Star |
| 6993476RTS | 34" x 76" | White | Right-Hand | Conventional White | 4" | Decorative Star |
| 6993676LTS | 36" x 76" | White | Left-Hand | Conventional White | 4" | Decorative Star |
| 6993676RTS | 36" x 76" | White | Right-Hand | Conventional White | 4" | Decorative Star |

6-Panel Fiberglass Combo Door with Decorative Sunburst Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|-------------|----------------|-------|-------------------|--------------------|-----------|---------------------|
| 6993476LSW^ | 34" x 76" | White | Left-Hand | Conventional White | 4" | Decorative Sunburst |
| 6993476RSW^ | 34" x 76" | White | Right-Hand | Conventional White | 4" | Decorative Sunburst |



^Available with 4-6 week lead time.

6-Panel Fiberglass Combo Door with Knocker Viewer

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|-------------|----------------|-------|-------------------|--------------------|-----------|----------------|
| 6993276LK | 32" x 76" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993276RK | 32" x 76" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993476LK | 34" x 76" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993476LK6 | 34" x 76" | White | Left-Hand | Conventional White | 6" | Knocker Viewer |
| 6993476LKFV | 34" x 76" | White | Left-Hand | Full View White | 4" | Knocker Viewer |
| 6993476RK | 34" x 76" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993476RK6 | 34" x 76" | White | Right-Hand | Conventional White | 6" | Knocker Viewer |
| 6993476RKFV | 34" x 76" | White | Right-Hand | Full View White | 4" | Knocker Viewer |
| 6993478LK | 34" x 78" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993478RK | 34" x 78" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993480LK | 34" x 80" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993480LK6 | 34" x 80" | White | Left-Hand | Conventional White | 6" | Knocker Viewer |
| 6993480RK | 34" x 80" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993480RK6 | 34" x 80" | White | Right-Hand | Conventional White | 6" | Knocker Viewer |
| 6993676LK | 36" x 76" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993676RK | 36" x 76" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993680LK | 36" x 80" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993680LK6 | 36" x 80" | White | Left-Hand | Conventional White | 6" | Knocker Viewer |
| 6993680RK | 36" x 80" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993680RK6 | 36" x 80" | White | Right-Hand | Conventional White | 6" | Knocker Viewer |
| 6993876LK | 38" x 76" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993876LK6 | 38" x 76" | White | Left-Hand | Conventional White | 6" | Knocker Viewer |
| 6993876RK | 38" x 76" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993876RK6 | 38" x 76" | White | Right-Hand | Conventional White | 6" | Knocker Viewer |
| 6993880LK | 38" x 80" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993880LK6 | 38" x 80" | White | Left-Hand | Conventional White | 6" | Knocker Viewer |
| 6993880RK | 38" x 80" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993880RK6 | 38" x 80" | White | Right-Hand | Conventional White | 6" | Knocker Viewer |
| 6993882LK | 38" x 82" | White | Left-Hand | Conventional White | 4" | Knocker Viewer |
| 6993882LK6 | 38" x 82" | White | Left-Hand | Conventional White | 6" | Knocker Viewer |
| 6993882RK | 38" x 82" | White | Right-Hand | Conventional White | 4" | Knocker Viewer |
| 6993882RK6 | 38" x 82" | White | Right-Hand | Conventional White | 6" | Knocker Viewer |



6-Panel Fiberglass Combo Door with Mini Blind Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|------------|----------------|-------|-------------------|--------------------|-----------|------------|
| 6993276LM | 32" x 76" | White | Left-Hand | Conventional White | 4" | Mini-Blind |
| 6993276RM | 32" x 76" | White | Right-Hand | Conventional White | 4" | Mini-Blind |
| 6993476LM | 34" x 76" | White | Left-Hand | Conventional White | 4" | Mini-Blind |
| 6993476RM | 34" x 76" | White | Right-Hand | Conventional White | 4" | Mini-Blind |
| 6993480LM | 34" x 80" | White | Left-Hand | Conventional White | 4" | Mini-Blind |
| 6993480RM | 34" x 80" | White | Right-Hand | Conventional White | 4" | Mini-Blind |
| 6993680LM^ | 36" x 80" | White | Left-Hand | Conventional White | 4" | Mini-Blind |
| 6993680RM^ | 36" x 80" | White | Right-Hand | Conventional White | 4" | Mini-Blind |



6-Panel Fiberglass Combo Door with Sunburst Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|-------------|----------------|-------|-------------------|--------------------|-----------|----------|
| 6993276LSS | 32" x 76" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993276RSS | 32" x 76" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993476LSS | 34" x 76" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993476LSS6 | 34" x 76" | White | Left-Hand | Conventional White | 6" | Sunburst |
| 6993476RSS | 34" x 76" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993476RSS6 | 34" x 76" | White | Right-Hand | Conventional White | 6" | Sunburst |
| 6993478LSS | 34" x 78" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993478RSS | 34" x 78" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993480LSS | 34" x 80" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993480RSS | 34" x 80" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993676LSS | 36" x 76" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993676RSS | 36" x 76" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993680LSS | 36" x 80" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993680LSS6 | 36" x 80" | White | Left-Hand | Conventional White | 6" | Sunburst |
| 6993680RSS | 36" x 80" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993680RSS6 | 36" x 80" | White | Right-Hand | Conventional White | 6" | Sunburst |
| 6993876LSS | 38" x 76" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993876RSS | 38" x 76" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993880LSS | 38" x 80" | White | Left-Hand | Conventional White | 4" | Sunburst |
| 6993880LSS6 | 38" x 80" | White | Left-Hand | Conventional White | 6" | Sunburst |
| 6993880RSS | 38" x 80" | White | Right-Hand | Conventional White | 4" | Sunburst |
| 6993880RSS6 | 38" x 80" | White | Right-Hand | Conventional White | 6" | Sunburst |



6-Panel Fiberglass Combo Door with 3/4 Oval Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|-----------|----------------|-------|-------------------|--------------------|-----------|----------|
| 6993476LO | 34" x 76" | White | Left-Hand | Full View White | 4" | 3/4 oval |
| 6993476RO | 34" x 76" | White | Right-Hand | Full View White | 4" | 3/4 oval |
| 6993480LO | 34" x 80" | White | Left-Hand | Full View White | 4" | 3/4 Oval |
| 6993480RO | 34" x 80" | White | Right-Hand | Full View White | 4" | 3/4 Oval |
| 6993676LO | 36" x 76" | White | Left-Hand | Full View White | 4" | 3/4 Oval |
| 6993676RO | 36" x 76" | White | Right-Hand | Full View White | 4" | 3/4 Oval |
| 6993880LO | 38" x 80" | White | Left-Hand | Full View White | 4" | 3/4 Oval |
| 6993880RO | 38" x 80" | White | Right-Hand | Full View White | 4" | 3/4 Oval |

6-Panel Fiberglass Combo Door with War and Peace Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Jamb Size | Lite |
|------------|----------------|-------|-------------------|--------------------|-----------|-------------|
| 6993476LW^ | 34" x 76" | White | Left-Hand | Conventional White | 4" | War & Peace |
| 6993476RW^ | 34" x 76" | White | Right-Hand | Conventional White | 4" | War & Peace |



^Available with 4-6 week lead time.

Exterior Outswing

- Steel Outswing doors have quality and security built-in.
- Heavy Duty galvanized steel frame and 4 heavy duty hinges.
- Steel core with Bright White PVC skin.
- Multiple window and size options to choose from.



6-Panel Outswing Steel Door

| Part No. | Width x Height | Color | Opening Direction |
|-----------|----------------|-------|-------------------|
| 6922472C | 24" x 72" | | NA |
| 6923072L6 | 30" x 72" | White | Left-Hand |
| 6923072R6 | 30" x 72" | White | Right-Hand |
| 6923074L6 | 30" x 74" | White | Left-Hand |
| 6923074R6 | 30" x 74" | White | Right-Hand |
| 6923076L6 | 30" x 76" | White | Left-Hand |
| 6923076R6 | 30" x 76" | White | Right-Hand |
| 6923272L6 | 32" x 72" | White | Left-Hand |
| 6923272R6 | 32" x 72" | White | Right-Hand |
| 6923274L6 | 32" x 74" | White | Left-Hand |
| 6923274R6 | 32" x 74" | White | Right-Hand |
| 6923276L6 | 32" x 76" | White | Left-Hand |
| 6923276R6 | 32" x 76" | White | Right-Hand |
| 6923278L6 | 32" x 78" | White | Left-Hand |
| 6923278R6 | 32" x 78" | White | Right-Hand |
| 6923280L6 | 32" x 80" | White | Left-Hand |
| 6923280R6 | 32" x 80" | White | Right-Hand |
| 6923476L6 | 34" x 76" | White | Left-Hand |
| 6923476R6 | 34" x 76" | White | Right-Hand |
| 6923478L6 | 34" x 78" | White | Left-Hand |
| 6923478R6 | 34" x 78" | White | Right-Hand |
| 6923480L6 | 34" x 80" | White | Left-Hand |
| 6923480R6 | 34" x 80" | White | Right-Hand |
| 6923672L6 | 36" x 72" | White | Left-Hand |
| 6923672R6 | 36" x 72" | White | Right-Hand |
| 6923676L6 | 36" x 76" | White | Left-Hand |
| 6923676R6 | 36" x 76" | White | Right-Hand |
| 6923680L6 | 36" x 80" | White | Left-Hand |
| 6923680R6 | 36" x 80" | White | Right-Hand |
| 6923880L6 | 38" x 80" | White | Left-Hand |
| 6923880R6 | 38" x 80" | White | Right-Hand |

6-Panel Outswing Steel Door with 4 Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|------------------------|----------------|-------|-------------------|--------|
| 6923072LT | 30" x 72" | White | Left-Hand | 4-Lite |
| 6923072RT | 30" x 72" | White | Right-Hand | 4-Lite |
| 6923074LT | 30" x 74" | White | Left-Hand | 4-Lite |
| 6923074RT | 30" x 74" | White | Right-Hand | 4-Lite |
| 6923272LT | 32" x 72" | White | Left-Hand | 4-Lite |
| 6923272RT | 32" x 72" | White | Right-Hand | 4-Lite |
| 6923274LT | 32" x 74" | White | Left-Hand | 4-Lite |
| 6923274RT | 32" x 74" | White | Right-Hand | 4-Lite |
| 6923276LT | 32" x 76" | White | Left-Hand | 4-Lite |
| 6923276RT | 32" x 76" | White | Right-Hand | 4-Lite |
| 6923278LT | 32" x 78" | White | Left-Hand | 4-Lite |
| 6923278RT | 32" x 78" | White | Right-Hand | 4-Lite |
| 6923280LT | 32" x 80" | White | Left-Hand | 4-Lite |
| 6923280RT | 32" x 80" | White | Right-Hand | 4-Lite |
| 6923476LT | 34" x 76" | White | Left-Hand | 4-Lite |
| 6923476RT | 34" x 76" | White | Right-Hand | 4-Lite |
| 6923676LT [^] | 36" x 76" | White | Left-Hand | 4-Lite |
| 6923676RT [^] | 36" x 76" | White | Right-Hand | 4-Lite |



6-Panel Outswing Steel Door with 9 Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|-----------|----------------|-------|-------------------|--------|
| 6923276LN | 32" x 76" | White | Left-Hand | 9-Lite |
| 6923276RN | 32" x 76" | White | Right-Hand | 9-Lite |
| 6923476LN | 34" x 76" | White | Left-Hand | 9-Lite |
| 6923476RN | 34" x 76" | White | Right-Hand | 9-Lite |
| 6923480LN | 34" x 80" | White | Left-Hand | 9-Lite |
| 6923480RN | 34" x 80" | White | Right-Hand | 9-Lite |
| 6923676LN | 36" x 76" | White | Left-Hand | 9-Lite |
| 6923676RN | 36" x 76" | White | Right-Hand | 9-Lite |
| 6923680LN | 36" x 80" | White | Left-Hand | 9-Lite |
| 6923680RN | 36" x 80" | White | Right-Hand | 9-Lite |



6-Panel Outswing Steel Door with 9-Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|-----------|----------------|-------|-------------------|--------|
| 6923074LN | 30" x 74" | White | Left-Hand | 9-Lite |
| 6923074RN | 30" x 74" | White | Right-Hand | 9-Lite |
| 6923272LN | 32" x 72" | White | Left-Hand | 9-Lite |
| 6923272RN | 32" x 72" | White | Right-Hand | 9-Lite |
| 6923274LN | 32" x 74" | White | Left-Hand | 9-Lite |
| 6923274RN | 32" x 74" | White | Right-Hand | 9-Lite |
| 6923278LN | 32" x 78" | White | Left-Hand | 9-Lite |
| 6923278RN | 32" x 78" | White | Right-Hand | 9-Lite |
| 6923280LN | 32" x 80" | White | Left-Hand | 9-Lite |
| 6923280RN | 32" x 80" | White | Right-Hand | 9-Lite |
| 6923478LN | 34" x 78" | White | Left-Hand | 9-Lite |
| 6923478RN | 34" x 78" | White | Right-Hand | 9-Lite |
| 6923672LN | 36" x 72" | White | Left-Hand | 9-Lite |
| 6923672RN | 36" x 72" | White | Right-Hand | 9-Lite |

6-Panel Outswing Steel Door with Laurel Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|------------------------|----------------|-------|-------------------|--------|
| 6933276LL [^] | 32" x 76" | White | Left-Hand | Laurel |
| 6933276RL [^] | 32" x 76" | White | Right-Hand | Laurel |



6-Panel Outswing Steel Door with Sunburst Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|-----------|----------------|-------|-------------------|----------|
| 6923272LS | 32" x 72" | White | Left-Hand | Sunburst |
| 6923272RS | 32" x 72" | White | Right-Hand | Sunburst |
| 6923274LS | 32" x 74" | White | Left-Hand | Sunburst |
| 6923274RS | 32" x 74" | White | Right-Hand | Sunburst |
| 6923480LS | 34" x 80" | White | Left-Hand | Sunburst |
| 6923480RS | 34" x 80" | White | Right-Hand | Sunburst |
| 6923676LS | 36" x 76" | White | Left-Hand | Sunburst |
| 6923676RS | 36" x 76" | White | Right-Hand | Sunburst |
| 6923680LS | 36" x 80" | White | Left-Hand | Sunburst |
| 6923680RS | 36" x 80" | White | Right-Hand | Sunburst |

[^]Available with 4-6 week lead time.

6-Panel Outswing Steel Door with Mini-Blinds Lite

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color | Lite |
|------------|----------------|-------|-------------------|--------------------|------------|
| 6933272LM^ | 32" x 72" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933272RM^ | 32" x 72" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933274LM^ | 32" x 74" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933274RM^ | 32" x 74" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933278LM^ | 32" x 78" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933278RM^ | 32" x 78" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933280LM^ | 32" x 80" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933280RM^ | 32" x 80" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933478LM^ | 34" x 78" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933478RM^ | 34" x 78" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933276LM | 32" x 76" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933276RM | 32" x 76" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933476LM | 34" x 76" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933476RM | 34" x 76" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933480LM | 34" x 80" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933480RM | 34" x 80" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933676LM | 36" x 76" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933676RM | 36" x 76" | White | Right-Hand | Conventional White | Mini-Blind |
| 6933680LM | 36" x 80" | White | Left-Hand | Conventional White | Mini-Blind |
| 6933680RM | 36" x 80" | White | Right-Hand | Conventional White | Mini-Blind |



6-Panel Outswing Steel Door with Slider Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|-----------|----------------|-------|-------------------|--------|
| 6923072LV | 30" x 72" | White | Left-Hand | Slider |
| 6923072RV | 30" x 72" | White | Right-Hand | Slider |
| 6923074LV | 30" x 74" | White | Left-Hand | Slider |
| 6923074RV | 30" x 74" | White | Right-Hand | Slider |
| 6923076LV | 30" x 76" | White | Left-Hand | Slider |
| 6923076RV | 30" x 76" | White | Right-Hand | Slider |
| 6923272LV | 32" x 72" | White | Left-Hand | Slider |
| 6923272RV | 32" x 72" | White | Right-Hand | Slider |
| 6923274LV | 32" x 74" | White | Left-Hand | Slider |
| 6923274RV | 32" x 74" | White | Right-Hand | Slider |
| 6923276LV | 32" x 76" | White | Left-Hand | Slider |
| 6923276RV | 32" x 76" | White | Right-Hand | Slider |
| 6923278LV | 32" x 78" | White | Left-Hand | Slider |
| 6923278RV | 32" x 78" | White | Right-Hand | Slider |
| 6923280LV | 32" x 80" | White | Left-Hand | Slider |
| 6923280RV | 32" x 80" | White | Right-Hand | Slider |
| 6923476LV | 34" x 76" | White | Left-Hand | Slider |
| 6923476RV | 34" x 76" | White | Right-Hand | Slider |
| 6923676LV | 36" x 76" | White | Left-Hand | Slider |
| 6923676RV | 36" x 76" | White | Right-Hand | Slider |
| 6923680LV | 36" x 80" | White | Left-Hand | Slider |
| 6923680RV | 36" x 80" | White | Right-Hand | Slider |





6-Panel Outswing Steel Door with War & Peace Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|------------------------|----------------|-------|-------------------|-------------|
| 6933276LW [^] | 32" x 76" | White | Left-Hand | War & Peace |
| 6933276RW [^] | 32" x 76" | White | Right-Hand | War & Peace |
| 6933680LW [^] | 36" x 80" | White | Left-Hand | War & Peace |
| 6933680RW [^] | 36" x 80" | White | Right-Hand | War & Peace |

6-Panel Outswing Steel Door with Decorative Star

| Part No. | Width x Height | Color | Opening Direction | Lite |
|------------|----------------|-------|-------------------|-----------------|
| 6933476LTS | 34" x 76" | White | Left-Hand | Decorative Star |
| 6933476RTS | 34" x 76" | White | Right-Hand | Decorative Star |
| 6933676LTS | 36" x 76" | White | Left-Hand | Decorative Star |
| 6933676RTS | 36" x 76" | White | Right-Hand | Decorative Star |



6-Panel Outswing Steel Door with Sunburst Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|-----------|----------------|-------|-------------------|----------|
| 6923276LS | 32" x 76" | White | Left-Hand | Sunburst |
| 6923276RS | 32" x 76" | White | Right-Hand | Sunburst |
| 6923476LS | 34" x 76" | White | Left-Hand | Sunburst |
| 6923476RS | 34" x 76" | White | Right-Hand | Sunburst |

[^]Available with 4-6 week lead time.

Fiberglass Outswing

- Fiberglass Outswing doors have the appearance of authentic wood grain.
- Heavy Duty galvanized frame and 4 heavy duty hinges.
- Bright White skin.



6-Panel Outswing Fiberglass Door

| Part No. | Width x Height | Color | Opening Direction |
|-----------|----------------|-------|-------------------|
| 6943276R6 | 32" x 76" | White | Right-Hand |
| 6943476L6 | 34" x 76" | White | Left-Hand |
| 6943476R6 | 34" x 76" | White | Right-Hand |
| 6943680L6 | 36" x 80" | White | Left-Hand |
| 6943680R6 | 36" x 80" | White | Right-Hand |

6-Panel Outswing Fiberglass Door with 3/4 Oval Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|------------------------|----------------|-------|-------------------|----------|
| 6943276LO [^] | 32" x 76" | White | Left-Hand | 3/4 Oval |
| 6943276RO [^] | 32" x 76" | White | Right-Hand | 3/4 Oval |
| 6943680LO [^] | 36" x 80" | White | Left-Hand | 3/4 Oval |
| 6943680RO [^] | 36" x 80" | White | Right-Hand | 3/4 Oval |



6-Panel Outswing Fiberglass Door with 6-Lite

| Part No. | Width x Height | Color | Opening Direction | Lite |
|------------------------|----------------|-------|-------------------|--------|
| 6943476LC [^] | 34" x 76" | White | Left-Hand | 6-Lite |
| 6943476RC [^] | 34" x 76" | White | Right-Hand | 6-Lite |
| 6943680LC [^] | 36" x 80" | White | Left-Hand | 6-Lite |
| 6943680RC [^] | 36" x 80" | White | Right-Hand | 6-Lite |

[^]Available with 4-6 week lead time.



Handle Every Season

Four-Seasons Door

The Four-Seasons Door by Caliber™ Doors is a more economical choice in a door for any outdoor space. With a one inch frame and three hinges, this door is solid enough to handle most anything nature can throw at it, no matter the season.

- The Four-Seasons Door by Caliber™ Doors is a more economical choice in a door for any outdoor space. With a one inch frame and three hinges, this door is solid enough to handle most anything nature can throw at it, no matter the season.
- Painted with a baked-on polyester finish which resists scratching and chipping.
- High tensile strength 2-7/8" x 1" aluminum frame with 3 patented maintenance free hinges.
- Heavy-duty closer provides consistent, easy opening and closing.
- Available pre-hung left or right-hand.
- Deluxe push button latch.
- Flexible bottom sweep for reliable weather protection.
- Shatter-resistant tempered safety-glass for added protection.
- Self-storing lower glass panel for ventilation.
- Ultra-fine screen mesh to guard against insects



Residential Storm Door Conventional

| Part No. | Width x Height | Opening Direction |
|------------|----------------|-------------------|
| 6903680LCV | 36" x 80" | Left-Hand |
| 6903680RCV | 36" x 80" | Right-Hand |

Storm Doors

- 1 1/4" heavy duty frame
- Self-storing (conventional view) or all-glass (fullview) options.
- 1/8" tempered safety glass
- Fiberglass mesh screen



Storm Door - All Glass

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color |
|------------|----------------|-------|-------------------|--------------------|
| 6953476LFV | 34" x 76" | White | Left-Hand | Full View White |
| 6953476RFV | 34" x 76" | White | Right-Hand | Full View White |
| 6953880LFV | 38" x 80" | White | Left-Hand | Full View White |
| 6953880RFV | 38" x 80" | White | Right-Hand | Full View White |

Storm Door - Conventional

| Part No. | Width x Height | Color | Opening Direction | Storm Type & Color |
|----------|----------------|-------|-------------------|--------------------|
| 6953276L | 32" x 76" | White | Left-Hand | Conventional White |
| 6953276R | 32" x 76" | White | Right-Hand | Conventional White |
| 6953476L | 34" x 76" | White | Left-Hand | Conventional White |
| 6953476R | 34" x 76" | White | Right-Hand | Conventional White |
| 6953478L | 34" x 78" | White | Left-Hand | Conventional White |
| 6953478R | 34" x 78" | White | Right-Hand | Conventional White |
| 6953480L | 34" x 80" | White | Left-Hand | Conventional White |
| 6953480R | 34" x 80" | White | Right-Hand | Conventional White |
| 6953482L | 34" x 82" | White | Left-Hand | Conventional White |
| 6953676L | 36" x 76" | White | Left-Hand | Conventional White |
| 6953676R | 36" x 76" | White | Right-Hand | Conventional White |
| 6953680L | 36" x 80" | White | Left-Hand | Conventional White |
| 6953680R | 36" x 80" | White | Right-Hand | Conventional White |
| 6953876L | 38" x 76" | White | Left-Hand | Conventional White |
| 6953876R | 38" x 76" | White | Right-Hand | Conventional White |
| 6953880L | 38" x 80" | White | Left-Hand | Conventional White |
| 6953880R | 38" x 80" | White | Right-Hand | Conventional White |
| 6953882L | 38" x 82" | White | Left-Hand | Conventional White |
| 6953882R | 38" x 82" | White | Right-Hand | Conventional White |

Secure and Weather-Ready



Vinyl Rolling Glass Door

- Heat fusion welded frame and moving panel provides superior structural strength and prevents potential leakage at the corners.
- Staggered internal weep system allows minimum dust infiltration.
- Snap-in weep covers are standard.
- Exterior glazing design improves resistance to wind and water.
- 3/4" sealed insulating glass (tempered) with "intercept" spacer provides optimum thermal performance.
- High quality fin seal weatherstrip around moving panel perimeter insures a positive seal against the wind and water.
- Color coordinated attractive mortise type keyed lock mounted on steel reinforced lock jamb for strength sturdiness that provides added security.
- Anti-lift design feature requires moving panel to be in fully open position before panel can be removed for added security.

Kinro Series 1700

| Part No. | Width x Height | Color |
|------------|----------------|-------|
| 69K4177276 | 72" x 76" | White |
| 69K4177280 | 72" x 80" | White |

Product availability varies · Please check with your Territory Sales Manager

Water Heater Doors

- Universal, for Gas or Electric
- Smooth metal finish skin, vented
- Pebbled finish fiberglass skin, non-vented
- Welded frame for strength and positive seal



Louvered
23" x 60"



Blank
20" x 60"



Blank
23" x 60"

Water Heater Doors

| Part No. | Width x Height | Color |
|----------|----------------|-------------------------------|
| 69K30004 | 20" W x | White, Solid, Fiberglass Skin |
| 69K30003 | 23" W x | White, Vented, Aluminum Skin |
| 69K30005 | 23" W x | White, Solid, Fiberglass Skin |

Interior Doors

- Sturdy, built with consistent honeycomb core
- True wood edge
- 6-panel and flat options
- All doors come in heat shrink bag



Interior Door - Flat

| Part No. | Width x Height | Color |
|-------------|----------------|-------|
| 64FB2478OAK | 24" x 78" | Oak |
| 64FB2480OAK | 24" x 80" | Oak |
| 64FB2680OAK | 26" x 80" | Oak |
| 64FB2878OAK | 28" x 78" | Oak |
| 64FB2880OAK | 28" x 80" | Oak |
| 64FB3078OAK | 30" x 78" | Oak |
| 64FB3080OAK | 30" x 80" | Oak |
| 64FB3278OAK | 32" x 78" | Oak |
| 64FB3280OAK | 32" x 80" | Oak |
| 64FB3680OAK | 36" x 80" | Oak |
| 64FB2478F | 24" x 78" | White |
| 64FB2480F | 24" x 80" | White |
| 64FB2680F | 26" x 80" | White |
| 64FB2878F | 28" x 78" | White |
| 64FB2880F | 28" x 80" | White |
| 64FB3078F | 30" x 78" | White |
| 64FB3080F | 30" x 80" | White |
| 64FB3278F | 32" x 78" | White |
| 64FB3280F | 32" x 80" | White |
| 64FB3680F | 36" x 80" | White |

Interior Door - 6-Panel

| Part No. | Width x Height | Color |
|------------|----------------|-------|
| 64FB24786P | 24" x 78" | White |
| 64FB24806P | 24" x 80" | White |
| 64FB26806P | 26" x 80" | White |
| 64FB28786P | 28" x 78" | White |
| 64FB28806P | 28" x 80" | White |
| 64FB30786P | 30" x 78" | White |
| 64FB30806P | 30" x 80" | White |
| 64FB36806P | 36" x 80" | White |

| Part No. | Name | Description |
|----------|---|-----------------------|
| 69355301 | Storm Door Closer Kit - works with 4" or 6" jambs | Storm Door Closer Kit |
| 69355302 | Storm Door Closer Kit - works with 4" or 6" jambs | Storm Door Closer Kit |



| Part No. | Name | Description |
|----------|--------------------------|--|
| 641996 | Anodized Door Chain Stop | Kinro Storm Doors Anodized Door Chain Stop |



| Part No. | Name | Description |
|----------|-----------------------------|--|
| 69350024 | Kinro Storm Door Closer Kit | Kinro Storm Doors Kinro Storm Door Closer Kit, Black |



| Part No. | Name | Description |
|----------|-----------------------------|---|
| 6419678 | Pneumatic Storm Door Closer | Kinro Storm Doors Pneumatic Storm Door Closer |



| Part No. | Name | Description |
|----------|-------------------|--|
| 6419908 | Push Button Latch | Kinro Storm Doors Push Button Latch, 1-3/4", Black |



| Part No. | Name | Description |
|----------|----------------------|---|
| 69350001 | White Touch Up Paint | Kinro Storm Doors Kinro Storm Door Touch Up Paint |



| Part No. | Name | Description |
|----------|-----------------------|---|
| 691618 | Patio Door Handle Kit | Patio Door Handle Kit for Kinro 1600 Series |
| 691718 | Patio Door Handle Kit | Patio Door Handle Kit for Kinro 1700 Series |



| Part No. | Name | Description |
|----------|-------------------|---|
| 691608 | Patio Door Roller | Patio Door Roller for Kinro 1600 Series |
| 691708 | Patio Door Roller | Patio Door Roller |






| Part No. | Name | Description |
|----------|------------------------------|--|
| 691630 | Patio Screen Door Handle Kit | Patio Screen Door Handle Kit for Kinro 7500 Series |



| Part No. | Name | Description |
|------------|--------------------|--|
| 69K717276 | Replacement Screen | 35.75" x 73.375" Replacement Screen For 69K7167276 Kinro Series 1700 |
| 69K717280 | Replacement Screen | 35.75" x 77.375" Replacement Screen For 69K7167280 Kinro Series 1700 |
| 69K7167276 | Replacement Screen | 72" x 76" Replacement Screen For 69K4167276 Kinro Series 1600 |
| 69K7167280 | Replacement Screen | 72" x 80" Replacement Screen For 69K4167280 Kinro Series 1600 |



| Part No. | Name | Description |
|----------|--------------|----------------------------|
| 36351035 | Door Knocker | Nickel Knocker with Viewer |
| 69351030 | Door Knocker | Brass Knocker with Viewer |



| Part No. | Name | Description |
|----------|-----------------|-----------------------------|
| 603028 | Knob/Wall Guard | 3-5/16" White with Adhesive |
| 603029 | Knob/Wall Guard | 5" White with Adhesive |



| Part No. | Name | Description |
|----------|-------------|------------------------------|
| 64020001 | Latch Saver | Latch Saver, White |
| 64020002 | Latch Saver | Latch Saver, Stainless Steel |



| Part No. | Name | Description |
|----------|--------------|--------------------------|
| 695811 | Door Dripcap | Mill Finish for 32" Door |
| 695812 | Door Dripcap | Mill Finish for 34" Door |
| 695813 | Door Dripcap | Mill Finish for 36" Door |

| Part No. | Name | Description |
|----------|-----------|--------------|
| 695701 | Threshold | for 32" Door |
| 695702 | Threshold | for 34" Door |
| 695703 | Threshold | for 36" Door |



| Part No. | Name | Description |
|----------|------------|---|
| 43120615 | Putty Tape | 1-1/2" x 1/8" x 30' Putty Tape, Use On Doors And Windows. |



| Part No. | Name | Description |
|----------|---------------|--------------------------------|
| 641101 | Entrance Lock | Entrance Lock, Stainless Steel |
| 641104 | Entrance Lock | Entrance Lock, Polished Brass |



| Part No. | Name | Description |
|----------|------------------------------|---|
| 641103 | Entry Deadbolt and Combo Set | Entry Deadbolt and Combo Set, Stainless Steel |
| 641106 | Entry Deadbolt and Combo Set | Entry Deadbolt and Combo Set, Polished Brass |



| Part No. | Name | Description |
|----------|--------------------------|---|
| 641102 | Single Cylinder Deadbolt | Single Cylinder Deadbolt, Stainless Steel |
| 641105 | Single Cylinder Deadbolt | Single Cylinder Deadbolt, Polished Brass |



| Part No. | Name | Description |
|----------|-------------------------|-------------------------|
| 678920 | Drawer Single Track Set | Drawer Single Track Set |



| Part No. | Name | Description |
|----------|-------------------|------------------------------------|
| 673252 | Non Mortise Hinge | Non Mortise Hinge, Brass |
| 673251 | Non Mortise Hinge | Non Mortise Hinge, Stainless Steel |



| Part No. | Name | Description |
|----------|-----------------------|---------------------------------|
| 673711 | Phillips Recess Screw | Flat Head 1" Silver 100 per Bag |
| 673712 | Phillips Recess Screw | Flat Head 1" Brass 100 per Bag |





| Part No. | Name | Description |
|----------|------------------------|--------------------------------|
| 648328 | Privacy Handle Lockset | Privacy Handle Lockset, Nickel |



| Part No. | Name | Description |
|----------|------------------|-----------------------------------|
| 648326 | Privacy Lock Set | Privacy Lock Set, Stainless Steel |
| 648327 | Privacy Lock Set | Privacy Lock Set, Brass |



| Part No. | Name | Description |
|----------|------------------------|--------------------------------|
| 648224 | Passage Handle Lockset | Passage Handle Lockset, Nickel |



| Part No. | Name | Description |
|----------|------------------|-----------------------------------|
| 648221 | Passage Lock Set | Passage Lock Set, Stainless Steel |
| 648223 | Passage Lock Set | Passage Lock Set, Brass |



| Part No. | Name | Description |
|----------|-----------------------|---|
| 697508 | Patio Door Handle Kit | Patio Door Handle Kit for Kinro 7500 Series |



| Part No. | Name | Description |
|----------|-------------------|---|
| 697506 | Patio Door Roller | Patio Door Roller for Kinro 7500 Series |



| Part No. | Name | Description |
|------------|--------------------|---|
| 69K7756072 | Replacement Screen | 60" x 72" Replacement Screen For 69K4756072 Kinro Series 7500 |
| 69K7756076 | Replacement Screen | 60" x 76" Replacement Screen For 69K4756076 Kinro Series 7500 |
| 69K775672 | Replacement Screen | 72" x 76" Replacement Screen Kinro Series 7500 |

Door Installation Instructions

FOR COMBINATION & OUTSWING DOORS

For your safety, read all instructions, this document is provided as a GUIDELINE for the proper installation of the Caliber Combo Doors. Installation is common between all sizes.


Note: These instructions are recommended guidelines for proper installation of the included components. Dimensions for notes that use specific screws must be held to the size to ensure proper fit. The Drawings included are Guidelines. Actual door may vary according to size and style. Parts of the door may have been omitted for clarity. These instructions are written under the pretense that the opening has been properly prepped and squared prior to beginning the installation process (If the opening isn't the door will not work properly)

RECOMMENDED TOOLS/SUPPLIES

- Sealant—Silicone base
- Screws recommended
 - min # 8 x 1 ¼" ¼" hex head screw door installation in the exterior frame
 - min # 8 x 2" Pan head screw at the latch and deadbolt
- Non-hardening putty tape w/ putty knife
- Screwdriver or reversible drill,
- Shims

IMPORTANT: For Combination Doors, DO NOT remove any shipping clips, spacers, or fasteners and keep the door locked & closed during installation. Opening the window before installation may affect any pre-squaring done by the manufacturer.

1. Place the door in a position suitable to apply a non-hardening tape, such as putty tape, to the mounting flange being sure to center it over all mounting holes. A sealant from a gun may be used instead, but the bead must be at least 1/4 of an inch wide, cover all mounting holes and be free of gaps or voids.
2. Inspect the opening is square and built to accept the door as ordered, a general rule is to allow clearance 1/2" from the side and 1/4"-1/2" on top to bottom from the A-line dimension of the door. Ensure the opening is square so when installing the door it is not installed into a position that will cause to door to not work as designed.
3. Insert the assembly carefully into the rough opening. Make certain the door sill is level with the opening. Position the door in approximate center of rough opening, hold the door flat against the wall and secure it with preliminary screw; three on one side, beginning with the middle one, then two more, one above and one below the center screw, proceeding in the same order. (The door frame is pre-drilled with screw positions at no more than 5-1/2" from the end on 8" centers for the Steel Outswing Door and from .25" from edge typical, in the exterior of the frame so no measuring is required.)
4. Do not tighten these screws until the door is checked for squareness and make any necessary adjustments. Standard door shims can be added as needed to the interior to ensure proper alignment. Tighten these 6 screws to lock the assembly in position.
5. Once the door is in place, tighten the preliminary screws and proceed to install any remaining screws, starting from the middle of a side and working towards the corners. The screw should penetrate the mounting frame to a depth of at least one inch and care should be taken to drive the screws straight into the studs, not at an angle. Tighten the screws until the putty squeezes out.
6. Install screws in the top and bottom horizontal rails in the same manner as the vertical rails until all attachment points are filled.
7. The door should now be securely fastened to the wall and safe to use the features of the door. Remove the shipping clips and operate the door several times to be sure it functions as designed.
8. Optional-Attach two screws of length between 1-1/2"-2" into one hole of the latch and deadbolt (if included) brackets that securely enters the jamb.
9. Any additional sealant to the exterior can be added as deemed necessary by the installer to complete their installation requirements.
10. Install hardware and any safety chain in compliance with the manufacturer's instructions at this time.



You have completed the installation.

Visit Caliber Doors on YouTube for helpful video tips!



Strong and Versatile

Our vast selection of high performance windows prioritize strength, efficiency, and elegance, offering a solution in many different materials, finishes, and styles.

Windows





Strong and Efficient



Vinyl Single Hung Double-Pane Windows

- Vinyl construction provides high thermal performance.
- Frame and sash corners are welded for added strength and water tight corners.
- Deep pocket sill for added window strength and weather resistance.
- Window sash can be removed for easy cleaning on any level of the home.
- Reinforcement bars in the meeting rails provide added strength.
- Positive integral lock at the meeting rail for increased home security and weather resistance.
- Dual weather seal to reduce drafts and enhance energy efficiency.
- Nominal 3/4" insulating glass provides superior thermal performance.
- Optional grids are sandwiched between panes.

Product availability varies · Please check with your Territory Sales Manager


Kinro Series 9750

| Part No. | Width x Height | Color |
|-------------|----------------|--------------------------|
| 68K21427 | 14" x 27" | White |
| 68K21427G | 14" x 27" | White with Grids |
| 68K21427OBS | 14" x 27" | White with Obscure Glass |
| 68K21439 | 14" x 39" | White |
| 68K21440 | 14" x 40" | White |
| 68K21453 | 14" x 53" | White |
| 68K22440 | 24" x 40" | White |
| 68K23027 | 30" x 27" | White |
| 68K23027G | 30" x 27" | White with Grids |
| 68K23039 | 30" x 39" | White |
| 68K23040 | 30" x 40" | White |
| 68K23040G | 30" x 40" | White with Grids |
| 68K23053 | 30" x 53" | White |
| 68K23053G | 30" x 53" | White with Grids |
| 68K23054 | 30" x 54" | White |
| 68K23054G | 30" x 54" | White with Grids |
| 68K23058 | 30" x 58" | White |
| 68K23060 | 30" x 60" | White |
| 68K23068 | 30" x 68" | White |
| 68K23627 | 36" x 27" | White |
| 68K23640 | 36" x 40" | White |
| 68K23653 | 36" x 53" | White |
| 68K23654 | 36" x 54" | White |
| 68K23654G | 36" x 54" | White with Grids |
| 68K24054 | 40" x 54" | White |
| 68K24627 | 46" x 27" | White |
| 68K24639 | 46" x 39" | White |
| 68K24640 | 46" x 40" | White |
| 68K24640G | 46" x 40" | White with Grids |
| 68K24653 | 46" x 53" | White |
| 68K24654 | 46" x 54" | White |
| 68K24654G | 46" x 54" | White with Grids |



Skylites

- Easy and quick to install.
- Reliable waterproof installation.
- Polycarbonate-impact resistant.
- Self flashing.
- For use on asphalt shingle roofs only w/minimum 3/12 pitch.



Skylites

| Part No. | Width x Height | Color |
|----------|----------------|---------|
| 601632 | 16" x 32" | Emerald |
| 601648 | 16" x 48" | Emerald |
| 60480002 | 16" x 16" | Emerald |
| 60480003 | 16" x 24" | Emerald |
| 60480001 | 24" x 24" | Emerald |
| 60480004 | 24" x 48" | Emerald |
| 60480005 | 24" x 32" | Emerald |
| 68400007 | 16" x 32" | Domed |

Aluminum Windows



Aluminum Windows

- White aluminum frame prevents rusting.
- Quality pile weather stripping at sash head and jambs for maximum weather resistance w/soft vinyl bulb gasket for additional weather seal.
- Sloped sill and large built-in weep holes for superior drainage.
- Jambs notched for multiple opening positions w/spring loaded latches.
- Nylon glides for easy window sash operation.
- 0.154" Thickness standard glass.

Aluminum Window

| Part No. | Width x Height | Color |
|-------------|----------------|-------|
| 68W61421 | 14" x 21" | White |
| 68W61427 | 14" x 27" | White |
| 68W61427OBS | 14" x 27" | White |
| 68W61440 | 14" x 40" | White |
| 68W61440OBS | 14" x 40" | White |
| 68W61827 | 18" x 27" | White |
| 68W62427 | 24" x 27" | White |
| 68W63021 | 30" x 21" | White |
| 68W63027 | 30" x 27" | White |
| 68W63030 | 30" x 30" | White |
| 68W63036 | 30" x 36" | White |
| 68W63040 | 30" x 40" | White |
| 68W63052 | 30" x 52" | White |
| 68W63053 | 30" x 53" | White |
| 68W63054 | 30" x 54" | White |
| 68W63060 | 30" x 60" | White |
| 68W63636 | 36" x 36" | White |
| 68W63654 | 36" x 54" | White |
| 68W64640 | 46" x 40" | White |
| 68W64653 | 46" x 53" | White |
| 68W64654 | 46" x 54" | White |


Self-Storing Storm Windows

- Large flush mounting flange for easy installation.
- Full interlock at meeting rail to provide window security and strength.
- Latch strike allows varied opening heights for desired amount of ventilation.
- Soft durable leaf vinyl provides tight weather seal between lash and sill.
- Pile weather-strip along length of jamb to complete weather-strip package.
- Two spring loaded thumb latches for operation of removable lower sash.


Aluminum Window

| Part No. | Width x Height | Color |
|----------|----------------|-------|
| 68W51421 | 14" x 21" | White |
| 68W51427 | 14" x 27" | White |
| 68W51440 | 14" x 40" | White |
| 68W53027 | 30" x 27" | White |
| 68W53036 | 30" x 36" | White |
| 68W53040 | 30" x 40" | White |
| 68W53053 | 30" x 53" | White |
| 68W53054 | 30" x 54" | White |
| 68W53654 | 36" x 54" | White |
| 68W54054 | 40" x 54" | White |
| 68W54640 | 46" x 40" | White |
| 68W54654 | 46" x 54" | White |


| Part No. | Name | Description |
|-------------|------------|--|
| 43QTDG18112 | Putty Tape | 1-1/2" x 1/8"x 30' Putty Tape, Use On Doors And Windows. |




| Part No. | Name | Description |
|----------|-------------------------------|-------------|
| 67834 | 2" Metal Extension with Screw | 10 Pack |




| Part No. | Name | Description |
|----------|-----------------|-----------------|
| 67749R | Awning Operator | Right Hand 3/8" |



| Part No. | Name | Description |
|----------|--------------|-------------------------|
| 67795 | Crank Handle | Metal 1-3/4" 10 Pack |
| 67796 | Crank Handle | Metal 3-1/2" 10 Pack |
| 67889 | Crank Handle | Metal 1" 10 Pack |
| 67712 | Crank Handle | Plastic 3-3/16" 10 Pack |
| 67750 | Crank Handle | Plastic 2-1/4" 10 Pack |
| 67881 | Crank Handle | Plastic 1-3/4" 10 Pack |



| Part No. | Name | Description |
|----------|-------------------|-------------------|
| 6810032 | Fiberglass Screen | Charcoal 32"x100' |
| 6810036 | Fiberglass Screen | Charcoal 36"x100' |
| 6810048 | Fiberglass Screen | Charcoal 48"x100' |





Part No.
67492

Name
Flat Plastic Clip

Description
With Screws 6 Pack



Part No.
6701001P

Name
Glazing Bead

Description
Philips 6' White



Part No.
6701002K

Name
Glazing Bead A

Description
Kinro 12' White



Part No.
6701001K

Name
Glazing Bead V

Description
Kinro 10' White



Part No.
671001M
671001W

Name
Screen Frame
Screen Frame

Description
Mill, 12.6'
White, 12.6'

| Part No. | Name | Description |
|----------|----------------------|--------------|
| 671002G | Screen Frame Corners | Gray 25/Bag |
| 671002W | Screen Frame Corners | White 25/Bag |



| Part No. | Name | Description |
|----------|---------------------|---------------|
| 671201 | Screen Install Tool | 1/16" 10 Pack |



| Part No. | Name | Description |
|----------|---------------|--------------|
| 6710045 | Screen Spline | 5/32" x 500' |



| Part No. | Name | Description |
|----------|--------------------|----------------|
| 671006 | Screen Spring Clip | 25 per Package |



| Part No. | Name | Description |
|----------|---------------|---|
| 67715R | Sill Operator | Slant 3/8" Right Hand |
| 67735R | Sill Operator | Phillips Right Hand |
| 67785 | Sill Operator | Phillips Torque Bar Bearing |
| 67784 | Sill Operator | Phillips Torque Bar Bearing |
| 67761R | Sill Operator | Slant Right Hand |
| 67802 | Sill Operator | Center Hex 3/8" |
| 67803 | Sill Operator | Square Center 5/16" |
| 67812 | Sill Operator | Square Center 5-16" |
| 67808R | Sill Operator | 1/2" Hub Projection Right Hand 10 per Package |





| Part No. | Name | Description |
|----------|--------------------|------------------|
| 67738 | Torque Bar Bearing | Phillips 25 Pack |



| Part No. | Name | Description |
|----------|--------|------------------------|
| 60615WH | Batten | 1-1.5" x 8' White |
| 60620WH | Batten | 2" x 8' White |
| 60100WH | Batten | 3/4" x 8' White |
| 60200WH | Batten | 7/8" x 8' White |
| 60615DK | Batten | 1-1.5" x 8' Dark Wood |
| 60620DK | Batten | 2" x 8' Dark Wood |
| 60100DK | Batten | 3/4" x 8' Dark Wood |
| 60200DK | Batten | 7/8" x 8' Dark Wood |
| 60615LT | Batten | 1-1.5" x 8' Light Wood |
| 60620LT | Batten | 2" x 8' Light Wood |
| 60100LT | Batten | 3/4" x 8' Light Wood |
| 60200LT | Batten | 7/8" x 8' Light Wood |



| Part No. | Name | Description |
|----------|--------|---------------------------------|
| 60800WH | Casing | 7/16" x 2-3/16" x 7' White |
| 60800DK | Casing | 7/16" x 2-3/16" x 7' Dark Wood |
| 60800LT | Casing | 7/16" x 2-3/16" x 7' Light Wood |




| Part No. | Name | Description |
|----------|--------------|-----------------------------|
| 60400WH | Ceiling Beam | 3/16" x 1-7/16" x 10' White |



| Part No. | Name | Description |
|----------|-------------------------|--------------------------------|
| 67019750 | Window Latch Repair Kit | For Kinro Series 9750 Windows. |

| Part No. | Name | Description |
|----------|--------------|-----------------------|
| 60700WH | Closeup Beam | 3/8" x 6" x 12' White |



| Part No. | Name | Description |
|----------|----------------|------------------|
| 60630WT | Crown Moulding | White 2.5" x 10' |



| Part No. | Name | Description |
|----------|---------------|----------------------------|
| 60900WH | Inside Corner | 5/16" x 1" x 9' White |
| 60900DK | Inside Corner | 5/16" x 1" x 9' Dark Wood |
| 60900LT | Inside Corner | 5/16" x 1" x 9' Light Wood |



| Part No. | Name | Description |
|----------|----------------|--------------------------|
| 601100DK | Outside Corner | 1" x 1" x 8', Dark Wood |
| 601100LT | Outside Corner | 1" x 1" x 8', Light Wood |
| 601100WH | Outside Corner | 1" x 1" x 8', White |



| Part No. | Name | Description |
|----------|-----------|--------------------------------|
| 60300LT | Shoe Stop | 3/8" x 1-3/8" x 7', Light Wood |
| 60500LT | Shoe Stop | 3/8" x 5/8" x 8' Light Wood |
| 60600LT | Shoe Stop | 7/16" x 11/16" x 7' Light Wood |
| 60300DK | Shoe Stop | 3/8" x 1-3/8" x 7', Dark Wood |
| 60500DK | Shoe Stop | 3/8" x 5/8" x 8' Dark Wood |
| 60600DK | Shoe Stop | 7/16" x 11/16" x 7' Dark Wood |
| 60300WH | Shoe Stop | 3/8" x 1-3/8" x 7', White |
| 60500WH | Shoe Stop | 3/8" x 5/8" x 8' White |
| 60600WH | Shoe Stop | 7/16" x 11/16" x 7' White |



Window Installation Tips

Choose the right window for your home



SELF-STORING INSIDE STORM WINDOWS

This window provides improved sealing and energy efficiency when added to the flush mounted window (see 18000 Series). This window mounts to the inside of the window opening, has a white frame and sash and movable lower sash. This is a 5700 Series storm window.



VINYL WINDOWS

These windows have much higher energy efficiency. Built with a removable siding channel, these windows mount to the exterior of the home and feature double paned insulating glass and a built in screen in the lower section. The lower main sash slides up for ventilation, and can be tilted in for easier cleaning of the outside lower glass. This is a 9750 Series window.

Find the correct size

There are two critical measurements—**width and height**.

Mobile home sized windows are based on "call size". The rough opening is typically ¼"–½" larger in width and height to allow for adjustment to achieve setting the windows plumb in the opening. The chart provided helps identify the call size.

9750 Series—Example

| SKU | Call Size W x H | Actual Build Size W x H | Rough Opening W x H |
|----------|-----------------|-------------------------|---------------------|
| 68K21427 | 14" x 27" | 14" x 27" | 14 ¼" x 27 ¼" |
| 68K22440 | 24" x 40" | 24" x 40" | 24 ¼" x 40 ¼" |

Contact your sales representative for help and a complete list of sizes.

Measure the window

Measure the width and height of the part of the window that fits into the opening in the home.



STYLECREST. Manufactured Housing Products



HVAC

Manufactured Housing Furnaces

- E7 100% AFUE Electric Furnaces
- MG2S 96% AFUE 2-Stage Gas
- MG2R 95% AFUE Gas
- MG3P 92% AFUE Gas
- MG1E 80% AFUE Gas
- M5SB 83% AFUE Oil
- CMF 80%+ AFUE Gas & Oil

Central-Air Split System Condensers

- HSA4 Sweat Fit North & South Air Conditioners
- HSH4 Sweat Fit Heat Pumps
- RSA Sweat Fit North & South Air Conditioners
- R5H Sweat Fit Heat Pumps

Self-Contained Packaged Units

- W3P/H3HK Electric Heater Assemblies
- Q95 Packaged Heat Pumps
- P95 Packaged Air Conditioners

HVAC System Accessories

- Electrical, Pads, & Mounting Hardware
- Wyes, Collars, Flex-Duct, Registers, & Grilles
- Thermostats & Retrofit Controls

OEM & Generic Replacement Parts

Manufactured Housing Indoor A-Coils

- Sweat Fit R-410A Tube-In-Service
- Sweat Fit R-454B Rated
- Sweat Fit R-32 Rated

Self-Contained Packaged Units

- WZH/PHTR Electric Heater Assemblies
- PHM4 Packaged Heat Pumps
- PAM4 Packaged Air Conditioners



EXTERIOR

Foundation Covers

- Titan XTERIOR Prime
- Titan XTERIOR Elite - Insulated
- Mason's Collection - Brick & Rock
- Valor Vinyl Skirting
- Vinyl Skirting - Premium Plus & Eagle
- NOVIK® Shakes, Stone & Accents

Vinyl Siding, Soffit, & Accessories

- Harbour Crest™ Vinyl Siding
- DuraSpan® Soffit
- Open Louvered Shutters
- Raised Panel Shutters
- Vents, Mounts, & Blocks
- Roof Coatings



STEPS, DECKS & RAILS

Duragrip™ Fiberglass Coated Steps

- The 72" & 48" Wide
- The Platform Step
- The Economaster
- Economy Steps
- Deluxe & Standard Rails



DOORS

Exterior Doors

- Six-Panel Steel Outswing
- Combo Exterior-Storm
- Exterior Storm
- Decorative Exterior
- Rolling Glass Doors
- Four-Seasons Door

Interior Doors

- White, 6-Panel
- White Oak, Smooth, Embossed

Interior Molding & Trims

Door & Window Replacement Parts



WINDOWS

- Aluminum Vertical Sliders
- Aluminum Vertical Self Storing Storm Windows
- Vinyl Single-Hung Double-Pane Windows
- Skylights



SET UP & TRANSPORTATION

Minute Man® Foundation Systems

Tie Down Foundation Systems

Anchor Products

- Soil, Coral & Cross Drive (Rock)
- Double-Tension Head & Eye
- ABS & Steel Stabilizer Plates
- Boards, Wedges, Piers & Pier Pads
- Strap Assemblies with Connectors
- Tools & Accessories

Transportation Products

- Tarps & Plastic Sheeting
- Bottle Jacks & Repair Kits
- Wheel & Axle Replacement Parts



PLUMBING

Home Improvement Products

- Faucets & Faucet Accessories
- Tubs, Showers, Surrounds, & Accessories
- Toilets, Sinks, & Replacement Parts
- Water Heaters & Replacement Parts
- Indoor/Outdoor Plumbing Supplies
- Tools & Fasteners
- Adhesives, Sealants, & Tapes



ELECTRICAL

Appliances


- Electric Range
- Refrigerator
- Washer & Dryer

Indoor/Outdoor Electrical Fixtures & Supplies





is
Nationwide



ALBUQUERQUE, NM · ATLANTA, GA · CHESTERFIELD, MI · DENVER, CO · FENTON, MO · FLINT, MI
FOND DU LAC, WI · FORT MYERS, FL · FREMONT, OH · FT. WORTH, TX · GOSHEN, IN · GRAND RAPIDS, MI
HAMMOND, LA · HOUSTON, TX · INDIANAPOLIS, IN · JACKSONVILLE, FL · LAKE CITY, FL · LAKELAND, FL · LANSING, MI
LAS CRUCES, NM · LAS VEGAS, NV · LENEXA, KS · ODESSA, TX · OKLAHOMA CITY, OK
PANAMA CITY, FL · PHOENIX, AZ · ROMULUS, MI · SACRAMENTO, CA · SAN ANTONIO, TX · TALLADEGA, AL
TAYLOR, MI · TULSA, OK · TYLER, TX · WACO, TX · WICHITA, KS · WINSTON-SALEM, NC

