HP Everyday Adhesive Matte Polypropylene, 3-in Core





The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



High-quality prints for your day-to-day production

Produce eye-catching displays

See outstanding image quality. Work with the wide color gamut and smooth transitions delivered by this matte polypropylene material and produce quality prints from line drawings to photo-quality POP displays.

Gain efficiency

Help keep your production process moving smoothly. This easy-to-use film features a permanent self-adhesive for secure, reliable mounting.

Make the versatility of this material work for you

ICC profiles help you get the right color right away. Take advantage of compatibility with Original HP pigment- and dye-based inks and Original HP Latex Inks on this versatile, easy-to-use printing material.

Target customers	Applications	Benefits		
Print service providers	POP and retail displays	Outstanding image quality for day-to-day production		
Retail store in-house printing	Trade show and A permanent self-adhesive for event displays reliable mounting			
Event designers	Temporary exhibitions			
Advertising agencies	Architecture competitions			
Geographic Information Systems (GIS)				
Government (printing self-adhesive maps)				

Technical specifications



HP Everyday Adhesive Matte Polypropylene, 3-in Core

For the latest ICC profiles/paper presets, please visit <u>HPLFMedia.com/paperpresets</u>.

	statement, please see <u>HPLFMedia.com/hp/MediaWarranties</u> . To obtain warranty service, please contact Brand Management Group customer support at <u>HPLFMedia.com/hp/en/contactus</u> .					
Warranty	D9R27A HP large form	1524 mm x 30,5 m (60 in x 100 ft) nat printing materials are free from defec	848412009828	United States, Canada, and Latin America orkmanship. For warranty		
	D9R26A	1270 mm x 30,5 m (50 in x 100 ft)	848412009811	United States, Canada, Latin America, Europe, Middle East, and Africa		
	D9R25A	1067 mm x 30,5 m (42 in x 100 ft)	848412009804	United States, Canada, Latin America, Europe, Middle East, and Africa		
	D9R24A	914 mm x 30,5 m (36 in x 100 ft)	848412009798	Worldwide		
Ordering information	Product num	bers Roll sizes	UPC codes	Region		
Country of origin	Product of China					
Storage humidity	20 to 70% RH					
Storage temperature	15 to 35° C / 59 to 95° F					
Shelf life	1 year, unopened in original packaging					
Lamination	Cold lamination. Can be laminated with most commercially available cold laminate films. ²					
Environmental	REACH compliant ¹					
Operating humidity	20 to 60% RH					
Operating temperature	15 to 30° C / 59 to 86° F					
Finish	Matte					
Whiteness (with liner)	>135 per ISO 11475 Test Method					
Brightness (with liner)	>105 per ISO 2470 Test Method					
Opacity (with liner)	>96% per TAPPI T-425 and ISO 2471 Test Methods					
Thickness (with liner)	215 microns/8.5 mil per ISO 534 Test Method					
Thickness (without liner)	162 microns/6.4 mil per ISO 534 Test Method					
Weight (with liner)	185 g/m² per ISO 536 Test Method					
Weight (without liner)	106 g/m² per ISO 536 Test Method					
Ink compatibility	Original HP pigment- and dye-based inks for HP DesignJet printers, and Original HP Latex Inks for HP Latex printers					

See the HP REACH Article 33 Declaration published at <u>HP Printing Products and Consumable Supplies</u>.

For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com

© 2025 HP Development Company, L.P. © 2025 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.



² Based on testing HP media printed with Original HP inks using a 3-mil vinyl film laminate that contains a water-based acrylic pressure-sensitive adhesive and a 3-mil vinyl film laminate that contains a solvent acrylic pressure- sensitive adhesive—the formulations of which HP believes represent the majority of cold film laminates that are commercially available based on historical testing. Films without the above-mentioned formulations may not be compatible.