HP Non-woven Durable Suede Wall Paper





The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



What is EN233?

EN233 is a European Wallcovering Standard that specifies requirements for cleanability and light fastness, and gives a designated marking system. The standardization is intended to ensure consistency throughout the industry.

Produce innovative, eye-catching PVC-free¹wall murals

Be productive—non-woven durable wall paper prints are easy to install and remove

Help your customers define interiors with durable, colourful, creative wall decorations that last—with scrub- and scratch-resistant performance. Easy to install with standard wall glue only, this wallpaper produces seamless results, and it is both easy to apply and dry strippable. Thanks to the special backing that doesn't expand when wet, soaking the paper prior to hanging is no longer required; the paste can be applied directly to the wall. This feature provides long-lasting, durable adherence to the substrate.

Set your business apart with environmental certifications

A PVC-free¹ alternative that is easier to dispose of than most PVC-based substrates. The non-woven base paper is flame resistant,² and REACH compliant,³—a regulation of the European Union adopted to improve the protection of human health and the environment from risks that can be posed by chemicals. HP Non-woven Durable Suede Wall Paper carries the CE and UKCA certifications.⁴

Boldly define interior spaces—see the ColorPRO difference

See high-impact graphics with an extended range of colours. Engineered with ColorPRO Technology to deliver colour excellence, this digital wall decoration solution from HP delivers professional quality and striking results.

| Target customers | Applications | Benefits | |
|-------------------------|------------------------------|--|--|
| Print service providers | Wall murals | Compliance with international wallcovering industry standards | Environmental and health certifications |
| Interior designers | Wall cut-outs | EN233 extra washability rating (wave 3) | PVC-free ¹ alternative, easier to dispose of than most PVC-based substrates |
| | Creative design applications | Works with common primers, pastes, finishing, and installation methods | Class A, B1, M1, and EN 13501-1 fire certifications ² |
| | | | Carries the CE and UKCA certification4 |



Technical specifications

HP Non-woven Durable Suede Wall Paper

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/hp/paperpresets.

| Ink compatibility | Compatible with Original HP Latex Inks and UV-curable inks | | | | | |
|--|--|----------------------------------|--------------|------------------------------------|--|--|
| Weight | 200 g/m² per TAPPI T-410 Test Method | | | | | |
| Thickness | 330 microns/13 mil per TAPPI T-411 Test Method | | | | | |
| Finish | Matte | | | | | |
| Operating temperature | 15 to 35° C / 59 to 95° F | | | | | |
| Operating humidity | 30 to 80% RH | | | | | |
| Display permanence (Commercial in-window) | 1.5+ years, unlaminated with HP Latex Inks ⁵ | | | | | |
| Water resistance | Water resistant with HP Latex Inks ⁶ | | | | | |
| Flame resistance | Class A, B1, M1, and EN 13501-1 ² | | | | | |
| Dry time | Instant dry | | | | | |
| Shelf life | 2 years, unopened in original packaging | | | | | |
| Storage temperature | 10 to 40° C / 50 to 104° F | | | | | |
| Storage humidity | 20 to 80% RH | | | | | |
| Environmental | REACH compliant ³ | | | | | |
| Country of origin | Product of China | | | | | |
| Ordering information | Product numbers | Roll sizes | UPC codes | Region | | |
| | 2Q239A | 1372 mm x 120 m (54 in x 394 ft) | 848412025927 | Europe, Middle East, and Africa | | |
| | 2Q238A | 1372mm x 45 m (54 in x 148 ft) | 848412025910 | Europe, Middle East, and Africa | | |
| Warranty | HP large format printing materials are free from defects in materials and workmanship. For warrant statement, please see HPLFMedia.com/hp/MediaWarranties . To obtain warranty service, please co BMG customer support at HPLFMedia.com/hp/en/contactus . | | | | | |

- Based on HP internal and third-party testing chemical analysis that demonstrates this product does not contain chlorine or phthalates.
- ² Class A, B1, M1, and EN 13501-1 approved fire certifications.
- ³ See the HP REACH Declaration published at <u>HP Printing Products and Consumable Supplies</u>.
- ⁴ Self-declared according to European Standard EN15102 and UKCA.
- ⁵ Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see <u>HPLFMedia.com/hp/printpermanence</u>.
- Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see <u>HPLFMedia.com/hp/printpermanence</u>.









For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com

© 2025 HP Development Company, L.P. © 2025 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

