

ADD-PBUSBC65W

MSA Compliant 65W 20V at 3.5A USB-C Laptop Power Adapter and Cable

Features

- USB 3.1 (C) to NEMA 5-15P
- Output Power: 65W
- Output Voltage: 20V
- Output Current: 3.25A
- Color: Black
- Operating Temperature: 0°C to 40°C

Product Description

This is an MSA Compliant 65W 20V at 3.5A laptop power adapter. Our power adapters are 100% tested and compatible with the intended systems.

Specifications

Parameter	Specification
Amps	3.5A
Connector 1	USB 3.1 (C)
Connector 1 Gender	Male
Connector 2	NEMA 5-15P
Connector 2 Gender	Male
Family Type	Laptop Power Adapter
Tip Size	USB-C
Type	USB 3.1 (C) to NEMA 5-15P
Volts	20V
Watts	65W

Input Characteristics	
AC input voltage rating:	100VAC to 240VAC
AC Variation Range	95VAC to 265VAC
AC input frequency:	50/60Hz
Variation Frequency	47/63Hz
Input current	1.5A max
Efficiency	More than 88% (at 100V/240VAC/50Hz input with full load)
Standby power	<1W
Start-up time	≤100ms
Output Characteristics	
Output Power	65W
Output Voltage	20V 15V/9V/5V
Output Current	3.25A 3A
Tip Size	Type C
Turn On Delay Time	10-second maximum at 115VAC input and output maximum load
Rise time	100ms maximum at 100VAC input and output maximum load
Hold Up Time	5mS minimum At 100VAC input and output maximum load
Protection Features	
Short Circuit Protection	The power supply will be auto-recovered when short circuit faults removed
Over Current Protection	The power supply will be auto-recovered when faults removed
Over Voltage Protection	The power supply will not be auto-recovered until faults removed
Environmental Conditions	
Operating Temperature	0°C to 40°C, full load, normal operation
Storage Temperature	-20°C to 55°C
Relative Humidity	5% (0°C)~90% (40°C) RH, 70Hrs, full load, normal operating

About AddOn Networks

In 1999, AddOn Networks entered the market with a single product. Our founders fulfilled a severe shortage for compatible, cost-effective optical transceivers that compete at the same performance levels as leading OEM manufacturers. Adhering to the idea of redefining service and product quality not previously had in the fiber optic networking industry, AddOn invested resources in solution design, production, fulfillment, and global support.

Combining one of the most extensive and stringent testing processes in the industry, an exceptional free tech support center, and a consistent roll-out of innovative technologies, AddOn has continually set industry standards of quality and reliability throughout its history.

Reliability is the cornerstone of any optical fiber network and is engrained in AddOn's DNA. It has played a key role in nurturing the long-term relationships developed over the years with customers. AddOn remains committed to exceeding industry standards with certifications from ranging from NEBS Level 3 to ISO 9001:2005 with every new development while maintaining the signature reliability of its products.



U.S. Headquarters

Email: sales@addonnetworks.com

Telephone: +1 877.292.1701

Fax: 949.266.9273

Europe Headquarters

Email: salesupportemea@addonnetworks.com

Telephone: +44 1285 842070