

ADD-MPOMPO-XM5OM4

MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable

Features

- Female MPO to Female MPO Crossover
- 12 fibers standard
- OFNR Standard. LSZH, and OFNP available upon request.
- 50/125 OM4 LOMM cable. Also available in 9/125 SMF and 50/125 OM3 LOMM cable
- Push on/ Pull-off latching connector
- Precision guide pin assures fiber alignment at mating
- Key up / Key down (Crossover)



Product Description

This is an MPO (female) to MPO (female) aqua OM4 Multiple riser-rated patch crossover cable up to 50m (164ft) length, that is used for high speed data transfer. An OM4 cable has a core size of 50m microns that supports 10 Gigabit Ethernet at lengths measuring up to 550 meters, and 100 Gigabit Ethernet measuring up to 150 meters and is reverse compatible with OM3. This riser (OFNR) cable is best suited for use in interior fiber-optic applications. Our patch cables are 100% compliant for all of your networking needs and are guaranteed by federal law to not affect or void OEM warranties.

Order Information

Part Number	Description
ADD-MPOMPO-1M5OM4	1m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-3M5OM4	3m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-5M5OM4	5m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-6M5OM4	6m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-8M5OM4	8m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-10M5OM4	10m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable

ADD-MPOMPO-12M5OM4	12m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-15M5OM4	15m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-20M5OM4	20m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-25M5OM4	25m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-30M5OM4	30m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable
ADD-MPOMPO-50M5OM4	50m MPO (Female) to MPO (Female) 12-strand Crossover Aqua OM4 OFNR (Riser-Rated) Laser Optimized Multi-Mode Fiber (LOMM) Patch Cable

Applications	OM1 (MMF)		OM3 (MMF)		OM4 (MMF)		OS1 (SMF)	
	850nm	1300nm	850nm	1300nm	850nm	1310nm	1310nm	1550nm
ATM 622Mbps	300m	500m	300m	500m			2000m	
Fiber Channel 1062Mbps	300m	500m	500m				2000m	
FDDI		2000m		2000m		2000m		
100Base-FX Ethernet		2000m		2000m		2000m		
1000Base-SX Ethernet	275m		550m		1000m			
1000Base-LX Ethernet	550m			>500m		>500m	5000m	
10GBase-LX4 Ethernet		300m					1000m	
10GBase-SR/SW Ethernet	33m		300m		550m		1000m	40000m
40GBase-SR/LR Ethernet			300m		400m			
100GBase-SR Ethernet			100m		150m			

Specifications	
Fibre	OM4
Connectors	2xMPO
Storage Temperature	-20°C~ +60°C
Installation Temperature	-5°C~ +50°C
Operation Temperature	-20°C ~ +60°C

About AddOn Networks

In 1999, AddOn Networks entered the market with a single product. Our founders fulfilled a severe shortage for compatible, cost-effective optical transceivers that compete at the same performance levels as leading OEM manufacturers. Adhering to the idea of redefining service and product quality not previously had in the fiber optic networking industry, AddOn invested resources in solution design, production, fulfillment, and global support.

Combining one of the most extensive and stringent testing processes in the industry, an exceptional free tech support center, and a consistent roll-out of innovative technologies, AddOn has continually set industry standards of quality and reliability throughout its history.

Reliability is the cornerstone of any optical fiber network and is engrained in AddOn's DNA. It has played a key role in nurturing the long-term relationships developed over the years with customers. AddOn remains committed to exceeding industry standards with certifications from ranging from NEBS Level 3 to ISO 9001:2005 with every new development while maintaining the signature reliability of its products.

U.S. Headquarters

Email: sales@addonnetworks.com

Telephone: +1 877.292.1701

Fax: 949.266.9273

Europe Headquarters

Email: salesupportemea@addonnetworks.com

Telephone: +44 1285 842070