

## **ADD-PCIE-4SFP+**

10Gbs Quad Open SFP+ Port PCIe 3.0 x8 Network Interface Card

### **Features**

- 4x SFP+ open port slot
- Chipset Intel XL710
- LEDS indicators for link/Activity Mode
- Supports 10GBase-SR, LR
- Deep packet buffer per channel lowers CPU utilization
- Controllers offload TCP/UDP/IP checksum calculations
- Small Form Factor Pluggable (SFP+) Cage for SFP+ LC connector
- Low-Profile Adapter
- Compliant with PCI Express Base Specification 3.0 Draft (8GT/s)
- Supports PCIe X8 bus
- IPSEC/LinkSec Security Features



### **Product Description**

This is a 10-Gigabit Ethernet PCIe 3.0 x8 network interface card with quad open SFP+ ports that comply with IEEE 802.3 standards. It is based on an Intel XL710 chipset and is compatible with a variety of different applications and operating systems, including Windows, Linux and Unix-like systems. Providing 10Gbs of network speed, it fully supports high-end servers and various other networking applications. In addition, this card supports high level VLAN filtering. The quad open SFP+ ports allow users to choose from a range of SFP+ transceivers to accommodate multi-mode (MMF) and single-mode (SMF) fiber, granting customizable reach. This product includes both half-height and full-height brackets. Our network interface cards are 100% compliant and offer a cost effective solution for all of your network upgrade needs. With our certification test program, we guarantee your product will work right the first time.

## Specifications

Parameter		Server Network Card	
Bus Interface	PCIe X8		
Operating Distance	Single-Mode:	10km at 9μm	
	Multimode Fiber:	550m at 50μm	
		550m at 62.5μm	
Network Interface Type	SFP+ Slot*4 (10GBASE-SR, 10GBASE-LR), LC fiber		
Transmission Speed (Mbps)	10G		
Transmission Medium Type	Fiber		
Network Standard	IEEE802.3ae (10GBase-SR, 10GBase-LR)		
Compatible Operating System	Windows Linux FreeBSD VMware		
Working Temperature	-5°C - 40°C		
Storage Temperature	-40°C - 65°C		

## **About AddOn Networks**

In 1999, AddOn Networks entered the market with a single product. Our founders fulfilled a severe shortage for compatible, cost-effective optical transceivers that compete at the same performance levels as leading OEM manufacturers. Adhering to the idea of redefining service and product quality not previously had in the fiber optic networking industry, AddOn invested resources in solution design, production, fulfillment, and global support.

Combining one of the most extensive and stringent testing processes in the industry, an exceptional free tech support center, and a consistent roll-out of innovative technologies, AddOn has continually set industry standards of quality and reliability throughout its history.

Reliability is the cornerstone of any optical fiber network and is ingrained in AddOn's DNA. It has played a key role in nurturing the long-term relationships developed over the years with customers. AddOn remains committed to exceeding industry standards with certifications from ranging from NEBS Level 3 to ISO 9001:2005 with every new development while maintaining the signature reliability of its products.

## **U.S. Headquarters**

Email: [sales@addonnetworks.com](mailto:sales@addonnetworks.com)

Telephone: +1 877.292.1701

Fax: 949.266.9273

## **Europe Headquarters**

Email: [salesupportemea@addonnetworks.com](mailto:salesupportemea@addonnetworks.com)

Telephone: +44 1285 842070