

ADD-MPOMPO-2M5OM4LZ

2m MPO/UPC to MPO/UPC Aqua OM4 LSZH 12-Strand Fiber Patch Cable

Features

- Female MPO to Female MPO
- 12 fibers standard
- LSZH (Riser-rated) cable jacket type
- 2m length
- 50/125µm
- Color: Aqua
- OM4 Standard




Product Description

This is a 2m MPO/UPC to MPO/UPC Aqua OM4 LSZH 12-Strand Fiber Patch Cable. OM4 fiber optic cable is a high-performance multimode fiber optimized for high-speed data transmission, supporting up to 100G over distances of up to 150 meters. Ideal for data centers and large-scale network infrastructures, it delivers superior bandwidth and reliability for demanding business applications. LSZH (Low Smoke Zero Halogen) fiber cable jackets are designed to minimize toxic smoke and harmful emissions in the event of a fire, making them ideal for enclosed or high-traffic areas. These cables provide enhanced safety and environmental protection, making them a popular choice for businesses prioritizing workplace safety and eco-friendly infrastructure. The Standard Boot option provides reliable and straightforward connections for fiber cables, making it an economical choice for various networking applications. Ideal for businesses that require dependable performance without the complexity, this option ensures consistent data transmission in everyday network setups. Our cables are TIA compliant, ensuring performance for all networking needs.

General Specifications

Parameter	Specification
Environment	Indoor
Standard	OM4
Fiber Type	MMF
Connector	MPO (Female) to MPO (Female)
Color	Aqua
Shielded	No
Strand Count	12
Cable Mode	Multiple
Jacket Type	LSZH
Termination Type	Crossover
Core/Cladding	50/125µm
Fiber Termination	UPC - Ultra Physical Contact
Length (m)	2
Length (ft)	6.56
Polarity	Method B
Cable Type	OM4
Cable Length	2m
Armored	No
Bend Insensitivity	G.657.A1
Connector 1 Ferrule Polish	UPC (Ultra Physical Contact)
Connector 2 Ferrule Polish	UPC (Ultra Physical Contact)
Insertion Loss Grade	Grade C
Fire Rating	General Purpose (OFNG)
Jacket Material	LSZH (Low Smoke Zero Halogen)
Outer Diameter	3.0mm
Connector 1 Boot Style	Standard Boot
Connector 2 Boot Style	Standard Boot
Connector 1 Color	Aqua
Connector 2 Color	Aqua

Mechanical Specifications



Blue1	Orange2	Green3	Brown4	Grey5	White6	Red7	Black8	Yellow9	Violet10	Pink11	Aqua12	Aqua1	Pink2	Violet3	Yellow4	Black5	Red6	White7	Grey8	Brown9	Green10	Orange11	Blue12
-------	---------	--------	--------	-------	--------	------	--------	---------	----------	--------	--------	-------	-------	---------	---------	--------	------	--------	-------	--------	---------	----------	--------

1	OD: 3.0mm, Multimode 50/125 OM4,12Fibers Micro Cable, LSZH, Color: Aqua
2	MPO/PC Female MM 3.0mm 12 Fibers Connector (Aqua Housing Black Boot)
3	Cable Label

About AddOn Networks

In 1999, AddOn Networks entered the market with a single product. Our founders fulfilled a severe shortage for compatible, cost-effective optical transceivers that compete at the same performance levels as leading OEM manufacturers. Adhering to the idea of redefining service and product quality not previously had in the fiber optic networking industry, AddOn invested resources in solution design, production, fulfillment, and global support.

Combining one of the most extensive and stringent testing processes in the industry, an exceptional free tech support center, and a consistent roll-out of innovative technologies, AddOn has continually set industry standards of quality and reliability throughout its history.

Reliability is the cornerstone of any optical fiber network and is engrained in AddOn's DNA. It has played a key role in nurturing the long-term relationships developed over the years with customers. AddOn remains committed to exceeding industry standards with certifications from ranging from NEBS Level 3 to ISO 9001:2005 with every new development while maintaining the signature reliability of its products.



U.S. Headquarters

Email: sales@addonnetworks.com

Telephone: +1 877.292.1701

Fax: 949.266.9273

Europe Headquarters

Email: salesupportemea@addonnetworks.com

Telephone: +44 1285 842070