

ADD-CEX-GSCXSC-OASC

1W LGX Coexistence Element w/GPON, XGSPON, and 1625nm OTDR. GPON and XGSPON w/SC, OTDR w/ASC, COM w/ASC

Features

- GPON and XGSPON SC/UPC Adapter
- OTDR SC/APC Adapter
- COM port APC/SC adapter
- 1W LGX



Product Description

This is a CEx Coexistence Element to combine XGS-PON, GPON, and OTDR traffic on to a single fiber. The CEx is rack mounted into a 1W LGX slot, with SC/UPC adapters for PON ports and SC/APC for the OTDR and COM ports. All of our coexistence elements are 100% compliant and provide a cost effective solution for your network upgrade needs. With our certification test program, we guarantee your product will work correctly the first time.

Specifications


Parameters	Specification	Units	
Wavelength Range	OTDR Port	1625~1650	nm
	GPON Port	1290~1330&1480~1500	nm
	XGS-PON Port	1260~1280&1575~1581	nm
Insertion Loss	OTDR Port	≤1.0	dB
	GPON & XGS-PON Ports	≤1.5	dB
Isolation	OTDR Port	≥30	dB
	GPON & XGS-PON Ports	≥30	dB
Polarization Dependent Loss		≤0.20	dB
Polarization Mode Dispersion		≤0.20	ps
Return Loss		≥ 45	dB

Directivity		≥50	dB
Maximum Power Handling		≤300	mW
Operating Temperature		-5 to 65	°C
Storage Temperature		-40 to 85	°C
Fiber Type		Corning G657A1 Fiber	
Connector & Adapter Type	COM & OTDR ports	SC/APC	
	GPON & XGS-PON Ports	SC/UPC	
Package Dimension		1W LGX BOX	

Note:

1. All data is measured with connectors

Faceplate Layout



About AddOn Networks

In 1999, AddOn Networks entered the market with a single product. Our founders fulfilled a severe shortage for compatible, cost-effective optical transceivers that compete at the same performance levels as leading OEM manufacturers. Adhering to the idea of redefining service and product quality not previously had in the fiber optic networking industry, AddOn invested resources in solution design, production, fulfillment, and global support.

Combining one of the most extensive and stringent testing processes in the industry, an exceptional free tech support center, and a consistent roll-out of innovative technologies, AddOn has continually set industry standards of quality and reliability throughout its history.

Reliability is the cornerstone of any optical fiber network and is engrained in AddOn's DNA. It has played a key role in nurturing the long-term relationships developed over the years with customers. AddOn remains committed to exceeding industry standards with certifications from ranging from NEBS Level 3 to ISO 9001:2005 with every new development while maintaining the signature reliability of its products.

U.S. Headquarters

Email: sales@addonnetworks.com

Telephone: +1 877.292.1701

Fax: 949.266.9273

Europe Headquarters

Email: salesupportemea@addonnetworks.com

Telephone: +44 1285 842070