






Specifications

SHADE	1/32" thick 3form Varia resin. White Opal top and bottom diffuser.	DIMMING	Dimming 0-10v
LIGHTING	Solid State LED System 120v-277v input; 0-10v dimming compatible 3000k, 3500k or 4000k options 80 CRI light source	MOUNTING	Fully adjustable stainless steel aircraft cable. Contact LightArt for lengths over 20'.
	Linear 01 - 63.3W Linear 03 - 79.2W	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
LUMEN MAINTENANCE	Reported TM-21 Lifetimes L90(17k) = 52,600 hours L80(17k) > 102,000 hours L90(17k) > 102,000 hours	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
HARDWARE	10"Dia canopy and dress plate mounts to standard junction box (provided by others) 1/16" stainless steel cables to ceiling Adjustable 24"-96" suspension White power cord to canopy	STANDARDS	6 week lead time 250+ 3form material options (contact LightArt for custom material pricing) TGIC-free powder coat PVC-free power cord

 align

Declare.






MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

Pivot Linear


Fixture Options

FIVE X COLLECTION


DIMENSIONS



CIRCULAR 01
83"L x 83"W x 24"H



CIRCULAR 02
99"L x 71"W x 16"H




CIRCULAR 03
83"L x 79"W x 24"H


CEILING CONNECTIONS

OFFSET JUNCTION BOX


For recessed canopy, cut 11" dia hole and recess j-box or mounting structure by 1.5"




SURFACE MOUNTED



RECESSED*



4" OCTAGONAL JUNCTION BOX (BY OTHERS)



Required for powered units;
optional for unlit units


CANOPY/DRESS PLATE FINISH OPTIONS



BLACK

WHITE

COLOR OPTIONS




CINDER



SILKEN
OYSTER



GESO



NATURAL



WIZARD



CRANBERRY
x2



VITAMIN C



CUSTOM



MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

Pivot Linear

Part Number Specification

FIVE X COLLECTION

SPECIFICATION CODE

Example: 2 QTY FIVX-PIV-PC01-GO-830-STD-WP-WH

QTY.

FIVX-PIV-

1

2

3

4

5

6

7

Complete form to order Five X Pivot Circular fixture(s). For each number, make one selection and enter in the corresponding box above.
*Indicates modified choices; additional lead times and/or costs may apply.

1

SIZE

PC01

PC01 83"L × 83"W × 24"H

PC02

PC02 99"L × 71"W × 16"H

PC03

PC03 83"L × 78"W × 24"H

CUST*

CUSTOM CONFIGURATION*

2

MATERIAL

GO

GOSSO

NL

NATURAL

CR

CINDER

SO

SILKEN OYSTER

CB2

CRANBERRY ×2

VC

VITAMIN C

WZ

WIZARD

CUST*

CUSTOM COLOR*

3

LED CRI/CCT

830CK

80 CRI / 3000K

835CK

80 CRI / 3500K

840CK

80 CRI / 4000K

4

SUSPENSION

STD

12" – 96"

EXT*

24" – 240"*

5

CANOPY OPTIONS

STD

STANDARD

REC*

RECESSED*

6

CANOPY COLOR

WP

WHITE

BP

BLACK

SP

MATTE SILVER

7

POWER CORD

WH

WHITE

BK

BLACK

align Declare.

Red List Free

Ingredients

MADE IN USA

WITH GLOBAL AND

DOMESTIC PRODUCTS

LightArt

206.524.2223

LIGHTART.COM

4770 OHIO AVE S STE B, SEATTLE, WA 98134

FIVE X PIVOT LINEAR

01/05/26 UPDATE

3/3