






Specifications

SHADE	1/32" thick 3form Varia resin. White Opal top and bottom diffuser.	DIMMING	Dimming 0-10v
LIGHTING	Solid State LED System  120v-277v input; 0-10v dimming compatible  3000k, 3500k or 4000k options 80 CRI light source  92W	MOUNTING	Fully adjustable stainless steel aircraft cable. Contact LightArt for lengths over 20'.
LUMEN MAINTENANCE	Reported TM-21 Lifetimes L90(17k) = 52,600 hours L80(17k) > 102,000 hours L90(17k) > 102,000 hours	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
HARDWARE	11.75" Dia canopy and dress plate mounts to standard junction box (provided by others) 1/16" stainless steel cables to ceiling Adjustable 24"-96" suspension White power cord to canopy	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
		STANDARDS	6-8 week lead time CSA approved to UL standards 250+ 3form material options 5 year limited warranty Contact for custom material pricing








# Pivot Zigzag

Fixture Options

FIVE X COLLECTION

## DIMENSIONS




130"L x 22"W x 7"H


## CEILING CONNECTIONS

### OFFSET JUNCTION BOX


For recessed canopy, cut 11" dia hole and recess j-box or mounting structure by 1.5"




SURFACE MOUNTED



RECESSED\*



### 4" OCTAGONAL JUNCTION BOX (BY OTHERS)



Required for powered units;  
optional for unlit units

### CANOPY/DRESS PLATE FINISH OPTIONS



## COLOR OPTIONS



CINDER      SILKEN OYSTER      GESSO      NATURAL



WIZARD      CRANBERRY      VITAMIN C      CUSTOM

x2

# Pivot Zigzag

## Part Number Specification

FIVE X COLLECTION

**SPECIFICATION CODE** Example: 2 QTY FIVX-PIV-ZIG-ZZ01-GO-830CK-STD-WP-WH

FIVX-PIV-ZIG-------

QTY. 1 2 3 4 5 6 7

Complete form to order Five X Pivot Zigzag fixture(s). For each number, make one selection and enter in the corresponding box above.  
\*Indicates modified choices; additional lead times and/or costs may apply.

**1 CONFIGURATION**

☐ ZZ01 130"L x 22"W x 7"H

☐ CUST\* CUSTOM CONFIGURATION\*

**2 MATERIAL**

☐ GO ☐ GESSO

☐ NL ☐ NATURAL

☐ CR ☐ CINDER

☐ SO ☐ SILKEN OYSTER

☐ CB2 ☐ CRANBERRY x2

☐ VC ☐ VITAMIN C

☐ WZ ☐ WIZARD

☐ CUST\* ☒ CUSTOM COLOR\*

**3 LED CRI/CCT**

☐ 830CK 80 CRI / 3000K

☐ 835CK 80 CRI / 3500K

☐ 840CK 80 CRI / 4000K

**4 SUSPENSION**

☐ STD 12" - 96"

☐ EXT\* 24" - 240"\*

**5 CANOPY OPTIONS**

☐ STD STANDARD

☐ REC\* RECESSED\*

**6 CANOPY COLOR**

☐ WP WHITE

☐ BP BLACK

**7 POWER CORD**

☐ WH WHITE

☐ BK BLACK