

Plot Lamp

Overview

FIVE X COLLECTION



Specifications

LIGHTING	Dimmable LED screw-in type E26 base A19 lamp. Lamps included for U.S. orders. 9.5w, 3000k, 800 lumen, 120v is standard.	STANDARDS	3-6 week lead time CSA approved to UL standards Declare label certified Living Building Challenge Compliant 5 year limited warranty 250+ 3form material options
CONSTRUCTION	1/16" 3form Varia. White Opal top and bottom diffuser. Contact your local sales rep for material samples.	CLEANING & CARE	Designed to withstand the demands of rigorous cleaning requirements. Effective cleaning and disinfection of environmental surfaces reduces microbe transmission. Superior chemical resistance and durability promotes safety in any design application. Use common disinfectants and cleaners to reduce microbe transmission.
HARDWARE	Polished aluminum stem and base. 72" Silver power cord with in-line switch and plug end	WARRANTY	5 year warranty on all standard components.
MOUNTING	Adjustable stainless steel aircraft cable, contact studio for lengths over 20'		




Plot Lamp

Fixture Options

FIVE X COLLECTION

DIMENSIONS



7" DIA x 23" H

COLOR OPTIONS



Plot Lamp

Part Number Specification

FIVE X COLLECTION

SPECIFICATION CODE

Example: 2 QTY FIVX-PLOT-TBLE-23H-WZ-9W-AL-SV

QTY.

FIVX-PLOT-TBLE - - - - -

1 2 3 4 5

Complete form to order LA2 Essential Delta fixture(s). For each number, make one selection and enter in the corresponding box above.

*Indicates modified choices; additional lead times and/or costs may apply.

1 SIZE

23H

23"H

2 MATERIAL

GO

GESSO

NL

NATURAL

CR

CINDER

SO

SILKEN OYSTER

CB2

CRANBERRY X2

VC

VITAMIN C

WZ

WIZARD

MCR

MID CENTURY ROSEWOOD

CUST*

CUSTOM COLOR

3 LED CRI / CCT

9W

9.5W 800LM / 3000K / 120V

4 BASE COLOR

AL

POLISHED ALUMINUM

5 POWER CORD

SV

SILVER

