




## Specifications

SHADE	1/32" thick 3form Varia resin. White Opal top and bottom diffuser.	DIMMING	Dimming 0-10v
LIGHTING	Solid State LED System 120v-277v input; 24v driver; 0-10v dimming compatible 3000k, 3500k, 4000k options 81 CRI light source  Small - 68w Medium - 92w Large - 116w X-Large - 140w	MOUNTING	Fully adjustable stainless steel aircraft cable. Contact LightArt for lengths over 20'.
LUMEN MAINTENANCE	Reported TM-21 Lifetimes L90(17k) = 52,600 hours L80(17k) > 102,000 hours L90(17k) > 102,000 hours	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
HARDWARE	10" Dia canopy and dress plate mounts to standard junction box (provided by others) Small canopy: 11" L x 6.25" W 3/64" stainless steel cables to ceiling Adjustable suspension Power cord to canopy Silver powder coated center fin	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
		STANDARDS	6 week lead time 250+ 3form material options (contact LightArt for custom material pricing) TGIC-free powder coat PVC-free power cord




### DIMENSIONS




### CEILING CONNECTIONS

#### OFFSET JUNCTION BOX


*For recessed canopy, cut 11" dia hole and recess j-box or mounting structure by 1.5"*



SURFACE MOUNTED




RECESSED\*



#### 4" OCTAGONAL JUNCTION BOX (BY OTHERS)


*Required for powered units;  
optional for unlit units*



#### CANOPY/DRESS PLATE FINISH OPTIONS



BLACK



WHITE

### COLOR OPTIONS



CINDER



SILKEN OYSTER



GESSO



NATURAL




WIZARD



CRANBERRY  
x2



VITAMIN C



CUSTOM

**SPECIFICATION CODE**

Example: 2 QTY FIVX-RAY-BEAM-47L-GO-830CK-STD-WPC-WH


 FIVX-RAY-BEAM -  -  -  -  -  - 

1 2 3 4 5 6

Complete form to order Five X Ray fixture(s). For each number, make one selection and enter in the corresponding box above.

\*Indicates modified choices; additional lead times and/or costs may apply.

**1 CONFIGURATION**

<input type="checkbox"/> 47L	47" L x 20" W x 6" H
<input type="checkbox"/> 63L	63" L x 20" W x 6" H
<input type="checkbox"/> 78L	78" L x 20" W x 6" H
<input type="checkbox"/> 94L	94" L x 20" W x 6" H

**2 MATERIAL**

<input type="checkbox"/> GO	GESSO
<input type="checkbox"/> NL	NATURAL
<input type="checkbox"/> CR	CINDER
<input type="checkbox"/> SO	SILKEN OYSTER
<input type="checkbox"/> CB2	CRANBERRY x2
<input type="checkbox"/> VC	VITAMIN C
<input type="checkbox"/> WZ	WIZARD
<input type="checkbox"/> CUST*	CUSTOM COLOR*

**3 LED CRI/CCT**

<input type="checkbox"/> 830CK	80 CRI / 3000K
<input type="checkbox"/> 835CK	80 CRI / 3500K
<input type="checkbox"/> 840CK	80 CRI / 4000K

**4 SUSPENSION**

<input type="checkbox"/> STD	12" - 96"
<input type="checkbox"/> EXT*	24" - 240"**

**5 CANOPY COLOR**

<input type="checkbox"/> WP	WHITE
<input type="checkbox"/> BP	BLACK

**7 POWER CORD**

<input type="checkbox"/> WH	WHITE
<input type="checkbox"/> BK	BLACK


 MADE IN USA  
WITH GLOBAL AND  
DOMESTIC PRODUCTS