Cove Overview

Specifications

LIGHTING
E26 base, A19 Lamp, Dimmable 9.5W LED lamp model also available. Source lumens 800, 120V

PHOTOMETRICS
Consult factory or website for IES files, tested in accordance with IESNA LM79.

HARDWARE
TGIC-free powder coat. Stainless steel cables with nickel-plated cable gripper allows for adjustable hanging height. Made with RoHS compliant parts.

MOUNTING
Adjustable stainless steel aircraft cable, contact studio for lengths over 20'

CERTIFICATION
CSA certified to CSA C22.2 No. 250.0, and conforms to UL standard 1598. PoE Compatible fixtures meet UL 2108.

CLEANING & CARE
The best way to remove airborne debris and dust from shades is to periodically vacuum. A Swiffer sheet or feathered duster can also be used for light dusting.

MADE IN USA WITH GLOBAL AND DOMESTIC PRODUCTS

Cove Fixture Options

DIMENSIONS



SMALL
31″DIA × 12″H



LARGE
22.8″DIA × 18″H

CEILING CONNECTION

STANDARD CANOPY

For recessed canopy, cut 6″ diameter hole and recess j-box or mounting structure by 1.5″



SURFACE MOUNTED



RECESSED*



ULTRA SHALLOW CANOPY (E26 ONLY)



SURFACE MOUNTED



EM BATTERY OPTION ONLY

For recessed canopy, cut 6″ diameter hole and recess j-box or mounting structure by 1.5″



SURFACE MOUNTED



RECESSED*



4" OCTAGONAL JUNCTION BOX* (BY OTHERS)



**Required for powered units; junction box mount optional for unlit units*

CANOPY / DRESS PLATE FINISH OPTIONS

BLACK WHITE

COLOR OPTIONS

VEIL PURE TRANSLUCENT SUEDE

**Hundreds of colors available. Contact us for samples and more information.*

MADE IN USA WITH GLOBAL AND DOMESTIC PRODUCTS

Cove Part Number Specification

SPECIFICATION CODE *Example: 2 QTY COL-CON-COVE-27D-VLP-9.5W--STD-WPC-WH*

☐ COL-CON-COVE-☐-☐-☐-☐-☐-☐-
QTY. ❶ ❷ ❸ ❹ ❺ ❻

Complete form to order Contour Cove fixture(s). For each number, make one selection and enter in the corresponding box above.
**Indicates modified choices; additional lead times and/or costs may apply.*

❶ DIAMETER

☐ 15D	SMALL	*15" Dia × 14" H*
☐ 22D	LARGE	*22" Dia × 22" H*

❷ MATERIAL

☐ VP	VEIL PURE
☐ TS	TRANSLUCENT SUEDE
☐ CUST*	☒ CUSTOM COLOR

❸ LED CRI/CCT

☐ 9.5W	9.5W 800LM / 3000K / 120V

❹ SUSPENSION

☐ STD	12" – 96"
☐ EXT*	12" – 240"

❺ CANOPY OPTIONS

☐ WPC	WHITE
☐ BPC	BLACK
☐ RWPC	RECESSED WHITE
☐ RBPC	RECESSED BLACK

❻ POWER CORD *Cord color dictates visible metal color*

WH	WHITE
BK	BLACK

❾

☐
☐

MADE IN USA WITH GLOBAL AND DOMESTIC PRODUCTS