




Specifications


SHADE		1/32" thick 3form Varia resin. White Opal top and bottom diffuser.	DIMMING	Dimming 0-10v
LIGHTING		Solid State LED System 120v-277v input; 0-10v dimming compatible 3000k, 3500k or 4000k options 80 CRI light source 92W	MOUNTING	Fully adjustable stainless steel aircraft cable. Contact LightArt for lengths over 20'.
LUMEN MAINTENANCE		Reported TM-21 Lifetimes L90(17k) = 52,600 hours L80(17k) > 102,000 hours L90(17k) > 102,000 hours	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
HARDWARE		11.75" Dia canopy and dress plate mounts to standard junction box (provided by others) 1/16" stainless steel cables to ceiling Adjustable 24"-96" suspension White power cord to canopy	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
			STANDARDS	6-8 week lead time CSA approved to UL standards 250+ 3form material options 5 year limited warranty Contact for custom material pricing
			align Declare Red List Free Ingredients 	

Pivot Zigzag

Fixture Options

FIVE X COLLECTION


DIMENSIONS




130"L x 22"W x 7"H

CEILING CONNECTIONS


OFFSET JUNCTION BOX *For recessed canopy, cut 11" dia hole and recess j-box or mounting structure by 1.5"*




SURFACE MOUNTED



RECESSED*



4" OCTAGONAL JUNCTION BOX (BY OTHERS)



*Required for powered units;
optional for unlit units*

**CANOPY/DRESS PLATE
FINISH OPTIONS**




COLOR OPTIONS



CINDER



SILKEN
OYSTER



NATURAL



GESSO



CUSTOM



WIZARD



CRANBERRY
x2



VITAMIN C



MIDCENTURY
ROSEWOOD



MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

Pivot Zigzag

Part Number Specification

FIVE X COLLECTION

SPECIFICATION CODE

Example: 2 QTY FIVX-PIV-ZIG-ZZ01-GO-830CK-STD-WP-WH



QTY.

FIVX-PIV-ZIG-



1



2



3



4



5



6



7

Complete form to order Five X Pivot Zigzag fixture(s). For each number, make one selection and enter in the corresponding box above.

*Indicates modified choices; additional lead times and/or costs may apply.

1 CONFIGURATION

☐ ZZ01

130"L x 22"W x 7"H

☐ CUST*

CUSTOM CONFIGURATION*

2 MATERIAL

☐ GO

☐ GESSO

☐ NL

☐ NATURAL

☐ SO

☐ SILKEN OYSTER

☐ CR

☐ CINDER

☐ CB2

☐ CRANBERRY x2

☐ VC

☐ VITAMIN C

☐ WZ

☐ WIZARD

☐ MCR

☐ MIDCENTURY ROSEWOOD

☐ CUST*

☒ CUSTOM COLOR

3 LED CRI/CCT

☐ 830CK

80 CRI / 3000K

☐ 835CK

80 CRI / 3500K

☐ 840CK

80 CRI / 4000K

4 SUSPENSION

☐ STD

12" - 96"

☐ EXT*

24" - 240"*

5 CANOPY OPTIONS

☐ STD

STANDARD

☐ REC*

RECESSED*

6 CANOPY COLOR

☐ WP

WHITE

☐ BP

BLACK

7 POWER CORD

☐ WH

WHITE

☐ BK

BLACK

align Declare.



MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS