

# Plot Pendant

Overview

FIVE X COLLECTION



## Specifications

|                     |                                                                                                                                                  |                            |                                                                                                                                                                                                                                                                                                                               |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>LIGHTING</b>     | Dimmable 9W LED A19 Lamp<br>E26 base, 3000k, 120v<br>Approx. LED Lumens 800                                                                      | <b>STANDARDS</b>           | 3-6 week lead time<br>CSA approved to UL standards<br>Declare label certified<br>Living Building Challenge Compliant<br>5 year limited warranty<br>250+ 3form material options                                                                                                                                                |
| <b>CONSTRUCTION</b> | 1/16" 3form Varia. White Opal top and bottom diffuser.<br>Contact your local sales rep for material samples.                                     | <b>CLEANING &amp; CARE</b> | Designed to withstand the demands of rigorous cleaning requirements. Effective cleaning and disinfection of environmental surfaces reduces microbe transmission. Superior chemical resistance and durability promotes safety in any design application. Use common disinfectants and cleaners to reduce microbe transmission. |
| <b>HARDWARE</b>     | 5"Dia canopy and dress plate mounts to standard junction box (provided by others)<br>Adjustable 24"-96" suspension<br>White power cord to canopy | <b>WARRANTY</b>            | 5 year warranty on all standard components.                                                                                                                                                                                                                                                                                   |
| <b>MOUNTING</b>     | Adjustable stainless steel aircraft cable,<br>contact studio for lengths over 20'                                                                |                            |                                                                                                                                                                                                                                                                                                                               |




# Plot Pendant

Fixture Options

FIVE X COLLECTION


## DIMENSIONS



7" DIA × 12"H

## CEILING CONNECTIONS


**STANDARD CANOPY** For recessed canopy, cut 6" dia hole and recess j-box or mounting structure by 1.5"




SURFACE MOUNTED



RECESSED



**4" OCTAGONAL JUNCTION BOX (BY OTHERS)**




Required for powered units;  
optional for unlit units

**CANOPY / DRESS PLATE FINISH OPTIONS**




BLACK



WHITE


## COLOR OPTIONS



CINDER



SILKEN OYSTER



NATURAL



GESSO



CUSTOM



WIZARD



CRANBERRY  
x2



VITAMIN C



MIDCENTURY  
ROSEWOOD



# Plot Pendant

## Part Number Specification

FIVE X COLLECTION

SPECIFICATION CODE

Example: 2 QTY FIVX-PLOT-PEND-NL-9W-WPC-WH

FIVX-PLOT-PEND-

QTY.

1

2

3

4

5

Complete form to order LA2 Essential Delta fixture(s). For each number, make one selection and enter in the corresponding box above.  
\*Indicates modified choices; additional lead times and/or costs may apply.

1 MATERIAL

GO

NL

SO

CR

CB2

VC

WZ

MCR

CUST\*

GEDSO

NATURAL

SILKEN OYSTER

CINDER

CRANBERRY x2

VITAMIN C

WIZARD

MIDCENTURY ROSEWOOD

CUSTOM COLOR

2 LED CRI / CCT

9W

9.5W 800LM / 3000K / 120V

3 CANOPY COLOR

WPC

BPC

WHITE

BLACK

4 POWER CORD

WH

BK

WHITE

BLACK

5 SUSPENSION

STD

EXT

12" – 96"

12" – 240"