




Specifications


SHADE	1/16" thick 3form Varia resin. White Opal top and bottom diffuser.	DIMMING	Dimming 0-10v
LIGHTING	Solid state LED system 120v-277v input 3000k, 3500k or 4000k options 80 CRI light source 27w, 700mA LED Lumens 2131	MOUNTING	Fully adjustable stainless steel aircraft cable. Contact LightArt for lengths over 20'.
HARDWARE	Removable powder coated lid. Canopy and dress plate mounts to standard junction box (junction box provided by others). Surface mount option available. 3/64" stainless steel cables to ceiling. Power cord to canopy.	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
		WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
		STANDARDS	250+ 3form material options (contact LightArt for custom material pricing) TGIC-free powder coat PVC-free power cord

align Declare

Red List Free
Ingredients


MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

DIMENSIONS




CEILING CONNECTIONS

OFFSET JUNCTION BOX



4" OCTAGONAL JUNCTION BOX (BY OTHERS)



CANOPY/DRESS PLATE FINISH OPTIONS



SHADE COLOR OPTIONS



Y Part Number Specification

LA2 COLLECTION

SPECIFICATION CODE

Example: 2 QTY LA2-ESS-Y-4H-WZ-830CK-STD-WPC-WH

	LA2-ESS-Y						
QTY.		1	2	3	4	5	6

Complete form to order LA2 Essentials Y fixture(s). For each number, make one selection and enter in the corresponding box above.

*Indicates modified choices; additional lead times and/or costs may apply.

1 SIZE

- | | |
|------------------------------|------------|
| ☐ 4H | 4" HEIGHT |
| ☐ 8H | 8" HEIGHT |
| ☐ 12H | 12" HEIGHT |

2 MATERIAL

- | | |
|--------------------------------|--|
| ☐ GO | ☐ GESSO |
| ☐ NL | ☐ NATURAL |
| ☐ SO | ☐ SILKEN OYSTER |
| ☐ CR | ☐ CINDER |
| ☐ CB2 | ☐ CRANBERRY x2 |
| ☐ VC | ☐ VITAMIN C |
| ☐ WZ | ☐ WIZARD |
| ☐ MCR | ☐ MIDCENTURY ROSEWOOD |
| ☐ CUST* | ☐ CUSTOM COLOR |

3 LED CRI/CCT

- | | |
|--------------------------------|----------------|
| ☐ 830CK | 80 CRI / 3000K |
| ☐ 835CK | 80 CRI / 3500K |
| ☐ 840CK | 80 CRI / 4000K |

4 SUSPENSION

- | | |
|-------------------------------|------------|
| ☐ STD | 12" - 96" |
| ☐ EXT* | 24" - 240" |

5 CANOPY OPTIONS

- | | |
|------------------------------|-------|
| ☐ WPC | WHITE |
| ☐ BPC | BLACK |

6 POWER CORD

- | | |
|-----------------------------|-------|
| ☐ WH | WHITE |
| ☐ BK | BLACK |



MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS