



Specifications


SHADE	1/16" thick 3form Varia resin.	DIMMING	Dimming 0–10v
LIGHTING	Solid State LED System 120v-277v input; 0-10v dimming compatible 3000k or 4000k options 80 CRI light source 6w LED Lumens 560.95	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
LUMEN MAINTENANCE	Reported TM-21 Lifetimes L90(17k) = 52,600 hours L80(17k) > 102,000 hours L90(17k) > 102,000 hours	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
HARDWARE	Powder-coated backplate mounts to standard junction box in wall (provided by others). Stainless steel mounting screws	STANDARDS	6 week lead time 250+ 3form material options (contact LightArt for custom material pricing) TGIC-free powder coat PVC-free power cord

Square

Fixture Options


SCONCE

DIMENSIONS




8"W x 8"H x 3"D

CANOPY / DRESS PLATE FINISH OPTIONS



WHITE


SHADE COLOR OPTIONS



CINDER



SILKEN
OYSTER



NATURAL



GEDSO



CUSTOM



WIZARD



CRANBERRY
x2



VITAMIN C



MIDCENTURY
ROSEWOOD



Square

Part Number Specification

SCONCE

SPECIFICATION CODE

Example: 2 QTY COL - SQR - SCN - WZ - 830CK - WPB

QTY.

COL - SQR - SCN -

1

2

3

Complete form to order Square Sconce fixture(s). For each number, make one selection and enter in the corresponding box above.
*Indicates modified choices; additional lead times and/or costs may apply.

1 MATERIAL

GO

NL

SO

CR

CB2

VC

WZ

MCR

CUST*

GEDSO

NATURAL

SILKEN OYSTER

CINDER

CRANBERRY ×2

VITAMIN C

WIZARD

MIDCENTURY ROSEWOOD

CUSTOM COLOR

3 LED CRI/CCT

830CK

840CK

80 CRI / 3000K

80 CRI / 4000K

4 BACKPLATE COLOR

WPB

WPB WHITE

align

Declare.

MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

LightArt

206.524.2223

LIGHTART.COM

4770 OHIO AVE S STE B, SEATTLE, WA 98134

SQUARE SCONCE

09/14/26 UPDATE

3/3