

Specifications

SHADE 1/16" thick 3form Varia resin.
White Opal top and bottom diffuser.

LIGHTING Solid state LED system 120v–277v input

3000k, 3500k or 4000k options

80 CRI light source 27w, 700mA LED Lumens 2131

HARDWARE Removable powder coated lid. Canopy and dress

plate mounts to standard junction box (junction box provided by others). Surface mount option available. 3/64" stainless steel cables to ceiling.

Power cord to canopy.

DIMMING Dimming 0–10v

MOUNTING Fully adjustable stainless steel aircraft cable.

Contact LightArt for lengths over 20'.

CERTIFICATION CSA approved to UL standards

Declare label certified

Living Building Challenge compliant

Damp rated

WARRANTY 5 year warranty on all standard components.

LED system rated for operation in ambient

environments up to 25°C.

STANDARDS 250+ 3 form material options

(contact LightArt for custom material pricing)

TGIC-free powder coat PVC-free power cord












Fixture Options


DIMENSIONS




CEILING CONNECTIONS

OFFSET JUNCTION BOX





recess j-box or mounting structure by 1.5"



4" OCTAGONAL JUNCTION BOX (BY OTHERS)



Required for powered units; optional for unlit units

CANOPY/DRESS PLATE FINISH OPTIONS





BLACK

WHITE


SHADE COLOR OPTIONS



CINDER SILKEN **OYSTER**







ROSEWOOD

WIZARD

CRANBERRY













Part Number Specification

SPECIFICATION CODE Example: 2 QTY LA2-ESS-Y-4H-WZ-830CK-STD-WPC-WH					
QTY. LA2-	ESS-Y	3 4 6	6 7		
Complete form to order LA2 Essentials Y fixture(s). For each number, make one selection and enter in the corresponding box above. *Indicates modified choices; additional lead times and/or costs may apply. 3 MATERIAL					
4H 8H 12H	4" HEIGHT 8" HEIGHT 12" HEIGHT	GO NL CR SO CB2	GESSO NATURAL CINDER SILKEN OYSTER CRANBERRY×2	∨C wz MCR CUST*	VITAMIN C WIZARD MIDCENTURY ROSEWOOD CUSTOM COLOR
4 LED CRI/CCT	5	SUSPENSION		6 CANOPY OPTI	ons
830CK 835CK 840CK	80 CRI / 3000K 80 CRI / 3500K 80 CRI / 4000K	STD 12"-96" EXT* 24"-240		WPC BPC	WHITE BLACK
POWER CORD					
☐ WH	WHITE BLACK				







