

Slim Rings

Overview

LA2 COLLECTION



Specifications

SHADE	1/32" thick 3form Varia resin. White Opal top and bottom diffuser.	DIMMING	Dimming 0-10v
LIGHTING	Solid state LED system 120v-277v input 2700K - 4000K 80/90 CRI light source Small 25w / 1301 lumens Medium 40w / 2722 lumens Large 50w / 4174 lumens X-Large 71w / 5626 lumens	MOUNTING	Fully adjustable stainless steel aircraft cable. Contact LightArt for lengths over 20'.
LUMEN MAINTENANCE	Reported TM-21 Lifetimes L90(17k) = 52,600 hours L80(17k) > 102,000 hours L90(17k) > 102,000 hours	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
HARDWARE	Removable TGIC-free powder coated metal lid. Canopy and dress plate mounts to standard junction box (junction box provided by others). 3/64" stainless steel cables to ceiling. Power cord to canopy	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
		STANDARDS	6 week lead time 250+ 3form material options (contact LightArt for custom material pricing) TGIC-free powder coat PVC-free power cord




Slim Rings


Fixture Options

LA2 COLLECTION


DIMENSIONS




22" DIA x 2.5" D x 2.5" H
2.5 LBS



33" DIA x 2.5" D x 2.5" H
4.5 LBS




43" DIA x 2.5" D x 2.5" H
6 LBS




58" DIA x 2.5" D x 2.5" H
8 LBS

CEILING CONNECTIONS

OFFSET JUNCTION BOX





SURFACE MOUNTED



RECESSED*

For recessed canopy, cut 11" dia hole and
recess j-box or mounting structure by 1.5"

4" OCTAGONAL JUNCTION BOX (BY OTHERS)




Required for powered units;
optional for unlit units

CANOPY/DRESS PLATE FINISH OPTIONS



BLACK



WHITE

COLOR OPTIONS



CINDER



SILKEN OYSTER



GESSO



NATURAL



WIZARD



CRANBERRY
x2



VITAMIN C



CUSTOM

align Declare



MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

Slim Rings

Part Number Specification

LA2 COLLECTION

SPECIFICATION CODE

Example: 2 QTY LA2-SLIM-RING-43D-WZ-830CK-STD-CCL-WPC-WH

QTY. **LA2-SLIM-RING** - **1** - **2** - **3** - **4** - **5** - **6** - **7**

Complete form to order LA2 Slim Ring(s). For each number, make one selection and enter in the corresponding box above.

*Indicates modified choices; additional lead times and/or costs may apply.

1 SIZE

- 21.5D 21.5" DIA
- 33D 33" DIA
- 43D 43" DIA
- 57.5D 57.5" DIA

2 MATERIAL

- GO GESSO
- NL NATURAL
- CR CINDER
- SO SILKEN OYSTER
- CB2 CRANBERRY x2
- VC VITAMIN C
- WZ WIZARD
- CUST* CUSTOM COLOR

3 LED CRI/CCT

- 827CK 80 CRI / 2700K
- 830CK 80 CRI / 3000K
- 835CK 80 CRI / 3500K
- 840CK 80 CRI / 4000K

- 927CK 90 CRI / 2700K
- 930CK 90 CRI / 3000K
- 935CK 90 CRI / 3500K

4 SUSPENSION

- STD 12" - 96"
- EXT* 24" - 240"

5 CANOPY OPTION

- CCL CABLES TO CEILING
- CCN* CABLES TO CANOPY*

6 CANOPY COLOR

- WPC WHITE
- BPC BLACK

7 POWER CORD

- WH WHITE
- BK BLACK