







Specifications

SHADE	1/16" thick 3form Varia resin. White Opal top and bottom diffuser.	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
LIGHTING	Solid state LED system 120v-277v input 0-10v dimming compatible 3000k, 3500k or 4000k options 80 CRI light source 9.6W/linear ft. circuits	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
HARDWARE	Removable powder coated lid 10" Canopies and dress plates mount to standard junction box (provided by others) 3/64" stainless steel cables to ceiling Adjustable suspension Power cord to canopy	STANDARDS	250+ 3form material options (contact LightArt for custom material pricing) TGIC-free powder coat PVC-free power cord
		align Declare. Red List Free Ingredients MADE IN USA WITH GLOBAL AND DOMESTIC PRODUCTS	

SHAPES & DIMENSIONS

JUNCTIONS

					
ELBOW 6LBS/12W 14.5"W × 14.5"L × 4"H 14.5"W × 14.5"L × 8"H	ELBOW 120 6LBS/12W 14.5"W × 14.5"L × 4"H 14.5"W × 14.5"L × 8"H	PLUS 11LBS/29W 23"W × 23"L × 4"H 23"W × 23"L × 8"H	TEE 9LBS/22W 14.5"W × 23"L × 4"H 14.5"W × 23"L × 8"H	BRANCH - R 8LBS/22W 13"W × 21"L × 4"H 13"W × 21"L × 8"H	90 7LBS/15W 14.5"W × 14.5"L × 4"H 14.5"W × 14.5"L × 8"H
					
120 6LBS/15W 13"W × 18"L × 4"H 13"W × 18"L × 8"H	60 6LBS/15W 13"W × 15.5"L × 4"H 13"W × 15.5"L × 8"H	FORK 9LBS/22W 18"W × 21"L × 4"H 18"W × 21"L × 8"H	BRANCH - L 8LBS/22W 13"W × 21"L × 4"H 13"W × 21"L × 8"H		

SEGMENTS

		
SEG - S 6LBS/14W 6"W × 23"L × 4"H 6"W × 23"L × 8"H	SEG - M 12LBS/32W 6"W × 46"L × 4"H 6"W × 46"L × 8"H	SEG - L 18LBS/46W 6"W × 68.5"L × 4"H 6"W × 68.5"L × 8"H

ENDS

			
END FLAT 8LBS/19W 6"W × 31.5"L × 4"H 6"W × 31.5"L × 8"H	END ROUND 8LBS/22W 6"W × 32.5"L × 4"H 6"W × 32.5"L × 8"H	END FLAT - S 4LBS/4.8W 6"W × 8.5"L × 4"H 6"W × 8.5"L × 8"H	END ROUND - S 4LBS/4.8W 6"W × 9.75"L × 4"H 6"W × 9.75"L × 8"H


FIXTURE DEPTH *All Fixtures have 6" Width*

 4"H	 8"H
--	---


Shapes

LA2 COLLECTION


SAMPLE CONFIGURATIONS




BRANCHING LINEAR RUNS



CONNECTED GEOMETRIC SHAPES




SEAMLESS LINEAR RUNS




CREATE CUSTOM FIXTURES

CEILING CONNECTIONS

OFFSET JUNCTION BOX




SURFACE MOUNTED




RECESSED

For recessed canopy, cut 11" dia hole and recess j-box or mounting structure by 1.5"



4" OCTAGONAL JUNCTION BOX (BY OTHERS)




Required for powered units; optional for unlit units

CANOPY/DRESS PLATE FINISH OPTIONS



BLACK



WHITE

SHADE COLOR OPTIONS




CINDER



SILKEN OYSTER



GESSO



NATURAL



WIZARD



CRANBERRY
x2



VITAMIN C



CUSTOM



MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

Shapes

Part Number Specification

LA2 COLLECTION

SPECIFICATION CODE

Example: 2 QTY LA2-CON-CONF-4H-WZ-830CK-STD-WPC-WH



QTY.

LA2-CON



1



2



3



4



5



6



7

Complete form to order LA2 Connected Shapes fixture(s). For each number, make one selection and enter in the corresponding box above.

*Indicates modified choices; additional lead times and/or costs may apply.

1 SIZE



4"H

4" HEIGHT



8"H

8" HEIGHT

2 MATERIAL



GO



GEDSO



NL



NATURAL



CR



CINDER



SO



SILKEN OYSTER



CB2



CRANBERRY x2



VC



VITAMIN C



WZ



WIZARD



CUST*



CUSTOM COLOR*

3 LED CRI/CCT



830CK

80 CRI / 3000K



835CK

80 CRI / 3500K



840CK

80 CRI / 4000K

4 SUSPENSION



STD

12" - 96"



EXT*

24" - 240"

5 CANOPY OPTIONS



STM

STANDARD



REC*

RECESSED*

6 CANOPY COLOR



WPC

WHITE



BPC

BLACK

7 POWER CORD



WH

WHITE



BK

BLACK

align Declare.



MADE IN USA
WITH GLOBAL AND
DOMESTIC PRODUCTS

LightArt

206.524.2223 LIGHTART.COM
4770 OHIO AVE S STE B, SEATTLE, WA 98134

LA2 CONNECTED SHAPES
12/08/25 UPDATE 4/4