



LA2 CONNECTED


RINGS & ELLIPSES

LightArt®


LA2 CONNECTED RINGS & ELLIPSES

*A simple modular design process
yields unlimited possibilities.*


1
Choose your
SHAPES



2
Choose your
COLORS



3
Create your
FIXTURE



LA2 Connected is custom lighting without the custom cost.
Using a system of modular lighting shapes,
specify unique configurations tailored to meet
the needs of each project and budget.



CONNECT YOUR SPACE



Choose from a large array of modular parts
to create limitless combinations,
each adaptable to your design goals.



HEALTHCARE Project: Kaiser Permanente Pediatric | Location: Washington, DC | Material: Flurry + Gesso, Amethyst + Gesso | Specifier: ZGF Zimmer Gunsul Frasca Architects















HEALTHCARE Project: USC Norris Healthcare Center | Location: Los Angeles, CA | Material: Gesso, Bark + Gesso, Eggplant + Pomegranate + Gesso | Specifier: HKS







SIZING

					
6' RING (3 SEGMENTS) 8"H: 6'Dia x 8"H x 6"D 4"H: 6'Dia x 4"H x 6"D	8' RING (4 SEGMENTS) 8"H: 8'Dia x 8"H x 6"D 4"H: 8'Dia x 4"H x 6"D	10' RING (4 SEGMENTS) 8"H: 10'Dia x 8"H x 6"D 4"H: 10'Dia x 4"H x 6"D	12' RING (8 SEGMENTS) 8"H: 12'Dia x 8"H x 6"D 4"H: 12'Dia x 4"H x 6"D	14' RING (8 SEGMENTS) 8"H: 14'Dia x 8"H x 6"D 4"H: 14'Dia x 4"H x 6"D	16' RING (6 SEGMENTS) 8"H: 16'Dia x 8"H x 6"D 4"H: 16'Dia x 4"H x 6"D
					
6' x 3' ELLIPSE (4 SEGMENTS) 8"H: 6'L x 3'W x 8"H x 6"D 4"H: 6'L x 3'W x 4"H x 6"D	8' x 4' ELLIPSE (4 SEGMENTS) 8"H: 8'L x 3'W x 8"H x 6"D 4"H: 8'L x 3'W x 4"H x 6"D	10' x 5' ELLIPSE (4 SEGMENTS) 8"H: 10'L x 3'W x 8"H x 6"D 4"H: 10'L x 3'W x 4"H x 6"D	12' x 6' ELLIPSE (8 SEGMENTS) 8"H: 12'L x 3'W x 8"H x 6"D 4"H: 12'L x 3'W x 4"H x 6"D	14' x 7' ELLIPSE (8 SEGMENTS) 8"H: 14'L x 3'W x 8"H x 6"D 4"H: 14'L x 3'W x 4"H x 6"D	16' x 8' ELLIPSE (10 SEGMENTS) 8"H: 16'L x 3'W x 8"H x 6"D 4"H: 16'L x 3'W x 4"H x 6"D

SHADE HEIGHTS



LIGHTING

Solid State LED System
120v-277v input; 24v driver; 0-10v dimming compatible
3000k 81 CRI light source
3500k, 4000k also available
9.6w / linear ft. circuits
Wattage varies based on configuration
Optional Driver: Hi-lume Premier
0.1% EcoSystem constant voltage
LED driver with Soft-on, Fade-to-Black
dimming technology

HARDWARE

Removable powder coated lid
White canopy with white magnetic dress plate mounts to
standard junction box (provided by others)
3/64" stainless steel cables to canopy and/or ceiling
White power cord to canopy
Adjustable 12" to 96" suspension

STANDARDS

4-6 week lead time
250+ color material shade options with
fully enclosed diffuser
5 year limited warranty

ADDITIONAL SAMPLE CONFIGURATIONS

