






## **CONFIGURATION**

Specify Echo in different configurations and fin styles to achieve intriguing geometric patterns engineered to absorb sound.







# SINGLE PENDANT A

Specify Echo as a single pendant to leave more ceiling space visiable for a high acoustic impact light fixture.







# ECHO 🔺

Echo example configuration grids.










SQUARE GRID RUNNING BOND


TRIANGLE GRID


CUSTOM GRID



**ECHO ONE** ▲
Echo One example configuration grids.




















# **ECHO**

### RENDERINGS AND DIMENSIONS



ECHO 35"-8 Fin Style A



ECHO 47"-8 Fin Style A



ECHO 35"-12 Fin Style A



ECHO 47"-12 Fin Style A



ECHO 35"-8 Fin Style B



ECHO 47"-8 Fin Style B



ECHO 35"-12 Fin Style B



ECHO 47"-12 Fin Style B



ECHO 35"-8 Fin Style C



ECHO 47"-8 Fin Style C



ECHO 35"-12 Fin Style C



ECHO 47"-12 Fin Style C

# **CANOPY / DRESS PLATE FINISH OPTIONS**









Black

### **CEILING CONNECTION**

Cable and cord to canopy standard. 5"Dia canopy




# **ECHO ONE**

#### RENDERINGS AND DIMENSIONS



51"Dia x 14"H  $\operatorname{Fin}\operatorname{Style} A$ 



63"Dia x 14"H  $\operatorname{Fin}\operatorname{Style} A$ 



63"Diax 14"H Fin Style A Alternating Fins



51"Diax14"H Fin Style B



63"Dia x 14"H Fin Style B



63"Dia x 14"H Fin Style B Alternating Fins



51"Diax 14"H Fin Style C



63"Dia x 14"H Fin Style C



63"Dia x 14"H Fin Style C Alternating Fins

#### **CANOPY / DRESS PLATE FINISH OPTIONS**









Black

### **CEILING CONNECTION**

Cable to ceiling and cord to canopy standard.  $7.5^{\prime\prime} Dia\, can opy\, with\, 8"\, Dia\, face\, plate.$ 







# **ECHO**

#### HARDWARE

TGIC- free powder coated canopy.
Stainless steel cable and machined hardware with nickel plated brass gripper to allow for adjustable hanging height.

### **SHADES**

Fins and hubs made from 9mm thick PET felt manufactured with 50% post-consumer recycled content. Available in 15 standard colors shown below.

#### LIGHTING

Fixtures are supplied with dimmable 120v LED lamps (U.S. only) and are compatible with TRIAC style dimmers such as a Lutron DV600P. Echo is not 0-10v dimming compatible.

9.5w, 3000k, 800 lumen, 120v is standard. Higher output options: 12.2w, 3000k, 1100 lumen, 120v 17.5w, 3000k, 1600 lumen, 120v

# **CERTIFICATIONS**

Luminaire is UL listed conforming to UL Standard 1598 in the U.S. and CAN/CSA C22.2 No. 250.0 in Canada.

### **ELECTRICAL**

Standard 8' long 3 conductor 18 gauge white halogenfree cord. Black and silver cords are optional (silver cords are not halogen-free). Longer 20' cord length is also an option.

#### MOUNTING

12"-96" fully adjustable stainless steel aircraft cable, contact your LightArt rep for additional lengths up to 20'.

#### WARRANTY

Five-year warranty on all standard components.

# ECHO ONE

#### HARDWARE

TGIC - free powder coated canopy.

Removable powder coated lid. Canopy and dress plate mounted to standard junction box. 3/64" stainless steel cable to ceiling.

#### SHADES

Fins and hubs made from 9mm thick PET felt manufactured with 50% post-consumer recycled content. Available in 15 standard colors, shown below.

#### LIGHTING

 $Solid\,State\,LED\,System, 120v-277v\,input,\,0-10v\\dimming\,compatible,\,3000k,\,80\,CRI\,light\,source\\34w\,LED\,Lumens\,2400\,(estimated)$ 

#### WARRANTY

Five-year warranty on all standard components.

# **COLOR OPTIONS**



