

6' RING

LA2 CONNECTED 6' RING OVERVIEW



STANDARD DIMENSIONS

Custom options available

6'Dia x 4"H

6'Dia x 8"H

MATERIALS

1/16" 3form Varia EcoResin

White Opal diffuser

Fixture price available upon request

SPECIFICATIONS

LIGHTING:

Solid State LED System

120v-277v input;
0-10v dimming compatible

3000k, 3500k or 4000k options
80 CRI light source

9.6w/linear ft. circuits
Fixture Wattage - 115.2w

HARDWARE:

Removable powder coated lid

10" Canopies and dress plates mount to
standard junction box (provided by others)

3/64" stainless steel cables to ceiling

Adjustable suspension

Power cord to canopy

STANDARDS:

4-6 week lead time

CSA Approved to UL standards
250+ 3form material options

Damp Rated

5 year limited warranty

Contact for custom material pricing



Declare.

Red List Free
Ingredients

Last Update: 11.22.21

align People Product Planet

LightArt

4770 OHIO AVE SOUTH, SUITE B, SEATTLE, WA 98134
P: 206.524.2223 | LIGHTART.COM


LA2 CONNECTED | 6' RING
PAGE 1 OF 3

6' RING

LA2 CONNECTED 6' RING FIXTURE OPTIONS

RENDERINGS AND DIMENSIONS

Fixtures
available in 4"
and 8" profiles



6'Dia. x 8"H - 50 lbs
3 sections

SHADE COLOR OPTIONS

3FORM VARIA



Cinder



Silken
Oyster



Gesso



Natural



Wizard



Mid Century
Rosewood



Cranberry x2



Vitamin C

Due to manufacturing and construction process used to create the Essentials and Connected collection, Pattern+ and wood grains will not match at fixture seams. Lead times subject to change.

CANOPY / DRESS PLATE FINISH OPTIONS

STANDARD



White/ White




Black/Black

CEILING HARDWARE

Cables to Ceiling

Recessed canopies or remote mounted

Power supplies available upon request



Declare.

Red List Free
Ingredients

Last Update: 11.22.21

LightArt

4770 OHIO AVE SOUTH, SUITE B, SEATTLE, WA 98134
P: 206.524.2223 | LIGHTART.COM

align People Product Planet

LA2 CONNECTED | 6' RING
PAGE 2 OF 3

6' RING

LA2 CONNECTED 6' RING PART NUMBER SPECIFICATION

Complete form to order Ring fixture(s)

SPECIFICATION CODE Example: 2 QTY LA2-CON-RING-6D-4H-WZ-830CK-STD-STM-WPC-WH

LA2-CON-RING- - - - - - - -

Qty. 1 2 3 4 5 6 7 8

For each number, make one selection and enter in the corresponding box above. *Indicates modified choices; additional lead times and/or costs may apply.

1 SIZE

<input type="checkbox"/> 6D	6D 6'Dia
<input type="checkbox"/> 8D	8D 8'Dia
<input type="checkbox"/> 10D	10D 10'Dia
<input type="checkbox"/> 12D	12D 12'Dia
<input type="checkbox"/> 14D	14D 14'Dia
<input type="checkbox"/> 16D	16D 16'Dia

2 HEIGHT

<input type="checkbox"/> 4H	4" H
<input type="checkbox"/> 8H	8" H

3 MATERIAL

<input type="checkbox"/> GO	<input type="checkbox"/> CB2	<input type="checkbox"/> GO Gesso	<input type="checkbox"/> CB2 Cranberry x2
<input type="checkbox"/> NL	<input type="checkbox"/> VC	<input type="checkbox"/> NL Natural	<input type="checkbox"/> VC Vitamin C
<input type="checkbox"/> CR	<input type="checkbox"/> WZ	<input type="checkbox"/> CR Cinder	<input type="checkbox"/> WZ Wizard
<input type="checkbox"/> SO	<input type="checkbox"/> MCR	<input type="checkbox"/> SO Silken Oyster	<input type="checkbox"/> MCR Mid Century Rosewood
<input type="checkbox"/> CUST		<input type="checkbox"/> CUST* Custom Color	

4 LED CRI / CCT

<input type="checkbox"/> 830CK	830CK 80 CRI / 3000K
<input type="checkbox"/> 835CK	835CK 80 CRI / 3500K
<input type="checkbox"/> 840CK	840CK 80 CRI / 4000K

5 SUSPENSION

<input type="checkbox"/> STD	STD 12"-96"
<input type="checkbox"/> EXT	EXT* 12"-240"

6 CANOPY OPTIONS

<input type="checkbox"/> STM	STM Standard
<input type="checkbox"/> REC	REC* Recessed

7 CANOPY COLOR

<input type="checkbox"/> WPC	WPC White
<input type="checkbox"/> BPC	BPC Black

8 POWER CORD

<input type="checkbox"/> WH	WH White
<input type="checkbox"/> BK	BK Black

*Indicates modified choices; additional lead times and/or costs may apply.



Declare.

Red List Free Ingredients

Last Update: 11.22.21

align People Product Planet