Half Round Overview



Specifications

LIGHTING Solid state LED system. 120v-277v input; 2700K-4000K in CRI >80 or 90; 8W

HARDWARE TGIC-free powder coated backplate mounts to

standard junction box (provided by others) Canopy and dress plate mounts to standard

DIMMING Dimming 0-10v

CERTIFICATION CSA approved to UL standards

Damp rated. ADA Compliant.

WARRANTY 5 year warranty on all standard components. LED system rated for operation in ambient

environments up to 25°C.

STANDARDS

6 week lead time 250+ 3form material options TGIC-free powder coat PVC-free power cord









Half Round Fixture Options

SHAPES & DIMENSIONS SHADE COLOR OPTIONS 3form Varia







TRANSLUCENT SUEDE

Due to manufacturing and construction process used to create the Essentials and Connected collection, Pattern+ and wood grains will not match at fixture seams. Lead times subject to change.

CANOPY / DRESS PLATE FINISH OPTIONS

WHITE







:	SPECIFICATION CODE	Example: 2 QTY COL-HFRD-SCN-12H-LIK-830CK-WPB	
	COL-HFRD-SCN		
Complete form to order Half Round Sconce fixture(s). For each number, make one selection and enter in the corresponding box above. *Indicates modified choices; additional lead times and/or costs may apply.			
0	SIZE	⊘ MATERIAL	
	□ 12H 7"W X 12"H X 4"D	LIN VP LIK TS LI CUST LI CUST LI CUST LI Linea Ivory + Noir VP Veil Pure TS Translucent Suede Varia CUST* Custom Color	
3	LED CRI/CCT	BACKPLATE COLOR	
	827CK	930CK 90 CRI / 3000K WHITE 935CK 90 CRI / 3500K	

*Indicates modified choices; additional lead times and/or costs may apply.





