

### Specifications

SHADE 1/32" Varia

LIGHTING 800 Lumens, 3000K, 9W Max

1600 Lumens, 3000K, 17.5W Max

HARDWARE Removable TGIC-free powder coated metal lid and

PCV-free power cord. Stainless steel cable with nickel plated brass gripper (large size only) to allow for adjustable hanging height. Made with RoHS compliant

parts to ceiling.

**DIMMING** Fixtures are supplied with dimmable 120v LED lamps

are compatible with LED dimmers such as Lutron DVCL-153P. TRIAC-style dimmers are not recommended.

**MOUNTING** Small and Medium sizes are hung from power cords.

Large size is hung with a fully adjustable stainless aircraft cable. Contact LightArt for lengths over 20'.

**CERTIFICATION** CSA approved to UL standards

Declare label certified

Living Building Challenge compliant

Damp rated

**WARRANTY** 5 year warranty on all standard components.

LED system rated for operation in ambient

environments up to 25°C.

STANDARDS 6 week lead time

250+ 3form material options

(contact LightArt for custom material pricing)

TGIC-free powder coat PVC-free power cord











**SHAPES & DIMENSIONS** 




#### **CEILING HARDWARE**

#### Cables to Ceiling



#### CANOPY / DRESS PLATE FINISH OPTIONS



SHADE COLOR OPTIONS

3form Varia



Due to manufacturing and construction process used to create the Essentials and Connected collection, Pattern+ and wood grains will not match at fixture seams. Lead times subject to change.







# RIBBON PENDANTS

## Part Number Specification

RIBBON PENDANTS

S	SPECIFICATION CODE		Example: 2 QTY COL-RIBB-CLOU-12IND-MC-EXT-9W-WPC-WH				
	COL-R	IBB-CLOU-	0 2	3 4	5 6		
Complete form to order Ribbon Cloud pendnats fixture(s). For each number, make one selection and enter in the corresponding box above. *Indicates modified choices; additional lead times and/or costs may apply.							
1 SIZE MATERIAL							
	12IND 24IND 36IND	12" Dia 24" Dia 36" Dia		☐ VP☐ CUST	VP Veil Pure  CUST* Custom Color		
3	LAMPING  9W 17W	9.5W 800LM / 3000					
		TYW IGGGLIVITY GOOK	OK, 120V				
4	SUSPENSION		6 CANOPY COL	OR	6 POWER CORD		
	STD EXT*	12" – 96" 24" – 240"	WPC BPC	WHITE BLACK	☐ WH	WHITE BLACK	

\*Indicates modified choices; additional lead times and/or costs may apply.





