




Specifications

SHADE	1/16" thick 3form Varia resin. White Opal top and bottom diffuser.	MOUNTING	Fully adjustable stainless steel aircraft cable. Contact LightArt for lengths over 20'.
LIGHTING	Solid state LED system. 120v-277v input; 2700K-4000K in CRI >80 or CRI >90. 75W fixture wattage	CERTIFICATION	CSA approved to UL standards Declare label certified Living Building Challenge compliant Damp rated
HARDWARE	Removable TGIC-free powder coated metal lid. Canopy and dress plate mounts to standard junction box (junction box provided by others). 3/64" stainless steel cables to ceiling. Power cord to canopy	WARRANTY	5 year warranty on all standard components. LED system rated for operation in ambient environments up to 25°C.
DIMMING	Dimming 0-10v	STANDARDS	6 week lead time 250+ 3form material options (contact LightArt for custom material pricing) TGIC-free powder coat PVC-free power cord

SHAPES & DIMENSIONS




SHADE COLOR OPTIONS *3form Varia*




Due to manufacturing and construction process used to create the Essentials and Connected collection, Pattern+ and wood grains will not match at fixture seams. Lead times subject to change.

CEILING HARDWARE *Cables to Ceiling*



CANOPY / DRESS PLATE FINISH OPTIONS



SPECIFICATION CODE

Example: 2 QTY LA2-ESS-HEX-4H-WZ-830CK-STD-WPC-WH

LA2-ESS-HEX -
 -
 -
 -
 -

QTY. 1 2 3 4 5 6

Complete form to order Zero fixture(s). For each number, make one selection and enter in the corresponding box above.

*Indicates modified choices; additional lead times and/or costs may apply.

1 SIZE

☐ 4H 4"H
☐ 8H 8"H
☐ 12H 12"H

2 MATERIAL

☐ GO ☐ GESSO
☐ NL ☐ NATURAL
☐ CR ☐ CINDER
☐ SO ☐ SILKEN OYSTER
☐ CB2 ☐ CRANBERRY x2
☐ VC ☐ VITAMIN C
☐ WZ ☐ WIZARD
☐ MCR ☐ MID CENTURY ROSEWOOD
☐ CUST* ☐ CUSTOM COLOR

3 LED CRI/CCT

☐ 827CK 80 CRI / 2700K
☐ 830CK 80 CRI / 3000K
☐ 835CK 80 CRI / 3500K
☐ 840CK 80 CRI / 4000K
☐ 927CK 90 CRI / 2700K

☐ 930CK 90 CRI / 3000K
☐ 935CK 90 CRI / 3500K

4 SUSPENSION

☐ STD 12" – 96"
☐ EXT* 24" – 240"

5 CANOPY COLOR

☐ WPC WHITE
☐ BPC BLACK

6 POWER CORD

☐ WH WHITE
☐ BK BLACK

*Indicates modified choices; additional lead times and/or costs may apply.