

Declare Label Product Guide

Declare is a commitment to materials transparency. It is a nutrition label for architectural and consumer products. More importantly, it is valuable to our clients pursuing Living Building Challenge (LBC), LEED v4.1, and other green building standards.

Declare.

Product Name
Manufacturer

Final Assembly: First City, State, Country;
Second City, State, Country; Third City, State, Country
Life Expectancy: 50 Years
Embodied Carbon: # kg CO₂-eq ■
Declared Unit: # m²
End of Life Options: Recyclable (95%), Landfill (5%),
Take Back Program (Program Name/Location)

Ingredients:

Your First Component: Sustainably Sourced Ingredient;
LBC Red List Ingredient: Your Second Component;
LBC Watch List Priority for Inclusion: Non-Toxic Ingredient;
Undisclosed (<0.1%)²

¹LBC Temp Exception RL-009 Formaldehyde
²LBC Temp Exception RL-004var.a Proprietary Ingredients

Living Building Challenge Criteria: Compliant

I-13 Red List:
☐ LBC Red List Free % Disclosed: 99.9% at 100ppm
☒ LBC Red List Approved **VOC Content:** # g/L
☐ Declared

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Product Available with FSC Chain of Custody

XXX-XXXX
EXP. 01 OCT 2021
Original Issue Date: 20XX

Third Party Verified

MANUFACTURER CLAIMS VERIFIED BY THIRD PARTY VERIFIED ASSESSOR
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

PRODUCT INFORMATION
This section includes final assembly location, life expectancy and end of life options.

PRODUCT INGREDIENTS
What is in this product?

RED LIST COMPLIANCE
Are there Red List Ingredients in this product?

VOC INFO
Does this product off-gas?

LBC Red List Free: The highest level possible shows that a product’s ingredients are 100% disclosed and contain zero “Red List” ingredients, without exception.

LBC Red List Approved: Products with at least 99% of their ingredients disclosed, but may contain ‘Red List’ ingredients that fall under an existing, published LBC Exception. Temporary Exceptions may be granted for small portions of electrical or mechanical components and proprietary ingredients.

Declared: This label discloses 100% of ingredients, and highlights ‘Red List’ ingredients not covered by an exception.

Declare Label Product Guide

LA2 Essentials

The LA2 Essentials feature twelve dynamic lighting solutions handmade in the USA. The versatile line combines innovative fabrication techniques, the latest LED technology with modern design aesthetics, resulting in a collection that is suitable for various applications.

Learn more at lightart.com/products/families/la2



Declare.

LightArt LA2 Lighting Fixtures with PVC-Free Cable 3form

Final Assembly: Salt Lake City, Utah
Life Expectancy: 5 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety
EU CoC Screened: Does Not Contain

Ingredients:

Polymethyl methacrylate; Polyethylene Terephthalate Glycol; Aluminum; Steel; Electrical Components¹; Polyethylene Terephthalate; 2-ethyl-N,N-bis(2-ethylhexyl)hexylamine; Alumina Trihydrate; Barium Sulphate; Copper; Mica; Nylon; POLYESTER RESIN, CROSS-LINKED; Polypropylene; Pulp, cellulose; Titanium dioxide; Undisclosed (< 0.07%)²

¹LBC Temp Exception RL-002 - Small Electrical Components
²LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free % Disclosed: 99.93% at 100ppm
☒ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

LTA-0002
 EXP. 01 DEC 2024
 SCREENED: 27 NOV 2023
 Original Issue Date: 2016



MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
 INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Declare Label Product Guide

LA2 Connected Ellipses, Rings, and Shapes

The LA2 Connected line includes Ellipses, Rings and Shapes made with a simple modular design process that yields unlimited possibilities. LA2 Connected are made in the USA and feature custom lighting without the custom cost. Using a system of modular lighting shapes, specify unique configurations tailored to meet the needs of each project and budget.

Learn more at lightart.com/products/families/la2



Declare.

LightArt LA2 Lighting Fixtures with PVC-Free Cable 3form

Final Assembly: Salt Lake City, Utah
Life Expectancy: 5 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety
EU CoC Screened: Does Not Contain

Ingredients:

Polymethyl methacrylate; Polyethylene Terephthalate Glycol; Aluminum; Steel; Electrical Components¹; Polyethylene Terephthalate; 2-ethyl-N,N-bis(2-ethylhexyl)hexylamine; Alumina Trihydrate; Barium Sulphate; Copper; Mica; Nylon; POLYESTER RESIN, CROSS-LINKED; Polypropylene; Pulp, cellulose; Titanium dioxide; Undisclosed (< 0.07%)²

¹LBC Temp Exception RL-002 - Small Electrical Components
²LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free % Disclosed: 99.93% at 100ppm
☒ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

LTA-0002
 EXP. 01 DEC 2024
 SCREENED: 27 NOV 2023
 Original Issue Date: 2016

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
 INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Declare Label Product Guide

LA2 Slim Beams & Rings

The LA2 Slim Beams and Rings are an ultra lightweight lighting solution, with a flawless glow and extraordinary durability. The LA2 Slim combines forward-thinking technology with LED illumination in a low 2.5" height profile and a variety of length and diameter sizes.

Learn more at lightart.com/products/families/la2



Declare.

LightArt LA2 Lighting Fixtures with PVC-Free Cable 3form

Final Assembly: Salt Lake City, Utah
Life Expectancy: 5 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety
EU CoC Screened: Does Not Contain

Ingredients:

Polymethyl methacrylate; Polyethylene Terephthalate Glycol; Aluminum; Steel; Electrical Components¹; Polyethylene Terephthalate; 2-ethyl-N,N-bis(2-ethylhexyl)hexylamine; Alumina Trihydrate; Barium Sulphate; Copper; Mica; Nylon; POLYESTER RESIN, CROSS-LINKED; Polypropylene; Pulp, cellulose; Titanium dioxide; Undisclosed (< 0.07%)²

¹LBC Temp Exception RL-002 - Small Electrical Components
²LBC Temp Exception RL-004b - Proprietary Ingredients in Declare

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free % Disclosed: 99.93% at 100ppm
☒ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

LTA-0002
 EXP. 01 DEC 2024
 SCREENED: 27 NOV 2023
 Original Issue Date: 2016

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
 INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Declare Label Product Guide

Coil Collection

The Coil Collection is a breakthrough in sustainable lighting design and material science. After years of research and development, LightArt created a line of pendants in a multiple shapes and sizes made from recycled material.

Learn more at lightart.com/products/families/coil



Ocean Coil - Performance Core LightArt

Final Assembly: Salt Lake City, Utah, USA
Life Expectancy: 10+ Year(s)
End of Life Options: Salvageable/Reusable in its Entirety
EU CoC Screened: Does Not Contain

Ingredients:

Steel; Polypropylene; Aluminum; Electrical Components¹; POLYCARBONATES; Pulp, cellulose; Copper; Polymethyl methacrylate; Nylon; POLYESTER RESIN, CROSS-LINKED

¹LBC Temp Exception RL-002 - Small Electrical Components

Living Building Challenge Criteria: Compliant

I-13 Red List:
☐ LBC Red List Free % Disclosed: 100% at 100ppm
☒ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: Not Applicable
I-14 Responsible Sourcing: Not Applicable

TFM-0007
 EXP. 01 AUG 2024
 SCREENED: 06 JUL 2023
 Original Issue Date: 2023

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
 INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Ocean Coil - E26 LED LightArt

Final Assembly: Salt Lake City, Utah, USA
Life Expectancy: 10+ Year(s)
End of Life Options: Salvageable/Reusable in its Entirety
EU CoC Screened: Does Not Contain

Ingredients:

Steel; Polypropylene; Electrical Components¹; Copper; Pulp, cellulose; POLYCARBONATES; Nylon; Acrylonitrile-Butadiene-Styrene Copolymer; POLYESTER RESIN, CROSS-LINKED

¹LBC Temp Exception RL-002 - Small Electrical Components

Living Building Challenge Criteria: Compliant

I-13 Red List:
☐ LBC Red List Free % Disclosed: 100% at 100ppm
☒ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: Not Applicable
I-14 Responsible Sourcing: Not Applicable

TFM-0006
 EXP. 01 AUG 2024
 SCREENED: 06 JUL 2023
 Original Issue Date: 2023

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
 INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Declare Label Product Guide

Ocean Coil Collection

The Ocean Coil Collection combines 3D fabrication with reclaimed ocean plastic. Available in three shapes and sizes and colorways made from ocean-bound and nearshore waste. The stock material's colors come directly from the original material it is upcycled from, such as single use plastic water bottles and plastic bags, to fishing nets, trawls and rope.

Learn more at lightart.com/products/families/coil



Declare.

Ocean Coil - Performance Core LightArt

Final Assembly: Salt Lake City, Utah, USA
Life Expectancy: 10+ Year(s)
End of Life Options: Salvageable/Reusable in its Entirety
EU CoC Screened: Does Not Contain

Ingredients:

Steel; Polypropylene; Aluminum; Electrical Components¹; POLYCARBONATES; Pulp, cellulose; Copper; Polymethyl methacrylate; Nylon; POLYESTER RESIN, CROSS-LINKED

¹LBC Temp Exception RL-002 - Small Electrical Components

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free % Disclosed: 100% at 100ppm
☒ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

TFM-0007
EXP. 01 AUG 2024
SCREENED: 06 JUL 2023
Original Issue Date: 2023

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Declare.

Ocean Coil - E26 LED LightArt

Final Assembly: Salt Lake City, Utah, USA
Life Expectancy: 10+ Year(s)
End of Life Options: Salvageable/Reusable in its Entirety
EU CoC Screened: Does Not Contain

Ingredients:

Steel; Polypropylene; Electrical Components¹; Copper; Pulp, cellulose; POLYCARBONATES; Nylon; Acrylonitrile-Butadiene-Styrene Copolymer; POLYESTER RESIN, CROSS-LINKED

¹LBC Temp Exception RL-002 - Small Electrical Components

Living Building Challenge Criteria: Compliant

I-13 Red List:

☐ LBC Red List Free % Disclosed: 100% at 100ppm
☒ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

TFM-0006
EXP. 01 AUG 2024
SCREENED: 06 JUL 2023
Original Issue Date: 2023

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

Declare Label Product Guide

ACOUSTIC COLLECTION

Accomplish acoustic and lighting goals in one versatile package with the Acoustic Collection. LightArt's research and development created a product line that puts an acoustic solution closer to the source of noise for optimal sound absorption. Perfect for educational facilities, office spaces, restaurants or lobbies and reception areas.

Made from 3form's Sola Felt material with 50% post-consumer recycled PET. Sola Felt is a LBC Red List Free certified material and can be applied to green-building initiative credits.

Learn more at lightart.com/products/families/coil



Declare.

Sola Felt, Clario, Hush Clad, and Tetria Acoustic Solutions 3form

Final Assembly: Salt Lake City, Utah, USA
Life Expectancy: 20 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (Reclaim, Salt Lake City, Utah)
EU CoC Screened: Does Not Contain

Ingredients:

poly(ethylene terephthalate); 3-(hydroxyphenylphosphinyl)propanoic acid; Titanium dioxide; Carbon black; Spinning finish

Living Building Challenge Criteria: Compliant

I-13 Red List:

☒ LBC Red List Free % Disclosed: 100% at 100ppm
☐ LBC Red List Approved VOC Content: Not Applicable
☐ Declared

I-10 Interior Performance: CDPH Standard Method v1.1-2010

I-14 Responsible Sourcing: Not Applicable

TFM-0003
EXP. 01 OCT 2023
SCREENED: 01 SEP 2022
Original Issue Date: 2018

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare