



COIL COLLECTION

FROM WASTE TO WATTS

LightArt






The Coil Collection, a study in scale, color, lighting technology, and sustainability.





The Coil Collection combines research and development, material science, and design to create a closed-loop material made from internal recycled waste.





STYLE C1




9" Dia x 11" H

STYLE C2



12" Dia x 9" H

STYLE C3



11" Dia x 9" H

STYLE C4



9" Dia x 12" H

STYLE C5




8" Dia x 11" H

STYLE C6




8" Dia x 12" H

STYLE C7




8" Dia x 12" H

STYLE D1




22" Dia x 11" H

STYLE D2




17" Dia x 20" H

STYLE D3



16" Dia x 24" H

STYLE E2



6" Dia x 24" H

LIGHTING

LED module with single light emitting source, appropriately thermally managed construction to provide optimal performance. Specifiable in 2700K- 4000K in CRI>80 or CRI>90, Color accuracy within 3 SDCM.

Beam spreads from 25 degree spot to 65 degree wide flood available, achieved with optics that are easily changed in field. Optimized cut-off to light source for glare control and visual comfort.

Suitable for Dry or Damp Locations, indoor use only.

E26 A-Lamp Model also available for models C1-C7. Source lumens 800, delivered lumens approx. 550, 90CRI. Nominal Lifetime 15,000 Hours.

See product spec sheet for detailed specifications.

HARDWARE

TGIC-free powder coated canopy. Stainless steel or black oxide coated cable with nickel plated or black oxide coated (Large size only) to allow for adjustable hanging height. Made with RoHS compliant parts.

C1-C7 hung from PVC-free power cords. D1-D3, E2 hung from a single, fully adjustable stainless steel aircraft cable. Contact studio for lengths over '20.

LEAD TIME

4-6 week lead time.

CERTIFICATION

CSA certified luminaire

MATERIAL



Matte Onyx



Matte Porcelain



Matte Granite Gray



Matte Limestone



Matte Red Clay