

Extrusions

At A Glance

We stock a wide variety of plastic, aluminum, stainless steel and solid brass extrusions

Products

Plastic Extrusions:

We work with the most advanced color labs and production facilities in the world and can duplicate or create plastic extrusions in almost any shape, color, tint, tone, transparency or translucency. For custom plastic extrusions, minimum production runs and color matching fees will apply.

We also offer plastic extrusions in a broad range of available plastics that are not listed.

Material	Properties
ABS (Acrylonitrile Butadiene Styrene)	Rigid material. Good scuff resistance. Good for low temperature performance. Good for color matching. Good chemical resistance.
Acrylic	Rigid, clear material with high clarity. Good weather resistance. Can be modified for extra strength.
Butyrate (Cellulose Acetate Butyrate)	Semi-rigid, clear material with excellent clarity and high gloss. Good for color matching. Can be modified for good weatherability.
Flexible PVC (Polyvinyl Chloride)	Flexible material. Good abrasion resistance. Self healing with good weatherability. Good for color matching. Available in finishes from matte to high gloss.
Low Density Polyethylene (LLDPE, LDPE)	Flexible material. Tough. Good for low temperature performance. Good for color matching. Semi-gloss finish.
PETG (Polyethylene Terephthalate Glycol)	Rigid, clear material with high clarity. Good impact strength.
Styrene (HIPS)	Rigid, clear material. Cost effective. Good for color matching. Can be foamed.
Rigid PVC (Polyvinyl Chloride)	Rigid material. Available in clear or colors. High impact strength. Good abrasion and chemical resistance. Self extinguishing.
Polypropylene	Semi-rigid material. High strength. Good for low temperature performance. Good for color matching. Available in FDA approved grades. Great for use in hinges.
TPE (Thermo Plastic Elastomers)	Very flexible material. Available only in colors. Good performance in a wide range of temperatures.
Polycarbonate	Rigid, clear material with very high clarity. Lightweight with excellent strength. Good for color matching.
Polyurethane	Flexible to semi-rigid material. Available in clear and colors. Good abrasion and chemical resistance. Can be foamed.
Nylon	Rigid material. Excellent wear and abrasion resistance. Good performance in a wide range of temperatures.
Styrolux (Styrene Butadiene Block Copolymers)	Semi-rigid, clear material with excellent clarity and high gloss. Cost effective. Good impact resistance.

Aluminum Extrusions:

We offer aluminum extrusions in a wide variety of stocked and custom anodized and powder coated finishes in almost any color along with wood grain, marble and faux finishes.

Material	Properties
Aluminum	6063 T5 provides good extrudability with a high quality finish and offers some corrosion resistant properties.
Stainless Steel	430 grade is magnetic. Added chromium provides corrosion resistant properties.

In House Engineering & Custom Tool Design

With our in house tooling capabilities and exceptional network of affiliated production partners, we have the largest library of profile tooling available in the industry, enabling us to provide you with profile extrusions without the high cost and delay of having to fabricate new tooling.

Our in house engineers and affiliated production partners can assist you with the design and production of cost effective custom profile extrusions up to 12" in width or larger, manufactured to the most exacting tolerances in your choice of materials.



Color/Finish Matching

Depending on the properties of the material chosen, we can custom color match all of the plastic and aluminum extrusions that we offer by your simply sending us a sample color swatch, chip or item to be matched.

Cutting

We offer a variety of cutting options for our plastic and semi-rigid and rigid aluminum extrusions.

Standard Cut:

Standard Cuts are utilized to reduce freight costs by cutting extrusions to specific sized lengths that can be shipped via UPS or FedEx.

- Low tolerance Standard Cuts are cut to specified sized lengths of 6'x6'; 8'x4' or 4'x4'x4' with a (+/- 1") tolerance for UPS or FedEx Ground shipments
- No more than 2 cuts per length
- Costs vary by quantity and material
- Restocking fees apply to all returned items with the exception of errors on our part

Non-Standard Cut:

Non-Standard Cuts are required when cutting extrusions to specific sized lengths that do not conform to the cut sizes listed in Standard Cuts (For example, a 12' length may be cut to 79" if desired with the customer receiving the balance of the cut length).

- Low tolerance Non-Standard Cuts are cut to specific sized lengths with a (+/- 1") tolerance
- No more than 1 cut per length
- Cuts must be made in full inch increments
- Costs vary by quantity and material
- Cut lengths may or may not meet UPS or FedEx shipping requirements
- No returns allowed with the exception of errors on our part

High Tolerance Secondary Cut

High Tolerance Secondary Cuts are suited for immediate jobsite use when cutting extrusions to specific sized lengths & tighter tolerances.

(For example, a 12' length may be cut to 17'-1/4", 69'-5/16" & 56'-1/8" as required).

- High Tolerance Secondary Cuts are cut to specific sized lengths with a specified (+/- 1/32" to 1/8") tolerance
- Cuts can be made in any quantity per length to different specified sizes
- Costs and tolerances will vary by product, material and quantity of cuts
- No returns allowed with the exception of errors on our part

In Line Cut

In Line Cuts are utilized for extrusions that are custom extruded with the highest tolerances to your specified lengths, and are most cost effective for those requiring minimum production quantities of 5000' or more.

- Providing that the minimum production quantity is met, In Line Cut extrusions can be extruded to any length with a plus side tolerance at no additional cost
- Costs and tolerances will vary by profile and material, and will need to be quoted on a per order basis
- No returns allowed with the exception of errors on our part

Secondary Application of Tape

Whereby many stocked plastic extrusions are available with rubber based, foam or adhesive tape, if required, we can apply adhesive tape either supplied by the customer or us to small quantities of selected extrusions not manufactured with adhesive tape.


- Costs will vary by product, material and quantity, and will need to be quoted on a per order basis
- No returns allowed with the exception of errors on our part

Bagging, Pack Out & Kitting

We can bag, pack out and kit specific items to your requirements in poly bags or boxes together with your extrusion order (Which may include your literature, instructions or other customer provided or purchased products). Costs will vary and will need to be quoted on a per order basis.

Drop Shipping

We can drop ship on your behalf to single or multiple locations either with or without our name or address (Blind Shipping) to meet your requirements. Quoted on a per order basis.



Flexible Polyethylene Tee Moulding

Lengths: 250 Ft. Coils *Sample Chains Available - Please Inquire*

Use S1 or S7 Slotter *unless otherwise noted*



Stock Colors Available

*770 Almond	*742 Angola Brown	*288 Beige	*260 Black	*131 Blue	*386 Bronze ▲	*113 Green	*632 Opti Gray ◆
*175 Putty Gray	*324 Red	*363 Silver	*243 Storm Gray ◆	*315 Brown	*248 Chamois Yellow ◆	*125 Dove Gray	*236 Fresca Green ◆
*212 Folkstone ◆	*253 Gold ▲	*579 Tan	*709 Tan	*614 Toy Blue ◆	*601 White	*895 Yellow	

◆ Available in 5/8", 3/4" & 13/16" widths only
▲ 5000 ft. minimum apply

Woodgrains Available


*817P American Nat. Maple	*866P Natural Oak
*809P Boston Cherry	*747P Teak
*423 Oak	

Cherry is available in 3/4", 13/16" & 1-1/4" only

NOTE: We can supply other colors
- Minimums apply - please inquire



Fits 9/32"




Uses
S065
Slotter

Part #

105-656-260	Black
105-656-315	Brown
105-656-601	White

Fits 3/8"




Uses
S065
Slotter

Part #

105-318-*	Color
-----------	-------

Fits 1/2"




Uses
S065
Slotter

Part #

105-667-*	BK & WH
	Color W/G


Fits 9/16"



Part #

105-668-*	Color
	W/G


Fits 5/8"



Part #

105-662-*	BK & WH
	Color
	W/G

Fits 11/16"




Uses
S065
Slotter

Part #

105-677-*	BK & WH
	Color
	W/G

Fits 3/4"




Uses
S065
Slotter

Part #

105-679-*	BK & WH
	Color
	W/G


Fits 25/32"



Part #

105-2532-*	Color
	W/G

Fits 13/16"




Part #

105-658-*	BK & WH
	Color ◆ W/G

Fits 13/16"


Offset



Part #

105-659-*	Color
-----------	-------


Fits 27/32"



Part #

105-2732-*	Color
	W/G


Fits 7/8"



Part #

105-650-*	Color
	W/G

Fits 1"



Part #


105-651-*	Color
	W/G

SEE PAGE A-12 FOR TEE MOULDING TOOLS & BLADES

Flexible Polyethylene Tee Moulding

Lengths: 250 Ft. Coils *Sample Chains Available - Please Inquire*

Use S1 or S7 Slotter *unless otherwise noted*




Fits 1-1/8"

Part #

105-563-*

Color
W/G




Fits 1-1/8"
Offset

Part #

105-564-*

Color




Fits 1-1/4"
Offset
w/Bead

Part #

105-544-*

Color
W/G

(#747P Teak is non stock - 5000 foot minimum)




Fits 1-3/16"

Part #

105-1316-*

Color




Fits 1-1/4"

Part #

105-543-*

BK & WH
Color
W/G




Fits 1-1/2"

Part #

105-672-*

Color
W/G




Fits 1-1/2"
Offset

Part #

105-673-*


Color
W/G



Fits 1-9/16"

Part #


105-1916-260 Black
105-1916-315 Brown
105-1916-601 White



Fits 1-9/16"
Offset

Part #


105-1917-260 Black
105-1917-315 Brown
105-1917-601 White



Fits 1-5/8"

Part #


105-1058-260 Black
105-1058-315 Brown
105-1058-601 White



Fits 1-5/8"
Offset

Part #

105-1059-260 Black
105-1059-315 Brown
105-1059-601 White



Fits 2"

Uses
S2 or S8
Slotter

Part #

105-2000-260 Black
105-2000-601 White

Flexible Embossed Leatherette Polyethylene Tee Moulding


Lengths: 250 Ft. Coils • Use S1 or S7 Slotter

Colors Available

243 Storm Gray | 260 Black

unless otherwise noted

NOTE: We can supply other colors, minimums may apply. Please inquire




3/4"

Use S065
Slotter

Part #


108-679-260
108-679-243



13/16"

Part #


108-658-260
108-658-243



7/8"

Part #

108-650-260



1-1/4"

Part #

108-543-260



SEE PAGE A-12 FOR TEE MOULDING TOOLS & BLADES

Flexible Metallic Tee Moulding

Streamlining Wrap Around Metallic Film

Lengths: 250 Ft. Coils

Material: PVC Core • Use S1 or S7 Slotter

Finishes Available

*POL/B - Polished Brass


*POL/C - Polished Chrome

*BRU/B - Brushed Brass

*BRU/C - Brushed Chrome

unless otherwise noted

This flexible TEE MOULDING is manufactured from a soft, pliable vinyl which conforms to the contours of any product design with the highly flexible, bright finish surface and underside, it easily turns tight inside and outside corner radius.



<p>1/2"</p> <p>Part # 2487-POL/* 2487-BRU/*</p>	<p>5/8"</p> <p>Part # 2488-POL/* 2488-BRU/*</p>	<p>11/16"</p> <p>Part # 2489-POL/* 2489-BRU/*</p>	<p>3/4"</p> <p>Part # 2490-POL/* 2490-BRU/C</p>
<p>13/16"</p> <p>Part # 2491-POL/* 2491-BRU/C</p>	<p>1"</p> <p>Part # 2492-POL/* 2492-BRU/C</p>	<p>1-1/4"</p> <p>Part # 2493-POL/* 2493-BRU/*</p>	<p>1-1/2"</p> <p>Part # 2494-POL/* 2494-BRU/*</p>

For more Metallic Tee Moulding, please inquire.

Carbide Tipped Tee Moulding Blades

2 Wing Blade



Part#	No. Of Wings	Slot Thickness
S055	2	.055"
S065	2	.065"
S1	2	.075"
S2	2	.080"
S3	2	3/32"
S4	2	1/8"
S5	2	3/16"
S6	2	1/4"

4 Wing Blade



Part#	No. Of Wings	Slot Thickness
S7	4	.075"
S8	4	.080"
S9	4	3/32"
S10	4	1/8"
S11	4	3/16"
S12	4	1/4"
S13	4	.065"

Arbor A1/B1

A1 Arbor w/Locknut & B1 Bearing w/Washer




5/16" Bore
1/4" Shank
1/2" Cut

Complete Set

2 Wing w/Arbor & Bearing

4 Wing w/Arbor & Bearing



Part#	No. Of Wings	Slot Thickness
SJ-055	2	.055"
SJ-065	2	.065"
SJ-1	2	.075"
SJ-2	2	.080"
SJ-3	2	3/32"
SJ-4	2	1/8"
SJ-5	2	3/16"
SJ-6	2	1/4"

Part#	No. Of Wings	Slot Thickness
SJ-7	4	.075"
SJ-8	4	.080"
SJ-9	4	3/32"
SJ-10	4	1/8"
SJ-11	4	3/16"
SJ-12	4	1/4"
SJ-13	4	.065"

Flat Face Bumper Moulding



Lengths: 250 Ft. Coils

Material: PVC

Colors Available

*WH - White


*BK - Black

*DG - Dove Gray

*BR - Brown

*AL - Almond


Custom Colors Available - Please Inquire



Part #

304-812-BK


304-812*



Part #

304-1125-BK


304-1125*



Part #

304-1250-BK


304-1250*



Black Waterfall Bumper Moulding


Material: Matte PVC • Use S4 or S10 Slotter
6 Millimeter • Color Thru and Thru

Unique design allows you to trim from the bottom while keeping the contoured edge on top




Part #

110-075-BK




Part #

110-812-BK




Part #

110-875-BK




Part #

110-100-BK



Part #

110-112-BK




Part #

110-118-BK




Black Poly Bumper Moulding

Lengths: 100 Ft. Coils • Material: Polyethylene • Use S3 or S9 Slotter




Part #

307-750-BK



Part #

307-812-BK



Part #

307-1000-BK

Standard Bumper Moulding



Lengths: 250 Ft. Coils - UPS Shippable/Self Healing

Material: PVC

Colors Available

*WH - White *BK - Black *BR - Brown *DG - Dove Gray
*AL - Almond *RD - Red *SIL - Silver *SG - Slate Gray

unless otherwise noted

<p>1/2"</p> <p>S1 or S7 Slotter</p> <p>Part # 303-576-BK 303-576-WH</p>	<p>1/2"</p> <p>S1 or S7 Slotter</p> <p>Part # 303-575-BK 303-575-*</p>	<p>5/8"</p> <p>S2 or S8 Slotter</p> <p>Part # 303-625-BK 303-625-*</p>	<p>11/16"</p> <p>S2 or S8 Slotter</p> <p>Part # 303-687-BK 303-687-*</p>
<p>3/4"</p> <p>S2 or S8 Slotter</p> <p>Part # 303-750-BK 303-750-*</p>	<p>13/16"</p> <p>S3 or S9 Slotter</p> <p>Part # 303-812-BK 303-812- 303-812-SIL</p>	<p>7/8"</p> <p>S4 or S10 Slotter</p> <p>Part # 303-875-BK 303-875-*</p>	<p>1"</p> <p>S4 or S10 Slotter</p> <p>Part # 303-1000-BK 303-1000- 303-1000-SIL Slate Gray available</p>
<p>1-1/4"</p> <p>S4 or S10 Slotter</p> <p>Part # 303-1250-BK 303-1250-*</p>	<p>1-1/4"</p> <p>WOOD GRAIN</p> <p>S4 or S10 Slotter-100 Ft. Coils</p> <p>Part # 303-1250-OK</p>	<p>1-1/2"</p> <p>S4 or S10 Slotter-100 Ft. Coils</p> <p>Part # 303-1500-BK 303-1500-*</p>	<p>1-3/4"</p> <p>S4 or S10 Slotter-100 Ft. Coils</p> <p>Part # 303-1750-BK 303-1750-*</p>



SEE PAGE A-12 FOR TEE MOULDING TOOLS & BLADES

Glossy Bumper Moulding

Lengths: 50 Ft. Coils

Material: PVC • Use S4 or S10 Slotter • High Profile Design • Minimum 5" Radius


Colors Available

*BK - Black

*DG - Dove Gray

*AL - Almond

*YW - Yellow




Fits 11/16" & 3/4"

Part #

PROPOR3019DRT-*



Material: PVC/Dual Durometer • Use S4 or S10 Slotter • Black
High Profile Design • Can Make 4"-5" Radius



Part #

302-812-BK/BK



250 Ft. Coil
S3/S9 Slotter

Lengths: 50 Ft. Coils

Material: PVC • Use S4 or S10 Slotter

Colors Available

*BK - Black

*WH - White


*DG - Dove Gray

*BR - Brown

*AL - Almond

*RD - Red


*BL - Blue



1-1/4"

Part #

303-1032-BK
303-1032-*



1-1/2"

Part #


303-1038-BK
303-1038-*



Glossy Specialty Angle Bumper Moulding

Lengths: 125 Ft. Coils

Material: Vinyl PVC • Use S4 or S10 Slotter • Black



For 7/8" Board

Part #

310-1000-BK



Lipped Tee Moulding


Lengths: 250 Ft. Coils

Material: Polyethylene

Colors Available

260 - Black


601 - White



S1 or S7 Slotter

Part #

521-812-260
521-812-601



S2 or S8 Slotter

Part #

521-875-260
521-875-601




Double Black Spline

Lengths: 6 Ft.

Material: Styrene


Use S4 or S10 Slotter

Use when attaching mouldings to routed surfaces



Part #

R106-684-BK





Straight Edge Metallic Tee Moulding

Lengths: 12 Ft.
Material: ABS/Mylar - Rigid/Protective Cover • Use S1 or S7 Slotter
Absolutely Wave and Distortion Free • Available From Stock




Finishes Available

*POL/C - Polished Chrome





2-Tone Designer Tee Moulding

Lengths: 250 Ft. Coils • Use S2 or S8 Slotter
unless otherwise noted



For any quantities less than 120 ft. add 10% to the 120 ft. price.

Offset Barb Rippled Tee Moulding



For any quantities less than 120 ft. add 10% to the 120 ft. price.

Aluminum Fillers




Lengths: 12 Ft.

Finishes Available

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

*P - Polished - Shiny/Mirror Finish

*S - Satin/Clear Anodized - Dull, Matte Finish



For any quantities less than 120 ft. add 15% to the 120 ft. price.

Real Aluminum Tee Moulding




Lengths: 12 Ft. • Rippled Face • 4" Minimum Radius

Finishes Available

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

*S - Satin/Clear Anodized - Dull, Matte Finish








New technology allows you to shape and form a variety of designs



Lengths: 12 Ft.
Finishes Available

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines
*P - Polished - Shiny/Mirror Finish
*S - Satin/Clear Anodized - Dull, Matte Finish

Real Aluminum Tee Moulding



For any quantities less than 120 ft. add 15% to the 120 ft. price.

HAND HELD AIR HAMMERS



DANAIR
HAND HELD HAMMER
AH15
(Supplied w/standard blue tip)

IMPORTED
HAND HELD HAMMER
AH25
(Supplied w/standard blue tip)



- OVER **1000 BLOWS PER MINUTE**.
- NO SWINGING.
- Can be used anywhere the smallest hand can reach. Replaces wide variety of cumbersome hammers and mallets. No skilled personnel.
- CONTROL. A single hammer blow or excess of 1000 blows per minute. Adjustable from slightest hammer tap to heavy impact blows.
- VERSATILE. Easily interchangeable hammer tips of super soft hard plastic, steel and aluminum.
- PALM SIZE-LIGHTWEIGHT-SAFE.

LEATHER TOOL GLOVE
FOR AH15 OR AH25 HAMMER
AS-706



REPLACEMENT PARTS

Part #	Description
T-15SS	Hammer Tip
T-15S	Hammer Tip
T-15M	Hammer Tip
T-15H	Hammer Tip
T-15AL	Hammer Tip
T-15ST	Hammer Tip
159	Stem
4-212	"O" Ring
163	Bumper
3-127	"O" Ring
158	Valve
3-114	"O" Ring
4-218	"O" Ring
157	Cap
2-031	"O" Ring
161	Exhaust Seat
162	Plug
156	Housing



HAMMER TIP
T-15SS (Super Soft Plastic) **Red**
T-15S (Soft Plastic) **Blue**
T-15M (Medium Plastic) **Black**
T-15H (Hard Plastic) **Yellow**
T-15AL (Aluminum)
T-15ST (Steel)

AS-OK-15 REPAIR KIT

INCLUDES:
1 - ALL-O-RINGS
1 - AS-ORL-O-RINGS LUBE
1 - 163 BUMPER

AS-319 STROKE CONTROL SPACER
(available as optional accessory)
SHORTENS STROKE BY 1/4"
REDUCES HAMMERING FORCE

Carbide Tipped Tee Moulding Blades

2 Wing Blade



Part#	No. Of Wings	Slot Thickness
S055	2	.055"
S065	2	.065"
S1	2	.075"
S2	2	.080"
S3	2	3/32"
S4	2	1/8"
S5	2	3/16"
S6	2	1/4"

Complete Set



2 Wing w/Arbor & Bearing

Part#	No. Of Wings	Slot Thickness
SJ-055	2	.055"
SJ-065	2	.065"
SJ-1	2	.075"
SJ-2	2	.080"
SJ-3	2	3/32"
SJ-4	2	1/8"
SJ-5	2	3/16"
SJ-6	2	1/4"

4 Wing Blade



Part#	No. Of Wings	Slot Thickness
S7	4	.075"
S8	4	.080"
S9	4	3/32"
S10	4	1/8"
S11	4	3/16"
S12	4	1/4"
S13	4	.065"

Complete Set



4 Wing w/Arbor & Bearing

Part#	No. Of Wings	Slot Thickness
SJ-7	4	.075"
SJ-8	4	.080"
SJ-9	4	3/32"
SJ-10	4	1/8"
SJ-11	4	3/16"
SJ-12	4	1/4"
SJ-13	4	.065"

Arbor A1/B1

A1 Arbor w/Locknut & B1 Bearing w/Washer



- 5/16" Bore
- 1/4" Shank
- 1/2" Cut

Tee Moulding Tools

EDGE TRIMMER 101

THE-QUALITY HSS BLADE (3mm thick, 18% tungsten) has two cutting edges and, therefore, operates both forwards and backwards and effortlessly cuts off all projecting lippings neatly and completely flush-when the additional jaws are used with a chamfer of 30° or 45°. The chamfer is adjustable according to the spacing between the additional jaws. Supplied with a built-in blade and additional jaws 45° mounted, a pair of additional jaws 30° and on fence for plane parallel cutting--the latter for PVC and veneer edges.

With fence for veneer edge & PVC lippings

With additional jaws 45° or 30° for plastic lippings

101-TRIMMER
101XTRA-BLADE

FLUSH TRIMMER

This all metal hand tool features a precise high carbon steel cutting blade that trims excess material from the edge of the T-molding face, creating a smooth flush table or counter surface. The unique circular blade can be rotated to expose a new sharp cutting surface. This feature eliminates the need for frequent sharpening. Heavy cast aluminum housing with ball bearing roller guides facilitates easy operation.



992006-000-0000
992007-000-0000

Notching Tools

The most important "quarter inch" in mitering is that small portion of the barb which is removed by the notching tool. This special "V" cut enables the moulding to negotiate small radii and sharp corners for a clean, smooth installation.



Part#	Description	Punch Thickness
P900R	Vinyl Tee Moulding Notcher - cuts 1/4" radius	0.156"
1870A	Replacement Blade	-
P900A	Aluminum & Vinyl Notcher with 1/16" opening	0.050"
1840A	Replacement Blade (A-Notch)	-
P900V	Channel and Angle Notcher with 3/32" opening	0.090"
848A	Replacement Blade	-

3rd Hand HD

The 3rd hand HD is the help you have been looking for. If you ever wished you had an extra hand, look no further. It is rugged, built to last a lifetime and it's never late for work! Brace, jack or support whatever you need.

- 360° articulating foot
- Pump jack for precision height adjustment
- Telescoping pole, 5' to 12' with ball detents for positive locking
- Great for hanging cabinets, drywall & crown moulding



Part#	Description
3-H-HAND-HD-5	3rd Hand single pack
3-H-2PK-3-HAND-5	3rd Hand twin pack

1 MANUAL EDGE BANDER



For banding pre-glued edges on PVC, polyester, melamine and veneer. It can band both straight and shaped work pieces. Through special design of an adjustable clamp high precision work and reliability are ensured. Guillotine knife for end trimming and roll-holder included as standard equipment.

SPECIFICATIONS:


- Double Insulation
- Max. Banding Width - 50mm
- Temperature - 300°C (570°F) to 525°C (1000°F)
- Air Delivery - 400/min.
- Input Power - 115/230 V, 50-60 Hz.
- Weight - 2,7 Kgs
- Maximum Material Thickness- 1mm

EBS-980

(Includes Edge Bander, Edge Trimmer & End Trimmer)

EBS-980-XBLADE

(Replacement Blade)



2 EDGE TRIMMER

Double edge trimmer. Cuts both sides simultaneously, finishing operations. For edges up to 40mm. For larger edges it can be used as two independent edge trimmers. Top quality long life blades which are easy to replace once worn.



EBS-930

EBS-930-RB

(Replacement Blade)

3 END TRIMMER

Manual end trimmer. It allows a perfect, clean and high quality cut on all the corners of the board. No other finishing operations are needed. Equipped with double sided blades.



EBS-210

EBS-210-RB

(Replacement Blade)

Trims up to
1mm each side.
Max Edge Width: 2.4"

Multipurpose Cutter

CT-2000

WITH 5 INTERCHANGEABLE ANVILS IN A CONVENIENT STORAGE CASE



MITER ANVIL
For mitering at multiple angles.



SINGLE RADIUS ANVIL
For 1" dia. material.



For 90° angles.



FLAT ANVIL
For straight and flat cuts.



DOUBLE RADIUS ANVIL
For 5/8" and 3/4" dia. material.



- Heavy duty forged steel blade for extra tough materials.
- Ergonomic handle for comfortable use.
- Lightweight diecast aluminum anvils.

REPLACEMENT PARTS AVAILABLE:



BLADE
CT-BLD



RIGHT ANGLE ANVIL
CT-RAA



SINGLE RADIUS ANVIL
CT-SRA



DOUBLE RADIUS ANVIL
CT-DRA



MITER ANVIL
CT-MA



FLAT ANVIL
CT-FA.



PSSR

Pro Carpenter Tape Measure

- 16 ft. length
- Built-in pencil sharpener
- Erasable note pad
- Belt clip
- Locks in place from the top or bottom
- Numbers can be read from both left and right hands



CL46 Clipper

DELIVERS QUICK CLEAN CUTS

Plastic Tubing - Rubber
- **Weather Stripping**
- **Rope - Twine - Leather**
- **Plants/Shrubs - Crafts**
- **Wood Trim - Carpeting**
- **Linoleum - Auto Trim**
- **Auto Belts & Hoses - Nylon and much more!**

- Replacement stainless steel blades (previously carbon)
- New convenient blade storage in the handle blade tray slips into handle for storage of extra blades.
- Now available in 2 sizes: 2-1/2" & 3-7/8".
- New replacement kit contains 3 stainless steel blades and 1 anvil: complete with storage tray.

CL46-25...2-1/2" Clipper

CL46...3-7/8" Clipper

Replacement Kits: **CL46-25RK**
CL46RK

Utility Knives / Scraper

BIG BLUE LARGE BREAKAWAY BLADE UTILITY KNIFE

- Blue plastic casing
- Includes one blade with 7-point segments
- Replacement blades available

BBK-80K

Replacement Blades:

- Must be purchased in multiples of 12 pieces

BBK-80B



Made in China

DIECAST UTILITY KNIFE

- High quality pewter die casting handle
- 10-steps positioning lock
- Lock blade compatible, each furnished with one blade

DCB-219K



RAZOR BLADE SCRAPER

- Yellow plastic casing Includes one blade
- Replacement blades available

#S98-20S


Replacement Blades:

- Must be purchased in multiples of 5 pieces

S98-SB5



Peel & Stick Edgebanding



- Just peel and stick it
- Bond increases in strength with time
- 50' & 250' rolls
- 600' rolls available (PVC Only), Please Inquire
- .020 thickness
- Custom colors and sizes up to 5" available for 1 roll minimum, please inquire

Part #	Description	Size
FESP-34-*	PVC Solid	3/4"
FEWP-34-*	PVC Wood Grain	
FESW-34-*	Unfinished Wood	
FEPW-34-*	Finished Wood	
FEME-34-*	Metallic PVC	15/16"
FESP-1516-*	PVC Solid	
FEWP-1516-*	PVC Wood Grain	
FESW-1516-*	Unfinished Wood	
FEPW-1516-*	Finished Wood	
FEME-1516-*	Metallic PVC	

PVC (Solids, Woodgrains and Metallics)

*WH White	*RN Renaissance Oak	(*CM) Clear Maple	*BR Brushed Brass	*GC Golden Cherry
*AW Antique White	(*MD) Medium Oak	*AM American Maple	*PBR Polished Brass	*DC Dark Cherry
*AL Almond	(*LO) Light Oak	*NC Natural Cherry	*BCHR Brushed Chrome	*HT Heritage Cherry
*BK Black	(*HM) Hardrock Maple	*PW Presidential Walnut	*PCHR Polished Chrome	*AC Autumn Cherry
*DG Fog Gray	(*MM) Manitoba Maple	*IW Imperial Walnut	*SC Select Cherry	*FC Fuji Cherry
*LG Folkstone Gray	(*LM) Light Maple	*MW Mahogany on Walnut	*MC Medium Cherry	*RM Red Mahogany
*NO Natural Oak	*BE Beech	*KP Knotty Pine	*BC Bourbon Cherry	*DM Dark Red Mahogany
*GO Golden Oak				

Unfinished (Real Wood)

*RO Red Oak	(*MP) Maple	*WA Walnut	*WO White Oak	(*CH) Cherry
-----------------------	-----------------------	----------------------	-------------------------	------------------------

Pre-finished (Real Wood)

*FRO Red Oak	*FMP Maple	*FB Birch	*FWO White Oak	*FCH Cherry	*FWA Walnut
------------------------	----------------------	---------------------	--------------------------	-----------------------	-----------------------

For more Unfinished and Pre-finished colors, please inquire.

Polyester / Real Wood Veneer Edgebanding

PEEL & STICK POLYESTER EDGE BANDING IN COLOR

Stocked Colors Available

***WH** - White ***BK** - Black



Part #	Width
PE-500*	1/2"
PE-625*	5/8"
PE-750*	3/4"
PE-812*	13/16"
PE-1000*	1"
PE-1500*	1-1/2"

Lengths: 250 Ft. Coils



- Works With Most Foam Board Edges

PEEL & STICK REAL WOOD VENEER EDGE BANDING

Stocked Colors Available

***RO** - Red Oak ***WO** - White Oak
***WB** - White Birch



Part #	Width
VE-500-RO	1/2"
VE-750*	3/4"
VE-812-RO	13/16"
VE-1000-RO	1"

- Butt Joint
- Pre-Sanded
- Stainable

Colors Available

*WH - Frost White *BK - Black


Part #	Size
IOC625-BK	5/8"
IOC750-*	3/4"
IOC812-*	13/16"
IOC875-*	7/8"
IOC100-BK	1"
IOC1125-BK	1-1/8"
IOC1250-BK	1-1/4"
IOC150-BK	1-1/2"



Real Wood Veneer Fleece Edge Available

*RD - Red Oak *WO - White Oak *WB - White Birch *CH - Cherry


Part #	Size
IOV750-*	3/4"
IOV812-*	13/16"
IOV875-WB	7/8"
IOV100-RO	1"
IOV1250-*	1-1/4"



Metal Like Trims

Edgebanding and profile wrapping comes in a diverse range of finishes with a clear protective film on the front, and a standard .020" thickness.

Peel & Stick Finishes Available



*POL/B
Polished Brass



*POL/C
Polished Chrome



*BRU/B
Brushed Brass



*BRU/C
Brushed Chrome




*BRU/SS
Brushed
Stainless Steel



*BK
Gloss Black

DESIGNED FOR ALL TRIM APPLICATIONS

- MATERIAL: Deposits of metallized plastic with a durable lacquered finish, laminated to a THERMOPLASTIC BACKER.
- PROTECTIVE COVER
- Can be sawed, cut or routed without delamination.
- CLEAN, FINISHED EDGES WITHOUT FILING
- Scratch resistant



250 FT. COIL NTP TRIM
(With Adhesive) .020 Thickness

Part #	Size
NTP-25-*	1/4"
NTP-50-*	1/2"
NTP-75-*	3/4"
NTP-875-*	7/8"
NTP-1-*	1"
NTP-1-25-*	1-1/4"
NTP-1-50-*	1-1/2"
NTP-2-*	2"
NTP-3-*	3"
NTP-6-*	6"
NTP-24-*	24" - 50 ft. coil

500 FT. COIL NTP TRIM
(Primed/No Adhesive) .020 Thickness

Part #	Size
ET-50-*	1/2"
ET-75-*	3/4"
ET-875-*	7/8"
ET-1-*	1"
ET-1-125-POL/C	1-1/8"
ET-1-25-*	1-1/4"
ET-1-50-*	1-1/2"
ET-2-*	2"
ET-3-*	3"
ET-6-*	6"
ET-24-*	24" - 50 ft. coil

■ NOTE: ET TRIMS ARE PRIMED FOR USE WITH
AUTOMATIC EDGEBOARDING EXCEPT GLOSS BLACK

Matching 4' x 8' sheets are available. Please inquire.

Additional Widths are available - please call with your inquiry



INTRODUCING A COMPLETE LINE OF REHAU EDGEBANDING We Can Match Virtually Any Laminate Color! FOR AUTOMATIC EDGEBANDERS

Thin Edgeband

AVAILABLE WIDTH SIZES: 5/8", 3/4", 7/8", 15/16" & 1-5/16"
THICKNESS: .018 & .020 - 600 FT. COILS



This PVC edgebanding is ideal for thinner panels in a variety of sizes and colors.

Part#	Size	Color Or Woodgrain	Thickness	Coil Size
PVC58-BLK	5/8"	Black	0.018"	600
PVC58-ALM	5/8"	Almond	0.018"	600
PVC75-FK	3/4"	Folkstone	0.018"	600
PVC75-WHT	3/4"	White	0.018"	600
PVC75-HRM	3/4"	Hard Rock Maple	0.018"	600
PVC875-BLK	7/8"	Black	0.018"	600
PVC875-ALM	7/8"	Almond	0.018"	600
PVC875-HRM	7/8"	Hard Rock Maple	0.018"	600
PVC1516-BLK	15/16"	Black	0.018"	600
PVC1516-AS	15/16"	Afternoon Showers	0.018"	600
PVC1516-FM	15/16"	Fusion Maple	0.018"	600
PVC1312-BLK	1-5/16"	Black	0.02"	600
PVC1312-FOG	1-5/16"	Fog	0.02"	600
PVC1312-AFRW	1-5/16"	African Walnut	0.02"	600

Spectraband®

AVAILABLE WIDTH SIZES: 15/16" & 1-5/16"
THICKNESS: 1MM - 600 FT. COILS (Only Available 15/16" Width), 2MM & 3MM-300 FT. COILS



Comprised of durable impact resistant and rigid PVC. This edging is ideal for high traffic areas and has superior machinability for easier processing.

Part#	Size	Color Or Woodgrain	Thickness	Coil Size
PVC1M-ALM	15/16"	Almond	1mm	600
PVC1M-BLK	15/16"	Black	1mm	600
PVC2M-ALM	15/16"	Almond	2mm	300
PVC2M-BLK	15/16"	Black	2mm	300
PVC13123M-ALM	1-5/16"	Almond	3mm	300
PVC13123M-BLK	1-5/16"	Black	3mm	300
PVC13123M-FM	1-5/16"	Fusion Maple	3mm	300

Flexedge®

AVAILABLE WIDTH SIZES: 15/16" & 1-5/16"
THICKNESS: 3MM - 300 FT. COILS



This is a durable impact resistant semi-rigid PVC edge band, handles a radius as small as 12MM without extra pressure or excess adhesive. The flexible 3MM material trims easily and is ideal for use with contour edgebanders.

Part#	Size	Color Or Woodgrain	Thickness	Coil Size
PVC3MF-ALM	15/16"	Almond	3mm	300
PVC3MF-BLK	15/16"	Black	3mm	300
PVC13123MF-ALM	1-5/16"	Almond	3mm	300
PVC13123MF-BLK	1-5/16"	Black	3mm	300
PVC13123MF-CS	1-5/16"	Congo Spruce	3mm	300

INTRODUCING A COMPLETE LINE OF REHAU EDGEBANDING

We Can Match Virtually Any Laminate Color!

FOR AUTOMATIC EDGEBANDERS

Eco Style™ ABS Edgeband

AVAILABLE WIDTH SIZES: 15/16" & 1-5/16"

THICKNESS: .018, .020 - 600 FT. COILS, 3MM - 300 FT. COILS



ABS is chlorine - free both in its manufacture and in the final product. Unlike PVC, ABS may be incinerated with general waste. Additionally, this thermoplastic material is impact and temperature resistant, lighter in weight and highly heat resistant. Material is produced in our North American facility according to ISO 14001 environmental standards.

Part#	Size	Color Or Woodgrain	Thickness	Coil Size
ABS1516-FOG	15/16"	Fog	0.018"	600
ABS1516-BLK	15/16"	Black	0.018"	600
ABS1516-GW	15/16"	Gunstock Walnut	0.018"	600
ABS1312-WHT	1-5/16"	White	0.02"	600
ABS1312-BLK	1-5/16"	Black	0.02"	600
ABS3MM-WHT	15/16"	White	3mm	300
ABS3MM-BLK	15/16"	Black	3mm	300
ABS13123-FK	1-5/16"	Folkstone	3mm	300
ABS13123-BLK	1-5/16"	Black	3mm	300

Visions™ Glass Like

AVAILABLE WIDTH SIZES: 23MM & 45MM

THICKNESS: 2MM - 328 FT. COILS



Glass is synonymous with clarity, light and openness, with visions™ edgeband achieves the unique appearance of real glass using lightweight, robust polymer. We create the illusion of depth by applying a decorative print to the underside of transparent Poly (Methyl Methacrylate PMMA) material. When this material is radiused or beveled, it diffuses light in the same way as real glass. By combining vision edgeband with matching boards or laminates, you can achieve the appearance of a real sheet of glass.

Part#	Size	Color	Thickness	Coil Size
VEB232M-IB	23mm	Ice Blue	2mm	328
VEB452-IB	45mm	Ice Blue	2mm	328

Magic™ Metallic

AVAILABLE WIDTH SIZES: 22MM, 28MM & 43MM

THICKNESS: 1.5MM - 492 FT. COILS



Using various combination of genuine aluminum edgeband and polymers, Magic™ Metallic edgeband achieves the look and feel of metal banding without its processing drawbacks. The magic collection, offered in aluminum and stainless steel finishes, includes metallic surface, translucent and magic creativo™, a twin level solid or printed surface with metallic overlay.

Part#	Size	Color	Thickness	Coil Size
MM2215	22mm	Magic Metallic Aluminum Finish	1.5mm	492
MM2815	28mm	Magic Metallic Aluminum Finish	1.5mm	492
MM4315	43mm	Magic Metallic Aluminum Finish	1.5mm	492

Half Round Trim




Material: PVC/Film - w/Foam Tape

Finishes Available

*POL/B - Polished Brass

*POL/C - Polished Chrome

unless otherwise noted




1/4"

PVC/Film
100 Ft. Coils - Flexible

Part #

2301-*





1/4"

Vinyl - 100 Ft. Coils
Brite Brass (*B/B) &
Brite Chrome (*B/C)

Part #

CFWW250-*




3/8" Light

PVC/Film
100 Ft. Coils - Flexible

Part #

2004-POL/C-100




3/4"

PVC/Film - 250 Ft. Coils

Part #

2782-*

Flat Trim




Material: ABS/Film - w/Foam Tape

Finishes Available

*POL/B - Polished Brass

*POL/C - Polished Chrome

unless otherwise noted




3/4"

100 & 500 Ft. Coils
All Polished Chrome
PVC/film

Part #

6107-POL/C




3/4"

12 Ft. Lengths

Part #

2190-*



Multi Purpose
Cutter Available
CT-2000

▲ For any quantities less than 120 ft. add 10% to the 120 ft. price.

OUTWATER INDUSTRIES, INC. • www.outwater.com

Lengths: 12 Ft.
Material: PVC
unless otherwise noted

<p>Fits 1/16"</p> <p>Material: Butyrate</p> <p>Part # 2128-CL</p>	<p>Fits 1/16"</p> <p>Gap adjustable</p> <p>Material: Butyrate</p> <p>Part # 708-CL</p>	<p>Fits 1/8"</p> <p>Material: Butyrate</p> <p>Part # 130-CL</p>	<p>Fits 3/16"</p> <p>Material: Styrolux</p> <p>Part # 142F-CL</p>
<p>Fits 1/4"</p> <p>Material: Butyrate</p> <p>Part # 141-CL</p>	<p>Fits 11/64"</p> <p>Material: Butyrate</p> <p>Part # 1059-CL</p>	<p>Fits 1/4"</p> <p>Material: Butyrate</p> <p>Part # 1830-CL</p>	<p>Fits 1/4"</p> <p>.060 wall thickness</p> <p>Material: Butyrate</p> <p>Part # P2743</p>
<p>Fits 1/4"</p> <p>Material: Butyrate</p> <p>Part # 131-CL</p>	<p>Fits 1/4"</p> <p>Material: Butyrate</p> <p>Part # 2014-CL</p>	<p>Fits 3/8"</p> <p>Material: Butyrate</p> <p>Part # 383-CL</p>	<p>Fits 3/8"</p> <p>Material: Butyrate</p> <p>Part # 385-CL</p>
<p>Fits 1/2"</p> <p>Material: Butyrate</p> <p>Part # 121-CL</p>	<p>Fits 5/8"</p> <p>Material: Butyrate</p> <p>Part # 585-CL</p>	<p>Fits 3/4"</p> <p>Material: Butyrate</p> <p>Part # 341-CL</p>	<p>Fits 1"</p> <p>Material: Butyrate</p> <p>Part # 100-CL</p>

PROTOTYPE SAMPLES

We are happy to provide samples for prototypes & design builds.
- Please Inquire

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Color U-Channel Moulding

Lengths: 12 Ft.
Material: Styrene

Colors Available

*WH - White *BK - Black *BE - Beige *SIL - Silver
unless otherwise noted

<p>Fits Up To 1/8"</p> <p>8 & 10 Ft. Lengths</p> <p>Part # 132-* Please Inquire</p>	<p>Fits Up To 1/8"</p> <p>8 & 10 Ft. Lengths</p> <p>Part # 130-*</p>	<p>Fits 1/8"</p> <p>Part # R104-581-*</p>	<p>Fits 3/16"</p> <p>Part # R104-582-*</p>
<p>Fits 1/8"</p> <p>8 Ft. Lengths Material: PVC</p> <p>Part # 106-4808-*</p>	<p>Fits 5/32"</p> <p>Material: High Gloss ABS/Film</p> <p>Part # 2326-BK</p>	<p>Fits 7/32"</p> <p>Part # R104-744-*</p>	<p>Fits 3/16"</p> <p>Material: Styrolux</p> <p>Part # 142F-*</p>
<p>Fits 1/4"</p> <p>Silver Material: PVC</p> <p>Part # 141-* 141-SIL</p>	<p>Fits 1/4"</p> <p>Part # R104-588-*</p>	<p>Fits Up To 1/4"</p> <p>8 & 10 Ft. Lengths</p> <p>Part # 131-*</p>	<p>Fits 5/16"</p> <p>Part # R104-4016-*</p>
<p>Fits 3/8"</p> <p>Part # 383-*</p>	<p>Fits 3/8"</p> <p>Part # R104-589-*</p>	<p>Fits Heavy 3/8"</p> <p>8 Ft. Lengths Material: Rigid PVC</p> <p>Part # 133-BK 133-SIL</p>	<p>Fits 1/2"</p> <p>Silver Material: PVC</p> <p>Part # 121-* 121-SIL</p>

PROTOTYPE SAMPLES

We are happy to provide samples for prototypes & design builds.
- Please Inquire

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Lengths: 12 Ft.

Material: Styrene

Colors Available

*WH - White


*BK - Black

*BE - Beige

*SIL - Silver


unless otherwise noted

Fits 1/2"




Part #
212-*

Fits 1/2"




Part #
R104-683-*

Fits 9/16"




Part #
PLEC-*

Fits 5/8"




Part #
585-*

Fits 5/8"




Part #
158-*

Fits 5/8"




Part #
R104-554-*

Fits 3/4"




Part #
R104-569-*

Fits 3/4"




Part #
341-
341-SIL

Fits 1"




Part #
100-*

Fits 1-1/16"




Part #
R104-5145-*

Fits 1-1/4"




Part #
114-*

Fits 1-1/2"



Part #
112-*

Fits 2"



Part #
110-*

PROTOTYPE SAMPLES

We are happy to provide samples for prototypes & design builds - Please inquire.



Largest Stocking Distributor in the USA

ALUMINUM PROFILES & SHAPES

Wide Variety of Finishes

Available in 12 Ft. Lengths

- Angle (Even/Uneven) Mouldings...pg. A-39
- Cap & Divider Mouldings...pgs. A-31 ~ 32
- Channel Mouldings...pgs. A-25 ~ 26
- Corner Mouldings...pg. A-33
- Cove Mouldings...pg. A-37
- Filler Tee Mouldings...pg. A-10
- No Notch & Real Tee Mouldings...pg. A-11
- Price Tag Mouldings...pg. B-3
- Rounded Trim Mouldings...pg. A-35
- Tubes, Rods, Bars & Squares Shapes...pg. A-47
- Showcase Mouldings...pg. A-35
- Sliding Door Track Mouldings...pg. A-43
- Z Bar Mouldings...pgs. B-36 & B-46

10 Million Feet of Stocked Extrusions


For any quantities less than 120 ft. add 10% to the 120 ft. price.

UV Stabilized U-Channel Moulding

Cut Program Available
SEE PAGE A-3 FOR DETAILS


Lengths: 12 Ft.
Material: RPVC
Color: Satin White Sheen

Fits 3/8"




Part #
383UV-WH

Fits 3/8"




Part #
385UV-WH

Fits 1/2"




Part #
121UV-WH

Fits 5/8"



Part #
585UV-WH

Fits 3/4"




Part #
341UV-WH

Gloss Black U-Channel Moulding


Lengths: 12 Ft.
Material: RPVC
Color: Gloss Black

Fits 3/8"




Part #
383R-BK

Fits 1/2"



Part #
121R-BK

Fits 3/4"



Part #
341R-BK













PROTOTYPE SAMPLES

We are happy to provide samples for prototypes & design builds.
- Please Inquire




For any quantities less than 120 ft. add 10% to the 120 ft. price.

Flexible U-Channel Moulding

Material: Dense Neoprene • Rubber Black











 <p>Fits 1/32"</p> <p>500 Ft. Coils</p> <p>Part # 113-1001</p>	 <p>Fits 1/16"</p> <p>500 Ft. Coils</p> <p>Part # 113-1002</p>	 <p>Fits 1/8"</p> <p>500 Ft. Coils</p> <p>Part # 113-1003</p>	 <p>Fits 3/16"</p> <p>500 Ft. Coils</p> <p>Part # 113-1004</p>
 <p>Fits 1/4"</p> <p>250 Ft. Coils</p> <p>Part # 113-1005</p>	 <p>Fits 1/32"</p> <p>500 Ft. Coils</p> <p>Part # 113-2000</p>	 <p>Fits 1/16"</p> <p>500 Ft. Coils</p> <p>Part # 113-2010</p>	 <p>Fits 1/16"</p> <p>500 Ft. Coils</p> <p>Part # 113-2013</p>
 <p>Fits 1/8"</p> <p>250 Ft. Coils</p> <p>Part # 113-2020</p>	 <p>Fits 1/16"</p> <p>1000 Ft. Coils</p> <p>Part # 113-3010</p>	 <p>Fits 1/8"</p> <p>1000 Ft. Coils</p> <p>Part # 113-3015</p>	 <p>Fits 3/16"</p> <p>500 Ft. Coils</p> <p>Part # 113-3030</p>

Material: Flexible PVC • Rubber Black

 <p>Fits 1/2"</p> <p>100 Ft. Coils</p> <p>Part # 808-500-BK</p>	 <p>Fits 5/8"</p> <p>100 Ft. Coils</p> <p>Part # 808-625-BK</p>	 <p>Fits 3/4"</p> <p>50 Ft. Coils</p> <p>Part # 808-750-BK</p>
--	--	---

Material: PVC w/Segmented Metal Core / Aluminum Core • Embossed Vinyl • Black or White

- Used for classic car, bus, snowmobile, air and other industries
- Made with a tough PVC cover with a metal segmented core / aluminum core, our channel provides an aesthetic and protective edge trim
- Easy to install with a strong clip-on grip
- Does not need tacking, gluing or riveting
- Used with metal, plastic, fiberglass, glass and wood to cover sharp edges and flanges.
- Labor saving product that can eliminate the need to deburr or remove sharp edge and painting.

		 <p>Fits 1/8"</p> <p>100 Ft. Coils</p> <p>Part # 809-317-BK 809-317-WH</p>	 <p>Fits 3/16"-1/4"</p> <p>125 Ft. Coils</p> <p>Part # 809-343-BK 809-343-WH</p>
 <p>Fits 1/2"</p> <p>150 Ft. Coils</p> <p>Part # 809-349-BK 809-349-WH</p>	 <p>Fits 5/8"</p> <p>100 Ft. Coils</p> <p>Part # 809-837-BK</p>	 <p>Fits 3/4"</p> <p>100 Ft. Coils</p> <p>Part # 809-838-BK</p>	 <p>Fits 1/8"</p> <p>250 Ft. Coils</p> <p>Part # 812-125-BK</p>
 <p>Fits 1/32"-1/8"</p> <p>200 Ft. Coils</p> <p>Part # 810-318-BK</p> <p>Aluminum Core</p>	 <p>Fits 3/16"-1/4"</p> <p>125 Ft. Coils</p> <p>Part # 810-443-BK</p> <p>Aluminum Core</p>	 <p>Fits 1/2"</p> <p>150 Ft. Coils</p> <p>Part # 810-449-BK</p> <p>Aluminum Core</p>	 <p>Fits 1/16"</p> <p>250 Ft. Coils</p> <p>Part # 815-062-375T</p> <p>Aluminum Core</p>


Material: MDS Modified Nylon • **Lengths:** 100 Ft. Coils • **Color:** Dark Gray

unless otherwise noted


By adding Molybdenum Disulphide to Nylon 6, our profiles feature advanced mechanical and thermal properties over plain nylon including:

- **SUPERIOR HEAT RESISTANCE**...resist distortion to 300° with a maximum continuous use temperature of 250°
- **SUPERIOR WEAR RESISTANCE AND SURFACE LUBRICITY**...in many cases outwears metal and are not vulnerable to fretting & galvanic corrosion
- **SUPERIOR DIMENSIONAL STABILITY, STRENGTH AND RIGIDITY**...maintain better fit while having greater tensile and compression strength in use


Fits up to 1/16"




Fits 1/16"-1/8"




Fits 1/8"-1/4"




Fits 1/16"-3/32"




Fits 1/8"



Fits 1/8"-3/16"




Fits 1/4"-5/16"




Square Back


Fits 1/16"



Fits 1/8"




Fits 1/4"




Polyethylene U-Channel


Lengths: 100 Ft. Coils • **Color:** Black




Fits 1/8"




Fits 1/8"




Fits 1/4"




Fits 1/8"



Fits 1/4"



Fits 3/8"




Aluminum Channel Moulding


Finishes Available

Lengths: 12 Ft. • Material: Aluminum

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines
 *S - Satin/Clear Anodized - Dull, Matte Finish
 *BK - Black Powder Coated Finish
 *ORB - Oil Rubbed Bronze Finish
 *P - Polished - Shiny/Mirror Finish
 *BS - Brushed Satin - Lightly Brushed (Shows Grain) Satin Finish
 *WH - Glossy White Powder Coated Finish
 Other Colors Available, Please Inquire. *Samples Are Available*




Fits 1/8"



Part #
ALU757-*


Fits 1/4"



Part #
ALU257-*




Fits 1/4"




Part #
ALU782-*

Fits 9/32"




Part #
ALU1257-*

Fits 5/16"




Part #
ALU148-*

Fits 3/8"




Part #
ALU57-*

Fits 7/16"




Part #
ALU547-*

Fits 1/2"




Part #
ALU847-*

Fits 5/8"




Part #
ALU347-*

Fits 5/8"




Part #
ALU570-*

Fits 3/4"



Part #
ALU447-*

Fits 3/4"



Part #
ALU560-*

For any quantities less than 120 ft. add 15% to the 120 ft. price.


Aluminum Channel Moulding

Lengths: 12 Ft. • Material: Aluminum

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines
 *S - Satin/Clear Anodized - Dull, Matte Finish
 *BK - Black Powder Coated Finish
 *P - Polished - Shiny/Mirror Finish
 *BS - Brushed Satin - Lightly Brushed (Shows Grain) Satin Finish
 *WH - Glossy White Powder Coated Finish
 Other Colors Available, Please Inquire. *Samples Are Available*


Finishes Available

Satin/Clear Polished/Shiny Brushed Satin




Fits 3/4"

Part #
ALU947-M




Fits 3/4"

Part #
ALU247-M




Fits 3/4"

Part #
ALU1041-S




Fits 3/4"

Part #
ALU2161-S




Fits 13/16"

Part #
ALU157C-M




Fits 7/8"

Part #
ALU565-M




Fits 7/8"

Part #
ALU357-M




Fits 1"

Part #
ALU448-M



Fits 1"


Part #
ALU557-M



Fits 1-11/64"


Part #
ALU450-S

8 Ft. Lengths



Fits 1-3/8"

Part #
ALU578-M





Fits 1-7/8"

Part #
ALU575-M

Aluminum "No Bow" Shelf Channel

Lengths: 8 Ft. - For 1/2", 5/8" & 3/4" Shelves

*S - Clear Anodized - Dull, Matte Finish • *BK - Black Powder Coated Gloss Finish • *WH - White Powder Coated Gloss Finish



Part #	A	B	C
SHF-A500-M	43/64"	3/4"	1/2"
SHF-A625-M	51/64"	3/4"	5/8"
SHF-A750-M	15/16"	3/4"	3/4"

For any quantities less than 120 ft. add 15% to the 120 ft. price.

Plastic Metallic Channel Moulding

Lengths: 12 Ft.
Material: ABS/Mylar

Finishes Available

*BRU/C - Brushed Chrome

*POL/C - Polished Chrome


unless otherwise noted

Cut Program Available

SEE PAGE A-3 FOR DETAILS




Fits 5/8"



Part #

2413-BRU/C
 2413-POL/C

Fits 3/4"




Part #

2414-BRU/C
 2414-POL/C


Stainless Steel Mirror Moulding

Lengths: 12 Ft. • All Stainless Steel 430 Grade (Magnetic) • Polished-Shiny/Mirror Finish



Part #

SS914-P



Part #

SS907-P

FOR MORE CAP & DIVIDER MOULDINGS, SEE PGS. A-28~32

For any quantities less than 120 ft. add 15% to the 120 ft. price

OUTWATER INDUSTRIES, INC. • www.outwater.com


















Lengths: 8 Ft.
Material: Styrene

Colors Available

*WH - White *BK - Black *BR - Brown *SIL - Silver

A = Available with Adhesive (1/2" Foam Tape)

unless otherwise noted



For any quantities less than 120 ft. add 10% to the 120 ft. price.


Phone: 1-800-631-8375 • Fax: 1-800-888-3315

Lengths: 8 Ft.
Material: Styrene
















Colors Available

*WH - White *BK - Black *BR - Brown *SIL - Silver

A = Available with Adhesive (1/2" Foam Tape)
unless otherwise noted



For matching Cap Moulding,
see previous page

 A B B B	 <p>Fits 1/16"</p> <p>Material: Rigid PVC</p> <p>Part # 2383-* 2383-*-A</p>	 <p>Fits 1/16"</p> <p>Part # P610-* P610-*-A</p>	 <p>Fits 1/8"</p> <p>Part # P611-*</p>
	<p>Fits 1/4" Even Leg</p>  <p>Part # P612-*</p>	<p>Fits 1/8" Even Leg</p> <p><i>Dividers with 11/16" Legs</i></p>  <p>Part # 883-*</p>	 <p>Silver Material: PVC</p> <p>Part # P601-* P601-*-A P601-SIL P601-SIL-A</p>
<p>Fits 3/16"</p>  <p>Part # P604-* P604-*-A</p>	<p>Fits 1/8"</p>  <p>Material: ABS</p> <p>Part # 1134-*</p>	<p>Fits 1/4"</p>  <p>Material: ABS</p> <p>Part # 1031-*</p>	<p>Fits 1/4"</p>  <p>Silver Material: PVC</p> <p>Part # P651-* P651-*-A P651-SIL P651-SIL-A</p>
<p>Fits 5/16"</p>  <p>Part # P660-*</p>	<p>Fits 3/8"</p>  <p>Part # 4158-*</p>	<p>Fits 1/2"</p>  <p>Part # 4050-*</p>	<p>Fits 3/4"</p>  <p>Part # P750-*</p>

For matching Cap Moulding, see previous page


Plastic Cap & Divider Sets

COLOR

Cap		Divider	Size	Cap		Divider	Size
2384-*	<i>Works with</i>	2383-*	1/16"	650-*	<i>Works with</i>	P651-*	1/4"
616-*	<i>Works with</i>	P610-*	1/16"	1032-*	<i>Works with</i>	1031-*	1/4"
600-*	<i>Works with</i>	P601-*	1/8"	652-*	<i>Works with</i>	4050-*	1/2"
1135-*	<i>Works with</i>	1134-*	1/8"	4069-*	<i>Works with</i>	P750-*	3/4"

CLEAR

Cap		Divider	Size
846-*	<i>Works with</i>	2028-*	1/8"
2030-*	<i>Works with</i>	2029-*	1/4"




For any quantities less than 120 ft. add 10% to the 120 ft. price.


Clear Plastic Capping

Lengths: 12 Ft.

A = Available with Adhesive (1/2" Clear Tape)
unless otherwise noted




Fits 1/64"



Material: PVC

Part #
12A-CL


Fits 1/64"



8 Ft. Lengths - Material: Styrolux

Part #
220-CL-A


Fits 1/64"



Material: PVC

Part #
210-CL
210A-CL


Fits 1/64"



Material: PVC

Part #
23-CL
23A-CL


Fits 1/32"



8 Ft. Lengths - Material: Styrolux

Part #
55-5949
55-5949A


Fits 3/32"



Material: Butyrate

Part #
847-CL
847A-CL


Fits 1/8"



Material: Polyester

Part #
846-CL
***846A-CL**
****846-CL-CLA**

Fits 1/4"




Material: Butyrate

Part #
2030-CL
2030-CL-CLA



Clear Plastic Divider

Lengths: 12 Ft. • Material: Butyrate

A = Available with Clear Adhesive



Part #
2028-CL
2028-CL-CLA




Part #
2029-CL
2029-CL-CLA

Clear Plastic Joiner Moulding

Lengths: 8 Ft. • Material: Butyrate • Fits 1/4" Material


Divider



.050 Wall Thickness

Part #
P2658


2-Way Corner



.050 Wall Thickness

Part #
P2718


3-Way Corner



.050 Wall Thickness

Part #
P2719


4-Way Channel



.060 Wall Thickness

Part #
P2720

U-Channel



.060 Wall Thickness

Part #
P2743

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Phone: 1-800-631-8375 • Fax: 1-800-888-3315

Aluminum Capping


Finishes Available

Lengths: 12 Ft. • Material: Aluminum

*M, MH (w/holes) - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines
 *S, SH (w/holes) - Satin/Clear Anodized - Dull Matte Finish
 *P, PH (w/holes) - Polished/Mechanical - Shiny/Mirror Finish
 *ORB, ORBH (w/holes) - Oil Rubbed Bronze Anodize Finish
 *BK, BKH (w/holes) - Black Powder Coated Finish
 *WH, WHH (w/holes) - Glossy White Powder Coated Finish
 Samples Are Available


Mill Satin Black Polished White Oil Rubbed Bronze

Fits 1/16"




Part #
ALU2013-*

Fits 1/16"




Part #
ALU2334-*

Fits 1/8" to 5/32"




Part #
ALU7441-S

Fits 5/32"




Part #
ALU2000-*

Fits 3/64"




Part #
ALU0204-S

Fits 3/32"




Part #
ALU0214-S

Fits 3/16"




Part #
ALU0316-S

Fits 1/8"




Part #
ALU4637-*

Fits 1/4" to 9/32"




Part #
ALU851-*

Fits 1/4" to 9/32"



Part #	Description
ALU961-*	Holes
ALU961-M	No Holes

Fits 1/2"



Part #
ALU1851-*

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Aluminum Divider


Lengths: 12 Ft. • Material: Aluminum

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines
 *S - Satin/Clear Anodized - Dull Matte Finish
 *P - Polished/Mechanical - Shiny/Mirror Finish
 *ORB - Oil Rubbed Bronze Anodize Finish
 *BK - Black Powder Coated Finish
 *WH - Glossy White Powder Coated Finish
 Samples Are Available


Finishes Available




Part #
ALU0023-*




Part #
ALU5044-S




Part #
ALU0829-S




Part #
ALU849-*




Part #
ALU5639-*




Part #
ALU1798-*




Part #
ALU4299-*



Part #
ALU850-*



Part #
ALUT155-S




Part #
ALU1850-*

Stainless Steel Cap & Corner Divider

Lengths: 12 Ft.


Material: All Stainless Steel 430 Grade (Magnet) • Polished-Brite Dipped Polish

DIVIDER




Part #
SS1450-P

CAP



Part #
SS1451-P

CAP



Part #
SS851-P

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Aluminum Outside Corners

Lengths: 12 Ft. • Fits 3/4" Panel Boards • Patent #4840440

Finishes Available

*S - Satin/Clear Anodized - Dull, Matte Finish

<p>Joiner</p> <p>Part # ALU5164-S</p>	<p>End Cap</p> <p>Part # ALU5299-S</p>	<p>90° Angle</p> <p>Part # ALU5116-S</p>	<p>90° Angle</p> <p>Part # ALU5163-S</p>
<p>90° Angle</p> <p>Part # ALU5272-S</p>	<p>135° Angle</p> <p>Part # ALU5162-S</p>	<p>Shelf Support</p> <p>Part # ALU5165-S</p>	<p>Instructions: 2 Cutting Methods 1. Using Table saw 2. Using 5 piece cutter head w/shaper</p> <p>Part #: CW-TOOLS (sold separately, please inquire)</p>

Aluminum Corners

Lengths: 12 Ft.

Finishes Available

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

*P - Polished - Shiny/Mirror Finish

*S - Satin/Clear Anodized - Dull, Matte Finish

<p>INSIDE CORNER</p> <p>Fits 1/16"</p> <p>Part # ALU7792-*</p>	<p>INSIDE CORNER</p> <p>Fits 9/32"</p> <p>Part # ALU853-*</p>	<p>INSIDE CORNER</p> <p>Fits 1/2"</p> <p>Part # ALU1853-S</p>	<p>INSIDE CORNER</p> <p>Fits 3/4"</p> <p>Part # ALU1855-*</p>
<p>OUTSIDE CORNER</p> <p>Fits 1/16"</p> <p>Part # ALU7791-*</p>	<p>OUTSIDE CORNER</p> <p>Fits 1/4"</p> <p>Part # ALU5656-*</p>	<p>OUTSIDE CORNER</p> <p>Fits 9/32"</p> <p>Part # ALU852-*</p>	<p>OUTSIDE CORNER</p> <p>Fits 1/2"</p> <p>Part # ALU1852-*</p>
<p>OUTSIDE CORNER</p> <p>Fits 3/4"</p> <p>Part # ALU1854-*</p>	<p>OUTSIDE CORNER</p> <p>Fits 3/4"</p> <p>Part # ALU1857-*</p>	<p>2-WAY CORNER</p> <p>Fits 1/4"</p> <p>Part # ALU0315-S</p>	<p>2-WAY CORNER</p> <p>Fits 3/4"</p> <p>Part # ALU6314-S</p>

For any quantities less than 120 ft. add 15% to the 120 ft. price.


90° Corner Channel



Lengths: 12 Ft.
Material: Styrene
Colors Available

*WH - White *BK - Black *BR - Brown ▲ *DG - Dove Gray ▲
unless otherwise noted


▲ 5000 ft. minimum apply



Fits 1/16"


Part Tapers For Friction Fit

Fits 1/16"



Part #

107-680-*





Gloss finish closely matches
Acrylic and PETG sheets

Color Clear Others Available Min. Apply
Styrolux - 8 Ft. Lengths

Part #


107-681-*

Fits 1/8"



Part #

184-*




Polypropylene

Part #

107-685-BR


Fits 1/4"



8 Ft. Lengths

Part #

107-664-*




8 Ft. Lengths

Part #

107-687-*


Fits 5/8"



8 Ft. Lengths

Part #

107-688-*



8 Ft. Lengths

Part #

107-689-*

60° Corner Channel




Lengths: 8 Ft.
Material: Styrene
Colors Available

*WH - White *BK - Black *BR - Brown ▲ *DG - Dove Gray ▲


▲ 5000 ft. minimum apply

Fits 1/4"



Part #

107-665-*



Fits 1/2"

Part #

107-667-*


For any quantities less than 120 ft. add 10% to the 120 ft. price.

Aluminum Showcase Moulding


Lengths: 12 Ft.

Finishes Available

- *M - Mill - Dull Finish: As Extruded
- May or May Not Have "Scratches"/Die Lines
- *P, PH (w/holes) - Polished/Mechanical - Shiny/Mirror Finish
or Brite Dip Anodize
- *S - Satin/Clear Anodized - Dull Matte Finish



Part #	A	B	C	D
ALU235-S	5/16"	3/8"	3/4"	1/16"
ALU237-*	3/4"	39/64"	1-5/8"	3/64"
ALU239-*	3/4"	1-1/4"	2-1/8"	1/16"





Part #
ALU113-P

Aluminum Overlap Face Nosing

Lengths: 12 Ft.
w/Countersunk Holes

Finishes Available

- *M (w/holes) - Mill - Dull Finish: As Extruded
- May or May Not Have "Scratches"/Die Lines
- *P (w/holes) - Polished/Mechanical - Shiny/Mirror Finish
or Brite Dip Anodize
- *BS (w/holes) - Brushed Satin - Lightly Brushed
(Shows Grain) Satin Finish




Part #	Hole Spacing	Underlip A	Overall B	Lip C
ALU968-*	6"	5/8"	11/16"	1/4"
ALU228-*	7"	3/4"	13/16"	1/4"
ALU128-*	7"	7/8"	15/16"	1/4"
ALU328-*	6"	1-1/4"	1-5/16"	1/4"
ALU428-*	7"	1-5/8"	1-11/16"	1/4"

Aluminum Rounded Trim

Lengths: 12 Ft.
w/Holes - 6" on Center

Finishes Available

- *M (w/holes) - Mill - Dull Finish: As Extruded
- May or May Not Have "Scratches"/Die Lines
- *S (w/holes) - Satin/Clear Anodized - Dull Matte Finish




Part #	A	B
ALU436-*	3/8"	5/32"
ALU437-*	1/2"	3/16"
ALU438-*	3/4"	3/16"
ALU439-*	1"	3/16"

Aluminum Rounded Edge Trim

Lengths: 12 Ft.
w/Holes - 6" on Center

Finishes Available



- *M (w/holes) - Mill - Dull Finish: As Extruded
- May or May Not Have "Scratches"/Die Lines
- *S (w/holes) - Satin/Clear Anodized - Dull Matte Finish



Part #	A	B	C
ALU427-S	3/8"	3/16"	15/16"
ALU429-*	3/8"	3/16"	1-11/64"

For any quantities less than 120 ft. add 15% to the 120 ft. price.

"A FAST, EASY & COST EFFECTIVE METHOD OF HANGING CABINETS, WALL PANELS, PARTITIONS & SIGNAGE!"




Attaches to Cabinet

HOLES & SPACING:

- Pre-cut pieces:
1-1/2" distance (except where noted)
- 4 ft., 8 ft. & 12 ft. Lengths:
8" on center

Note: All holes are 3/16" diameter and accommodate #10 screws.

For our Acrylic Z & W Bar, see page B-44



Pre-Cut with 2 Punched Holes


Part #	Length
ALU111-2-M	1.5 in.

4 ft. & 8 ft. Lengths without Holes

Part #	Length
ALU111-4	4 ft.
ALU111-8	8 ft.

with Punched Holes

Part #	Length
ALU111-4H	4 ft.
ALU111-8H	8 ft.




4 ft. & 8 ft. Lengths without Holes

Part #	Length
ALU333-4-M	4 ft.
ALU333-8-M	8 ft.

with Punched Holes

Part #	Length
ALU333-4-MH	4 ft.
ALU333-8-MH	8 ft.



Pre-Cut with 2 Punched Holes


Part #	Length
ALU112-2-M	2 in.

4 ft. & 8 ft. Lengths without Holes

Part #	Length
ALU112-4	4 ft.
ALU112-8	8 ft.

with Punched Holes

Part #	Length
ALU112-4H	4 ft.
ALU112-8H	8 ft.



Pre-Cut with 2 Punched Holes


Part #	Length
ALU211-2-M	2 in.

4 ft. & 8 ft. Lengths without Holes

Part #	Length
ALU211-4	4 ft.
ALU211-8	8 ft.

with Punched Holes

Part #	Length
ALU211-4H	4 ft.
ALU211-8H	8 ft.



Pre-Cut with 2 Punched Holes


Part #	Length
ALUHAC22-2-M	2 in.

12 ft. Lengths without Holes

Part #	Length
ALUHAC22-M	12 ft.

with Punched Holes

Part #	Length
ALUHAC22-MH	12 ft.



Pre-Cut with 2 Punched Holes (1-3/4" Distance)


Part #	Length
ALUHA4049-25-M	2.5 in.

4 ft. & 8 ft. Lengths without Holes

Part #	Length
ALUHA4049-4-M	4 ft.
ALUHA4049-8-M	8 ft.

with Punched Holes

Part #	Length
ALUHA4049-4-MH	4 ft.



Pre-Cut with 2 Punched Holes


Part #	Length
ALUHAC23-2-M	2 in.

12 ft. Lengths without Holes

Part #	Length
ALUHAC23-M	12 ft.

with Punched Holes

Part #	Length
ALUHAC23-MH	12 ft.



Pre-Cut with 2 Punched Holes (1-3/4" Distance)

Part #	Length
ALUS4049-25-M	2.5 in.

4 ft. & 8 ft. Lengths without Holes

Part #	Length
ALUS4049-4-M	4 ft.
ALUS4049-8-M	8 ft.

with Punched Holes

Part #	Length
ALUS4049-4-MH	4 ft.
ALUS4049-8-MH	8 ft.

Bubble Level

Acrylic bubble level used for leveling our panel clips, or any other horizontal surface.
9/16"W x 1-9/16"L



BL-1

For any quantities less than 120 ft. add 15% to the 120 ft. price
.....
For any quantities less than 100 pieces add 15% to the 100 piece price

Plastic Clear Right Angle Moulding

Cut Program Available
SEE PAGE A-3 FOR DETAILS

Lengths: 12 Ft.
Material: Butyrate




Part #
519-CL




Part #
520-CL

approx. .040
thickness




Part #
1748-CL

approx. .070
thickness




Part #
1749-CL

approx. .095
thickness



Part #
1750-CL

approx. .100
thickness



Part #
1755-CL

approx. .095
thickness


Plastic Color Angle Moulding w/Adhesive

Lengths: 12 Ft. • Material: Styrene

Colors Available


***WH - White *BK - Black**

Fits 5/16" x 7/16"




Part #
2206A-*

(approx. .050
thickness)



Part #
1935-A

(approx. .075
thickness)



Part #
1936-A

(approx. .100
thickness)

Plastic Metallic Angle Moulding w/Adhesive

Lengths: 12 Ft. • Material: ABS/Mylar

Finishes Available


***POL/B - Polished Brass**

***POL/C - Polished Chrome**

***BRU/C - Brushed Chrome**


Please inquire as finishes vary from style to style

Fits 3/8"




Part #
2406-POL/C

Fits 1/2"



Part #
2407-POL/C



Part #
2163-*

**Without
Tape**

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Aluminum & Stainless Steel Cove Moulding

Lengths: 12 Ft.

Finishes Available

***P, *PH (w/holes) - Mechanical Polish - Shiny/Mirror Finish**

***S - Satin/Clear Anodized - Dull, Matte Finish**

***BS, BSH (w/holes) - Brushed Satin - Lightly Brushed (Shows Grain) Satin Finish**

We can also supply custom orders without holes - minimums apply - please inquire.

Reverse cove moulding is used to cover up seams or joints wherever two perpendicular planes meet. The sink top to its backsplash or the ceiling to a wall surface represent typical applications for which our reverse cove moulding was designed. The leg of the profile seals tightly against both surfaces to lend a cleanly trimmed appearance to the finished product.




Part #
ALU141-PH

**Punched holes
spacing every 4-5"**




Part #
ALU121-PH

**Counter sunk holes
spacing every 7"**




Part #
ALU1016-PH

**Counter sunk holes
spacing every 6-7"**




Part #
ALU426-S

Not Available With Holes



Part #
ALU441-PH

**Counter sunk holes
spacing every 6-7"**



Part #
ALU669-*


**Counter sunk holes
spacing every 6-7"**

STAINLESS STEEL COUNTER EDGE SNAP-ON MOULDINGS

Grade 430 (Magnetic)

Part #

SS801A-P
SS806-P



For any quantities less than 120 ft. add 15% to the 120 ft. price.

Plastic Color Right Angle Moulding

Cut Program Available
SEE PAGE A-3 FOR DETAILS

Lengths: 12 Ft.
Material: Styrene

Colors Available

*WH - White *BK - Black *BR - Brown
unless otherwise noted



<p>(approx. .050 thickness)</p> <p>Part # 1919-*</p>	<p>(approx. .055 thickness)</p> <p>Part # 1933-*</p>	<p>(approx. .060 thickness)</p> <p>Part # 1934-*</p>	<p>(approx. .075 thickness)</p> <p>Part # 1935-*</p>	<p>(approx. .100 thickness)</p> <p>Part # 1936-*</p>
<p>(approx. .100 thickness)</p> <p>Part # 1937-*</p>	<p>(approx. .125 thickness) Material: Rigid PVC</p> <p>Part # 1938-*</p>	<p>(approx. .045 thickness)</p> <p>Part # 1940-*</p>	<p>(approx. .100 thickness)</p> <p>Part # 1951-*</p>	<p>(approx. .100 thickness)</p> <p>Part # 1952-*</p>

Plastic Color Uneven Angle Moulding


Lengths: 12 Ft.
Material: Styrene

Colors Available

*WH - White *BK - Black

Fits 5/16" x 7/16"


(approx. .050 thickness)



Part #
2206-*

Fits 1/2" x 1"


(approx. .040 thickness)



Part #
1920-*

Fits 1-1/4" x 3/8"


(approx. .040 thickness)



Part #
1441-*

Fits 1" x 2"


(approx. .040 thickness)



Part #
1921-*

Fits 1" x 3"

(approx. .062 thickness)




Part #
1922-*

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Plastic Flexible Uneven Angle Moulding

Material: PVC • Black


Fits 1/2"



150 Ft. Coils

Part #
807-631-BK


Fits 3/4"



100 Ft. Coils

Part #
807-555-BK

Fits 7/8"



50 Ft. Coils

Part #
807-591-BK

Aluminum Even Angle Moulding

Lengths: 12 Ft.
Material: Aluminum
Finishes Available
















*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

*S - Satin/Clear Anodized - Dull, Matte Finish

*P - Polished/Mechanical- Shiny/Mirror Finish

*BK - Black Anodized Finish

Special Order: Other Colors Available, Please Inquire



For any quantities less than 120 ft. add 15% to the 120 ft. price.

Aluminum Even Angle Moulding





Lengths: 12 Ft.
Material: Aluminum
Finishes Available

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

*P - Polished/Mechanical - Shiny/Mirror Finish

*S - Satin/Clear Anodized - Dull, Matte Finish

Special Order: Other Colors Available, Please Inquire



**FOR STAINLESS STEEL
 ANGLE CORNER GUARDS,
 SEE PAGE B-63**



Aluminum Uneven Angle Moulding







Lengths: 12 Ft.
Material: Aluminum
Finishes Available

*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

*P, PH (w/holes) - Polished/Mechanical - Shiny/Mirror Finish

*BSH (w/holes) - Brushed Satin - Lightly Brushed (Shows Grain) Satin Finish

*S - Satin/Clear Anodized - Dull, Matte Finish



For any quantities less than 120 ft. add 15% to the 120 ft. price.

Plastic Sliding Door Track

Lengths: 12 Ft.
Material: Polypropylene

Colors Available


*WH - White *BK - Black
*BR - Brown *AL - Almond
unless otherwise noted

Upper Track

For use with:

K101-606, K101-610, K101-601

Styrene



Part #

K101-4079-*

Upper Track:
K101-4079

Locking Glide:
R26-62WH

Lower Track:
K101-606/610

Lower Double Flat Track

For 5/8" Doors



Part #

K101-606-*

For 3/4" Doors




Part #

K101-610-BR

Lower Single Flat Track

100 & 500 Ft. Coils



Part #

K101-601-*



Natural Nylon White Locking Glides

For use with:

K101-606, K101-610, K101-601



1/4" x 1/4" x 1"

Nylon Glides Are Recessed Into the Door
Mounts onto 1/4" mortise on the bottom of each door with a brad nail.

Part #

R26-62WH

For Light Weight Doors

No Glides or Wheels Needed

Lengths: 12 Ft.
Material: Styrene

Colors Available

*WH - White *BK - Black
*BR - Brown *BE - Beige

Complete Set Consists Of:

• 1 Upper Track • 1 Lower Track



For 1/8" Doors
*** 5/32" gap**

Part #

180-*

For 1/4" Doors
*** 5/16" gap**

Part #

140-*

For 1/2" Doors
*** 9/16" gap**

Part #

120-*

For 3/4" Doors
*** 13/16" gap**

Part #

340-*

NOTE: ALL TRACK CAN BE MADE AVAILABLE WITH PRESSURE SENSITIVE TAPE. PLEASE INQUIRE.

SLIDING DOOR TRACK SYSTEM WITH WHEELS

Material: Styrene • With or Without Adhesive

Colors Available

*BK - Black *SG - Silver Gray

For 1/4" Doors

High Quality **Easy-Roll** Metal Ball Bearings
with **Economy** of Plastic Track

Complete Set Consists Of:

- 1 x 12 Ft. Length Upper Track
- 1 x 12 Ft. Length Lower Track
- 1 Wheel Per Running Ft.



With or Without
Peel & Stick
Adhesive

Without Adhesive - Available In 12 Ft. Lengths

Part #

MT38-*

With Adhesive - Available In 4 & 8 Ft. Lengths

Part #

Length


MT38-A4-*

4 ft.

MT38-A8-*

8 ft.

NOTE:
Rough Opening
Less 7/8" = Door Size



Additional Wheels

Part #

MTR



Plastic Miracle Track II

SLIDING DOOR TRACK SYSTEM WITH WHEELS

Lengths: 12 Ft. • Material: PVC • Silver Gray


For 1/4" Doors

- Lower track has sidewalls to prevent rollers from slipping off track
- 1" (25.4mm) shoe allows superior gripping of glass or plywood doors
- Deep upper track to allow extra clearance and easy installation
- Zinc plated rollers with plastic wheel
- Track & shoe material is rigid PVC

- OUR MOST POPULAR ASSEMBLY-

Complete Set Consists Of:

- 1 x 12 Ft. Length Upper Track
- 1 x 12 Ft. Length Lower Track
- 1 x 12 Ft. Length Shoe
- 1 Wheel Per Running Ft.



**Additional
Wheels**

Part #

MTR2

Part #

MT39-SG



For any quantities less than 120 ft. add 10% to the 120 ft. price.

NOTE: ALL TRACK CAN BE MADE AVAILABLE WITH PRESSURE SENSITIVE TAPE. PLEASE INQUIRE.



Aluminum Sliding Door Track

Lengths: 12 Ft.

Finishes Available

M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines


Recommended for Glass or Wood Doors



Part #
ALU7474-M

For Up to 1/4" Doors

.015 Thick
or less than 1/32"
(28 Gauge)



All Stainless Steel 430 Grade (Magnetic)
Polished-Shiny/Mirror Finish

Part #
SS907-P

Wheels every 5-1/2".
Use 2/3 of the track with wheels.

Example:

6 ft. opening use 4 ft. of roller system.

Galvanized
Steel

Part #
ALURC4-12


Ultra Pile Dust Seal / Weatherseal w/Adhesive

Lengths: 50 Ft. Coils • Color: Gray

Self supporting pile is always on center
and has the integrity and consistency to
ensure a tight seal.



MANY
APPLICATIONS:
Windows
Doors
Showcases



Part#	Description
DS-150-GY	.270 W x .150 H
DS-200-GY	.270 W x .200 H

Recommended for Wood Doors


No Glides or Wheels Needed

Complete Set Consists Of:

- 1 Upper Track • 1 Lower Track

For 1/8" Doors


Part #
ALUT18-M



For 1/4" Doors

Part #
ALUT14-M


New **ALUT14-CL**



**CLEAR ANODIZED
COMING SOON!**


For 1/2" Doors

Part #
ALUT12-M




For 3/4" Doors

Part #
ALUT34-M



For 3/4" Doors

Part #
ALUT134SP-M





For any quantities less than 120 ft. add 15% to the 120 ft. price.


OUTWATER INDUSTRIES, INC. • www.outwater.com

Plastic Panel Hinge

Lengths: 12 Ft.
Material: Polypropylene
Colors Available
*WH - White *BK - Black




Fits 1/8" Panels




Part #
103-634-*

Fits 3/16" Panels




Part #
103-571-*

Fits 1/4" Panels




Part #
103-635-*

Fits 3/8" Panels



Part #
103-637-*

Fits 1/2" Panels




Part #
103-4175-*

Lengths: 12 Ft.
Material: PVC
Colors Available

*WH - White *BK - Black *CL - Clear


New!

Fits 1/8" Panels




Part #
108-640-*

Fits 3/16" Panels



Part #
108-644-CL


Fits 1/4" Panels



Part #
108-641-*


Lengths: 12 Ft.
Material: PVC • Clear w/White Web

Fits 3/16" Panels



Part #
P4506-CL


Fits 1/4" Panels




Part #
P4440-CL

Plastic Tee Hinge

Lengths: 12 Ft.
Material: Polypropylene
Colors Available
*WH - White *BK - Black




For 1/2" Panel



Part #
103-631-*

For 3/4" Panel




Part #
103-632-*


Flat Hinge

Lengths: 100 & 500 Ft. Coils
Material: Polypropylene
Colors Available

*WH - White *BK - Black *BR - Brown




Part #
103-639-*



Part #
103-638-*


Lengths: 100 Ft. Coils
Material: PVC
Clear w/White Web

Part #
P4169-CL




Lengths: 5 Ft.
Material: P.E.T.G./PVC w/ Glue Groove
Clear

Part #
9888H




Lengths: 5 Ft.
Material: Acrylic/PVC • Clear

Part #
696H




Lengths: 4 Ft.
Material: Clear Urethane & Acrylic
U.V. Stabilized for Outdoor Use!



Part #
F2000-CL

For any quantities less than 120 ft. add 10% to the 120 ft. price.

Bumper Guard Moulding





Part #
K106-544-*

Material: Polyethylene

Colors Available

*BK - Black *BR - Brown



Part #
K106-555-*


Industrial Bumper Moulding w/Adhesive

Material: PVC

Colors Available

WH - White BK - Black

3M™



Black & White - 50 Ft. Coils

Part #
SJ-5510BK
SJ-5510WH


1/2"



Black Only - 100 Ft. Coils

Part #
2122-BK

9/16"



Black Only - 100 Ft. Coils


Part #
1968-BK

7/8"

Chair Edge Guard Moulding

Lengths: 100 & 600 Ft. Coils

Material: Vinyl • Clear



Part #
403-023-000-0600R






Table Guard Moulding



Lengths: 100 & 500 Ft. Coils • Staple To Surface



Vinyl - Clear

Part #
101-CL



PVC/Film
Brite Brass - Brite Chrome

Part #
101-B/B
101-B/C



Adjustable Panel / Glass Retainer



Lengths: 12 Ft.
Material: RPVC
Accommodates all panels at 1/16", 1/8" & 1/4"
Colors Available


***LB - Light Beige** ***FW - Frost White** ***PLT - Platinum**
unless otherwise noted

Insert May Be:

- Glass
- Markerboard
- Tackboard
- Expanded Metal Grilles
- Woven Wire Grilles
- Decorative MDF Screening Panel

SOLD IN SETS

Part #
6500-*



Panel Retainer

Staple Type

Lengths: 100 Ft. / 500 Ft. Coils

Material: Vinyl

Colors Available

***WH - White** ***BK - Black** ***BR - Brown**
unless otherwise noted

	Part # 102-625-*	Part # 102-680-*	Part # 102-627-*
Part # 102-681-*	Part # 102-645-* White not available	Part # 102-698-*	Part # 102-644-*
Part # 102-778-*	Part # 102-623-*	Part # 102-624-*	Part # 102-620-*


Groove Type

Lengths: 100 Ft. / 500 Ft. Coils


Material: Vinyl • Use S4 or S10 Slotter

Colors Available


***WH - White** ***BK - Black** ***BR - Brown** ***CL - Clear**
unless otherwise noted



#102-621 is also available in Fruitwood & Clear



Part #
102-621-*



Part #
102-646-BR

Aluminum Tubes, Rods, Bars & Squares

Finishes Available


*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines

*S - Satin/Clear Anodized - Dull, Matte Finish

*BK - Black Powder Coated

Square Tube

Length: 12 Ft.



Part #	O. D.	Wall Thickness
ALUX211-M	1/2"	.050"
ALUX212-M	3/4"	.050"
ALUX213-M	1"	.050"
ALUSQ14-M	1-1/4"	.125"

Square Bar

Length: 8 & 12 Ft.



Part #	Dimensions
ALUB25-M	1/4" x 8 Ft.
ALUB50-M	1/2" x 12 Ft.
ALUB6750-M	3/4" x 8 Ft.

Rectangular Tube

Length: 12 Ft.



Part #	A	B	Wall Thickness
ALURT15-M	1"	1/2"	.125
ALURT12-M	2"	1"	.125
ALURT18-M	3"	1-1/2"	.125

Rectangular Bar


Length: 12 Ft. (8 Ft. lengths only)



Part #	A	B	
x ALU500-18-M	1/4"	1/8"	(x - 4 Ft. lengths only)
ALU601-*	1"	1/16"	
ALU599-18-*	1/2"	1/8"	
ALU600-18-*	3/4"	1/8"	
ALU601-18-*	1"	1/8"	
ALU603-18-*	1-1/2"	1/8"	
ALU604-18-*	2"	1/8"	

Round Tube

Length: 8 Ft.



Part #	O.D.	Wall Thickness
ALU799-M	1/4"	1/16"
ALU800-M	1/2"	1/16"
ALU801-M	3/4"	1/16"
ALU802-M	1"	1/16"
ALU803-M	1-1/2"	1/16"
ALU798-M	1-1/2"	1/8"

Round Rod

Length: 8 Ft.



Part #	Dimensions
ALUR14-M	1/4" x 8 Ft.
ALUR375-M	3/8" x 8 Ft.
ALUR12-M	1/2" x 8 Ft.
ALUR58-M	5/8" x 8 Ft.
ALUR34-M	3/4" x 8 Ft.
ALUR100-M	1" x 8 Ft.

For any aluminum items less than 120 ft. add 15% to the 120 ft. price.

Heavy Duty White Furniture Grade PVC Tubing




Lengths: 8 Ft. • 1-1/4" O.D. • .060 Wall

Part #
PD125-WH

FOR END CAPS & GLIDES, SEE PAGES E-14~20


Length: 6 Ft.

Round Tubes




Part #	O.D.	I.D.	Wall Thick.
10702	5/16"	3/16"	1/16"
10703	3/8"	1/4"	1/16"
10704	3/8"	1/8"	1/8"
10705	1/2"	3/8"	1/16"
10706	1/2"	1/4"	1/8"
10708	5/8"	1/2"	1/16"
10709	5/8"	3/8"	1/8"
10710	3/4"	5/8"	1/16"
10711	3/4"	1/2"	1/8"
10712	7/8"	3/4"	1/16"
10713	7/8"	5/8"	1/8"
10714	1"	7/8"	1/16"
10715	1"	3/4"	1/8"
10716	1-1/4"	1"	1/8"
10717	1-1/4"	1-1/8"	1/16"
10718	1-1/2"	1-1/4"	1/8"
10719	1-5/8"	1-3/8"	1/8"
10720	1-3/4"	1-1/2"	1/8"
10721	2"	1-3/4"	1/8"
10723	2-1/4"	2"	1/8"
10724	2-1/2"	2-1/4"	1/8"
10725	2-3/4"	2-1/2"	1/8"
10726	3"	2-3/4"	1/8"
10727	4"	3-3/4"	1/8"
10728	4 1/2"	4-1/4"	1/8"
10729	5"	4-3/4"	1/8"
10730	6"	5-3/4"	1/8"

Round Rods




Part #	Diameter
10102	1/8"
10103	3/16"
10104	1/4"
10105	5/16"
10106	3/8"
10108	1/2"
10110	5/8"
10111	3/4"
10112	7/8"
10113	1"
10114	1-1/8"
10115	1-1/4"
10116	1-1/2"
10117	1-3/4"
10118	2"

Square Rods




Part #	Square
10301	1/8"
10302	3/16"
10303	1/4"
10304	3/8"
10305	1/2"
10307	3/4"
10308	1"

Half Round Rods



Part #	Diameter
10201	1/2"
10202	5/8"
10203	3/4"
10204	1"

Rectangular Rods



Part #	Size
10801	1/8" x 3/8"
10802	1/8" x 5/8"
10805	1/4" x 1/2"
10806	1/4" x 1"
10807	5/8" x 1"
10808	3/4" x 1"

Square Spiral Rods



Part #	Point To Point
10502	1/2"
10503	5/8"
10504	3/4"

For quantities less than 60 ft. add 10% to the 60 ft. price.

Vinyl Baseboard Mouldings



PROFILE:

- Full .080" gauge
- Co-extruded
- Heavier wear layer
- Precision cut ends
- Shrink free
- No blanching
- Abrasion resistant
- Washable surface
- Soft and workable
- Contemporary colors
- Inside and outside corners made easily

Custom Colors Available -
3000 Ft. Minimum, Please Inquire.

MSDA AVAILABLE UPON REQUEST

	Part #	Color	Description	Height
A	BB-448-210	Cocoa	(4 ft. lengths & 100 ft. coils)	4"
B	BB-448-220	Beige	(4 ft. lengths & 100 ft. coils)	4"
C	BB-448-410	Almond	(4 ft. lengths & 100 ft. coils)	4"
D	BB-448-310	Pewter	(4 ft. lengths & 100 ft. coils)	4"
E	BB-448-300	Charcoal	(4 ft. lengths & 100 ft. coils)	4"
F	BB-448-320	Silver	(4 ft. lengths & 100 ft. coils)	4"
G	BB-448-950	Wine	(4 ft. lengths & 100 ft. coils)	4"
H	BB-448-400	White	(4 ft. lengths & 100 ft. coils)	4"
I	BB-448-100	Black	(4 ft. lengths & 100 ft. coils)	4"

	Part #	Color	Description	Height
C	BB-648-410	Almond	(100 ft. coils)	6"
D	BB-648-310	Pewter	(100 ft. coils)	6"
F	BB-648-320	Silver	(100 ft. coils)	6"
H	BB-648-400	White	(100 ft. coils)	6"
I	BB-648-100	Black	(100 ft. coils)	6"

PLEASE NOTE: There is 100 ft. per box for BB-448-* (25 ea. 4" H x 4' L pcs.); Broken Box Fee for less than 100 ft.

ADHESIVE

WHITE ACRYLIC LATEX ADHESIVE,
QUICK-DRYING & NON-FLAMMABLE.

CARTRIDGE

Part #
WB-ADH-C

GALLON

Part #
WB-ADH-G

U.S. FEDERAL SPECIFICATIONS:


.080" gauge Vinyl Wallbase conforms to all requirements of Federal Specification #SS-W-40A Type 2 Vinyl Plastic: .080" Thickness. Class 1 Vinyl Chloride.

FLAME SPREAD AND SMOKE DEVELOPMENT RESULTS:

Wallbase has a Flame Spread Index of 20 and Smoke Development Value of 290. Test results, calculated in accordance with ASTM-E84-912. The National Fire Protection Association Life Safety Code 101, Section 6-5.3, "Interior Wall and Ceiling Finish Classification", classifies materials with respect to Flame Spread and Smoke Development. When tested in accordance with NFPA 255, Vinyl Wallbase gained a Class A rating.

Vinyl Carpet / Floor Mouldings

1/4" Carpet Reducer



Part #
CT-250-BK

Transition reducer for glue down carpets; with 1/4" undercut.

BROKEN BOX FEE FOR ORDERS LESS THAN THE TUBE AMOUNT.